

**READ ENTIRE LABEL BEFORE EACH USE
USE ONLY ON DOGS OR HORSES
PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS & DOMESTIC ANIMALS**

CAUTION

Not for use on humans. Harmful if swallowed, inhaled, or absorbed through skin. Avoid breathing spray mist. Avoid contact with eyes, skin or clothing. Wash thoroughly with soap and water after handling. Remove contaminated clothing and wash before reuse. **HAZARDS TO DOMESTIC ANIMALS:** For external use only. Do not use on animals under three months of age or on sick, old, debilitated or medicated pets. Do not apply to horses or foals intended for slaughter. **DO NOT USE ON CATS.** Sensitivities may occur after using ANY pesticide product for pets. If signs of sensitivity occur, bathe your pet with mild soap and rinse with large amounts of water. If signs continue, consult a veterinarian immediately. **KILLS AND REPELS:** Stable flies, horse flies, face flies, deer flies, house flies, horn flies, mosquitoes, gnats, ticks, fleas, chiggers, and lice.

FIRST AID	
IF SWALLOWED	<ul style="list-style-type: none"> • Call a poison control center or doctor immediately for treatment advice. • Have person sip a glass of water if able to swallow. • Do not induce vomiting unless told to do so by a poison control center or doctor. • Do not give anything by mouth to an unconscious person.
IF INHALED	<ul style="list-style-type: none"> • Move person to fresh air. • If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth, if possible. • Call a poison control center or doctor for further treatment advice.
IF IN EYES	<ul style="list-style-type: none"> • Hold eye open and rinse slowly and gently with water for 15–20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. • Call a poison control center or doctor for treatment advice.
IF ON SKIN	<ul style="list-style-type: none"> • Take off contaminated clothing. • Rinse skin immediately with plenty of water for 15–20 minutes. • Call a poison control center or doctor for treatment advice.
Have the product container or label with you when calling a poison control center or doctor, or going for treatment.	

STORAGE & DISPOSAL

Do not contaminate water, food, or feed by storage or disposal. **Pesticide Storage:** Store in a cool, dry place. Do not store near heat or open flame. Store pesticides away from food, pet food, feed, seed, fertilizers and veterinary supplies. **Container Handling:** Nonrefillable container. Do not reuse or refill this container. If empty: Place in trash or offer for recycling if available. If partly filled: Call your solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

ENVIRONMENTAL HAZARDS

This product is toxic to fish. Do not apply directly to water. Do not contaminate water when disposing of equipment washwaters.

Buyer assumes all risk of use, storage and handling of this product not in strict accordance with directions given herein.



Manufactured for: **FARNAM HORSE PRODUCTS**

A Division of Farnam Companies, Inc.

P.O. Box 34820 • Phoenix, AZ 85067-4820 • farnamhorse.com

In case of emergency or for product use information, call 800-234-2269

Ready To Use



REPEL-X®

Insecticide & Repellent

**Kills and Repels: Six Fly Species,
Ticks, Gnats and Mosquitoes**

For Use on Horses, Dogs and Their Premises



ACTIVE INGREDIENTS:

Pyrethrins	0.05%
Piperonyl Butoxide*, Technical	0.50%
Permethrin**	0.10%

OTHER INGREDIENTS 99.35%

TOTAL 100.00%

* Equivalent to 0.4% (butylcarbitol) (6-propylpiperonyl) ether and 0.1% of related compounds.

** (3-phenoxyphenyl) methyl (±) cis/trans 3 - (2,2-dichloroethenyl) 2,2-dimethyl cyclopropane carboxylate. cis/trans ratio: min 35% (±) cis and max. 65% (±) trans.

**KEEP OUT OF REACH OF CHILDREN
CAUTION**

See back panel for additional precautionary statements

Net Contents 1 Qt (.946 L)

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

FOR HORSES USE FULL STRENGTH: This non-oily insecticide repellent may be applied with a trigger spray applicator or as a wipe. Kills and repels stable flies, horse flies, face flies, deer flies, house flies, horn flies, mosquitoes, gnats, ticks, fleas, chiggers and lice. Do not use on foals under 3 months of age.

DIRECTIONS FOR TRIGGER SPRAY USE: Remove excess dirt and dust. Apply light spray mist to coat while brushing lightly against lay of the hair. Avoid spray in eyes and mucous membranes. Apply with sponge or cloth to those areas.

DIRECTIONS FOR WIPE-ON USE: Thoroughly brush horse to remove excess dirt and dust. Extremely dirty horses should be shampooed, rinsed and allowed to dry before applying wipe. Use a sponge, clean soft cloth, or mitt. Apply liberally over areas to be protected. Pay special attention to legs, belly, shoulders, neck, and facial areas. Avoid eyes and mucous membranes.

TO KILL AND REPEL FLYING INSECTS IN ANIMAL QUARTERS: Use this product in horse and cattle (beef and dairy) barns, milk houses, poultry houses, swine quarters, kennels, outbuildings, pens and shelters to kill and repel stable flies, horse flies, face flies, deer flies, house flies, horn flies, mosquitoes, gnats, ticks (including Deer Ticks), fleas, chiggers, and lice. Apply undiluted as a surface spray. Remove animals prior to treatment. Allow treated surfaces to dry before allowing animals back into quarters treated with this product. Do not apply directly to any animals destined for milking or slaughter. **Surface Spraying:** Use a good sprayer adjusted to deliver a coarse wet spray. Apply as a coarse wet spray using 1 pint per 1,000 sq. ft. Direct the spray wherever flies congregate or alight, until surfaces are moistened. Treat around doorways, feed storage rooms, alleyways and windowells. Spray around outside of door facings and screens to render area unattractive to insects. This helps to repel insects and prevent entrance into building.

Do not contaminate water, feed or foodstuffs, milk or milking utensils. Repeat treatment daily, or at intervals needed to give adequate protection.

FLEAS AND TICKS ON DOGS: Start spraying at the animal's head avoiding the eyes, nose and mouth as you spray. Make sure the animal's entire body is covered including the legs, underbody and tail. While spraying, fluff the hair so that the spray will penetrate to the skin. Make sure spray wets thoroughly. Avoid contact with genitalia. Reapply every day. Do not use on puppies under three months of age. Consult a veterinarian before using this product on debilitated, aged, medicated, pregnant, or nursing animals. **DO NOT USE ON CATS.** Sensitization may occur after using any pesticide product for pets. If signs of sensitivity occur, bathe your dog with mild soap and rinse with large amounts of water. If signs continue, consult a veterinarian immediately.

PET AREAS: To control Fleas and Brown Dog Ticks on premise: Thoroughly spray infested areas, pet beds, resting quarters, nearby cracks and crevices, along and behind baseboards, moldings, window and door frames, and local areas of floor and floor covering. Fresh bedding should be placed in animal's quarters following treatment. Concurrent treatment of animals is recommended. Reapply every day.

PHYSICAL AND CHEMICAL HAZARDS

Do not use this product in or on electrical equipment due to the possibility of shock hazard.

EPA REG. No. 270-294

EPA Est. No. 2724-TX-1

Product Code: 10330

RM#: 300507903

©2008, 2010

Farnam Companies, Inc.

Made in USA • 10-1371

Repel-X, Farnam, the Farnam logo and Your Partner in Horse Care are trademarks of Farnam Companies, Inc.

