

# Equine Fly Spray Ready to Use

Kills over 70 listed species of flying and crawling insects on contact

Stays active for up to 14 days

### ACTIVE INGREDIENTS:

*Permethrin	0.20%
Pyrethrins	0.10%
**N-Octyl bicycloheptene dicarboximide OTHER INGREDIENTS:	0.48%
OTHER INGREDIENTS:	99.22%
TOTAL:	100.00%

\*Cis. trans isomers ratio: Min. 35% (+ or -) trans and Max. 65% (+ or -) cis \*\*MGK® 264 Insecticide Synergist EPA Reg No. 1021-1817-4 EPA Est No. 4-NY-1

Keep Out Of Reach Of Children CAUTION (See back panel for additional Precautionary Statements)





citronella scented



- ✓ Weatherproof formula binds to the hair shaft to repel and protect from listed insects, sweat, rain, dust and dirt for up to 14 days.
- ✓ Kills and Repels More Than 70 Listed Species Including: Biting Flies, Stable Flies, Horn Flies, House Flies, Face Flies, Horse Flies, Deer Flies, Gnats, No-See-Ums, Carpenter Bees, Fleas, Ticks, Chiggers, Lice and Mosquitoes including Culex species which may transmit West Nile Virus.
- ✓ Protection for pastured horses for up to 14 Days
- √ Ready to Use Insecticide & Repellent

R۱

- Kills insects on contact: Cockroaches, Scorpions, Beetles, Centipedes, Millipedes, Fire Ants, Carpenter Ants, Crickets, and Spiders including, Black Widows on premises.
- Rapid knockdown, kill and repellency for up to 14 days.
- Also approved for use on dogs and use as a premise spray.
- Kills fleas and ticks on dogs.
- Kills over 70 listed species of flying and crawling Insects on contact.
- Effective long-term control for up to 14 days.
- Sweat and Water resistant formula.
- · Works rain or shine.

### DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

### READ ALL DIRECTIONS COMPLETELY BEFORE USE

### PRECAUTIONS AND RESTRICTIONS:

- · For indoor use only.
- Except when applying to dogs, horses, ponies or foals, do not allow children, adults, or pets to enter until sprays have dried.
- Do not apply directly into sewers or drains, or to any area like a gutter where drainage to storm sewers, water bodies, or aquatic habitat can occur. Do not allow the product to enter any drain during or after application.
- Not for broadcast use on indoor residential surfaces.
- · Do not contaminate food or feedstuff.

SHAKE WELL BEFORE USE – Ready to use. No mixing necessary. Hold container upright and spray as directed. This product may be applied directly with either a soft cloth or fine mist spray.

Except when applying to dogs, horses, ponies or foals, do not apply this product in a way that will contact adults, children, or pets, either directly or through drift. Remove or cover exposed food and drinking water before application. Remove or cover dishes, utensils, food processing equipment, and food preparation surfaces, or wash them before use.

### DIRECTIONS

To operate sprayer, spray surfaces or pin stream for cracks and crevices, and pump trigger to spray as directed. For best results, follow directions for specific use areas. Do not use this product in or on electrical equipment due to possibility of shock hazard.

## HORSES, PONIES AND FOALS

Kills and repels Stable Flies, Horn Flies, House Flies, Face Flies, Horse Flies, Deer Flies, Cluster Flies, Sciarid Flies, Mosquitoes including Culex species which may transmit West Nile Virus, Gnats, Midges, Punkies and No-See-Ums, Carpenter Bees, Moths including Almond, Chocolate, Tobacco, Indian Meal, Angoumois Grain and other flying moths, Fleas, Ticks including Brown Dog, Lone Star, Deer, Other Ixodid Species, American Dog, and Gulf Coast, Chiggers and Lice.

For initial treatment, apply 1-2 ounces daily for 2 to 3 days. As infestation subsides, repeat treatment every 7-14 days or as prescribed by a veterinarian. Also re-apply every time animal is washed or exposed to heavy rain.

**USE AS A SPRAY:** Apply to face, legs, flanks, top line, and other body areas commonly attacked by flies. Do not wet horse's skin or exceed two ounces per application. After application, brush thoroughly to bring out a bright sheen on the coat.

**USE AS A WIPE ON:** Brush animal to remove excess dirt and dust. Moisten but do not wet to the point of dripping a soft cloth and rub over the hair. It is best to apply by rubbing against the hair growth. Give special

attention to the legs, shoulders, shanks, neck and facial areas where flies most often are seen. Only a light application is required. Avoid using an excessive amount on your horses. Do not wet skin. After application, brush thoroughly to bring out bright sheen on the coat.

### DOGS

Kills and repels fleas, ticks and lice. Do not apply more than nine fluid ounces when applying to dogs. Repeat treatment.

Cover animal's eyes with a hand. Do not spray directly on mouth, nose and eyes. Spray head, ears and chest until damp. With fingertips, rub into face, and around mouth, nose and eyes. Then spray from the neck to the tail, finishing legs last. For best penetration of spray to skin and on heavily coated animals, direct spray against the natural lay of the hair, spraying the ruffled hair directly behind the hand. Make sure the spray thoroughly wets ticks. When used on miniature and toy breeds of dogs, towel dry the animal after ½ hour if not completely dry. Avoid contact with genitalia. Repeat treatment, if necessary in 14 days.

# USE AS A PREMISE SPRAY (Barns, Stables, Farm Building, Buildings housing animals, Homes):

Kills listed insects on contact such as: Cockroaches, including Smoky Brown, Brown Banded, Asian, German, American, Australian and Oriental Cockroaches, Scorpions, Black Widow Spiders, Cellar Spiders, Grain Mites, Clover Mites, Beetles, (including Carpet, Flat Grain, Flour, Cigarette, Confused Flour, Drugstore, Lesser Grain Borer, Merchant

Grain, Saw-toothed Grain, Warehouse, Red Flour, Ground, Elm Leaf), Rice Weevils, Centipedes, Millipedes, Fire Ants, Carpenter Ants, Foraging Ants and Pharaoh Ants, Palmetto Bugs, Water Bugs, Cadelles, Indian Meal Worms, Sowbugs, Boxelder Bugs, Earwigs, Pillbugs, Firebrat, Silverfish, Clothes Moths, Booklice and Crickets.

In the home, remove all exposed food and cooking utensils. Cover all food handling surfaces or wash thoroughly after treatment and before use.

Spray in areas where insects congregate. Direct spray to contact insects for rapid knockdown and kill. Spray around outside of door facings and screens to render area unattractive to insects. This will help to repel insects and prevent entrance into building.

# STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage and disposal. **Pesticide Storage:** Store in a cool, dry area, preferably one that can be locked. Always store pesticides in the original container. Store container upright. Store away from food and pet food.

Pesticide Disposal and Container Handling: Nonrefillable container. Do not reuse or refill this container. *If empty:* Place in trash or offer for recycling if available.

If partly filled: Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

# FIRST AID

advice.

OR CLOTHING:

IF ON SKIN

- Take off contaminated clothing.
   Rinse skin immediately with plenty of water for 15-20
- minutes.

  Call a poison control center or doctor for treatment

Have the product container or label with you when calling a poison control center or doctor, or going for treatment. For information regarding medical emergencies or pesticide incidents, call 1-888-740-8712.

### PRECAUTIONARY STATEMENTS

# HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION: Harmful if absorbed through the skin. Avoid contact with skin, eyes, or clothing. Prolonged or frequently repeated skin contact may cause allergic reactions in some individuals. Wear long-sleeved shirt, long pants, shoes, socks, and chemical-resistant gloves made of any water proof material. Wash hands thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet. Remove and wash contaminated clothing before reuse.

using the toilet. Remove and wash contaminated clothing before reuse. Do not apply to puppies or foals under 12 weeks of age. Consult a veterinarian before applying this product on medicated, debilitated, aged, pregnant, or nursing animals. Sensitivities may occur after using any pesticide product for pets. If signs of sensitivity occur bathe the animal with mild soap and rinse with large amounts of water. If signs continue, consult a veterinarian immediately.

### ENVIRONMENTAL HAZARDS

This pesticide is extremely toxic to aquatic organisms, including fish and invertebrates. To protect the environment, do not allow pesticide to enter or run off into storm drains, drainage ditches, gutters or surface waters. Applying this product in calm weather when rain is not predicted for the

next 24 hours will help to ensure that wind or rain does not blow or wash

pesticide off the treatment area.

possibility of shock hazard.

This pesticide is highly toxic to bees exposed to direct treatment on blooming crops or weeds. Do not apply this product or allow it to drift to blooming crops or weeds while bees are actively visiting the

treatment area PHYSICAL AND CHEMICAL HAZARDS

Do not apply this product around electrical equipment due to the