Farnam **Fly Repellent** For Horses, Ponies & Dogs

Repels House Flies, Stable Flies, Face Flies, and Horn Flies from sensitive areas of the face and head and also from areas around wounds.

ACTIVE INGREDIENTS:

KEEP OUT OF REACH OF CHILDREN Pyrethring 0.40% CAUTION Piperonvl Butoxide* . 00% Di-n-propyl isocinchomeronate. .00% See Back Panel for Additional Precautions N-octvl bicvcloheptene dicarboximide 0.40% OTHER INGREDIENTS** 97.20% Net Contents 2 FI Oz (59 ml) TOTAL *(butylcarbityl)(6-propylpiperonyl) ether and related compounds. **Contains petroleum distillate.

FPA REG. NO. 270-107 EPA EST NO 84830-IA-01

Manufactured for: FARNAM COMPANIES, INC. Horse Products Division P.O. Box 34820. Phoenix, AZ 85067-4820 farnamhorse com

Product Code: 12101 • 12-0288 99.0000141.02 Made in USA



©2009, 2012 Farnam Companies, Inc. Farnam; Farnam with design and Roll-On are trademarks of Farnam Companies, Inc.

HERE

READ ENTIRE LABEL BEFORE EACH USE USE ONLY ON HORSES, PONIES OR DOGS Precautionary statements Hazards to humans & domestic animals

CAUTION: Harmful if swallowed. For animal use only. Do not use on animals under 12 weeks. Consult a veterinarian before using this product on debilitated, aged, medicated, pregnant or nursing animals. Not for human use. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco, or using the toilet. Sensitivities may occur after using ANY pesticide product for pets. If signs of sensitivity occur, bathe your pet with mild soap and rinse with large amounts of water. If signs continue, consult a veterinarian immediately.

FIRST AID: IF SWALLOWED: Immediately call a poison control center or doctor. Do not induce vomiting unless told to do so by the poison control center or doctor. Do not give any liquid to the person. Do not give anything by mouth to an unconscious person. In case of medical emergencies or health and safety inquiries, or in case of fire. leaking or damaged containers or for product use information, call 800-234-2269. Have the product container or label with you when calling a poison control center or doctor, or going for treatment.

NOTE TO PHYSICIAN: Contains petroleum distillate – vomiting may cause aspiration pneumonia.

DIRECTIONS FOR USE: It is a violation of Federal law to use this product in a manner inconsistent with its labeling. Do not use on horses or foals intended for slaughter. Do not apply over cuts, wounds, or irritated skin. Do not apply near eves and mouth. Apply sparingly around ears. Wash hands with soap and water promptly after use. Shake well before using. Remove cap from bottle. Apply around animal's nose, eves, ears, mouth; also around wounds and other surface lesions. Do not put solution directly in animal's eves, mouth or wounds. Do not reapply to horses or ponies more than one (1) time per day. Replace cap after use. Maximum application rates are 25 fl. oz. per application per horse and 12.7 fl. oz. application per dog. For dogs, product can be reapplied after one week.

STORAGE & DISPOSAL: Do not contaminate water, food, or feed by storage or disposal. Storage: Store in original container in a cool, dry place inaccessible to children and pets. If a leaky container must be contained within another, mark the outer container to identify the contents. Store pesticides away from food, pet food, seed, fertilizers, and veterinary supplies.

Disposal: Nonrefillable container. Do not reuse or refill this container. If Empty: Place in trash or offer for recycling if available. If Partly Filled: Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.