

— USE WITH —
CONFIDENCE ON
FLORATAM

L988933

Roundup
FOR LAWNS₄

**KILLS WEEDS
NOT THE LAWN**

KILLS DOLLARWEED · DANDELION · CLOVER · YELLOW NUTSEDGE*

FOR USE ON SOUTHERN GRASSES

Keep Out Of Reach Of Children **Mantener Fuera Del Alcance De Los Niños**

CAUTION

Stop! Read the entire label first. Observe all precautions and follow directions carefully. See back panel booklet for additional precautionary statements and first aid.

PRECAUCIÓN

Alto. Lea primero toda la etiqueta. Observe todos los avisos de precaución y siga atentamente las instrucciones. También preste atención a los avisos de precaución y los primeros auxilios en la contraportada.

*See inside booklet for weed list.

ACTIVE INGREDIENTS:

Pennisstamyl 0.014%
Sulfentrazone 0.014%
2,4-D, dimethylamine salt 0.146%
Dicamba, dimethylamine salt 0.041%

OTHER INGREDIENTS: 99.785%
Total 100.000%

THIS PRODUCT CONTAINS:

0.0012 lb Pennisstamyl per gallon or 0.014%
0.0012 lb Sulfentrazone per gallon or 0.014%
0.0102 lb 2,4-dichlorophenoxyacetic acid equivalent per gallon or 0.121%
0.0029 lb 3,6-dichloro-4-amino acid equivalent per gallon or 0.034%

NET CONTENTS / CONTENIDO NETO: 1.0 GALLON (128 FL OZ/3.78L)



LB8690

READY-TO-USE

FORMULATED FOR THE SOUTH

KILLS 93 TYPES OF WEEDS



OPEN
ABRA



LB8691

FPO

0 32247 50089 0
1005

For best results in non-lawn areas like garden beds, patios and driveways, use Roundup® Ready-To-Use Weed & Grass Killer.



Questions & Comments
Preguntas y comentarios
Call 1-866-572-0035 or
Visit our Website at
www.roundup.com

EPA Reg. No. 2217-1009-538
EPA Est. No. 239-IA-3¹,
239-MS-001^{1M}
Superscript is first letter
of lot number.

Sold by: The Scotts Company
14111 Scottslawn Rd
Marysville, OH 43041
© 2016 The Scotts Company LLC.
World rights reserved.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Do not apply this product in a way that will contact any person or pet, either directly or through drift. Keep people and pets out of the area during application. Do not allow people or pets to enter the treated area until sprays have dried. For any requirements specific to your state or tribe, consult the Agency responsible for pesticide regulations.

PRODUCT DESCRIPTION

Roundup® For Lawns, contains multiple active ingredients to provide excellent broadleaf weed control in established warm-season and cool-season turfgrasses. Weeds controlled include dollarweed, clover, dandelion, and yellow nutsedge. Weed injury symptoms are normally noticed within a few days of the application and weed death can occur within 14 to 28 days. Weed injury symptoms include leaf and stem curl or twisting and weed yellowing.

USE RESTRICTIONS

- For spot treatment only.
- Do not apply with nozzles that produce a fine-droplet spray. Do not apply when the wind is blowing toward desirable plants. Do not spray exposed roots of ornamentals and trees.
- Do not use clippings from the treated areas as mulch or compost around flowers, ornamentals, trees, or in vegetable gardens.
- Do not use on or around vegetables, fruits or ornamentals (flowers, trees, groundcovers, hedges, landscape/flower beds and shrubs)
- Do not apply to any body of water such as lakes, streams, rivers, ponds, reservoirs, or estuaries (salt water bays). Do not apply to any shorelines (non-cropland sites adjacent to the edges of a body of water) for lakes, streams, rivers, ponds, reservoirs, or estuaries (salt water bays).

BROADLEAF WEEDS CONTROLLED

This product will control or suppress the following broadleaf weeds. Apply when weeds are young and actively growing.

WEEDS

Aster, white heath & white prairie	Cocklebur	Healall	Purslane
Bedstraw	Coffeeweed	Henbit	Ragweed
Beggarweed, creeping	Compassplant	Innocence (Blue-eyed Mary)	Redweed
Beggarweed, dwarf	Curly dock	Knotweed	Red sorrel (sheep sorrel)
Bindweed	Dandelion	Lambsquarters	Roundleaf mallow
Black medic	Dayflower	Lawn burweed	Shepherd's purse
Broadleaf plantain	Deadnettle	Lespedeza, common	Spurge
Bull thistle	Dock	Mallow, common	Smartweed
Burdock	Dogfennel	Matchweed	Spurweed
Burdock, common	Dollarweed (pennywort)	Nutsedge (yellow)	Thistle
Buttercup, creeping	Doveweed*	Old world diamond flower	Veronica (corn speedwell)*
Carpetweed	English daisy	Oxalis (yellow woodsorrel & creeping woodsorrel)	Vetch, common
Catsear, spotted	False dandelion (spotted catsear & common catsear)	Parsley-piert	Virginia buttonweed*
Chamberbitter*	Field bindweed (morningglory & creeping jenny)	Pennsylvania smartweed	Virginia pepperweed
Chickweed, common	Field oxeye-daisy (creeping oxeye)	Pepperweed	Wild carrot
Chickweed, mouseear	Filaree, whitestem & redstem	Pigweed	Wild garlic
Chicory	Florida betony (rattlesnake weed)*	Pineappleweed	Wild geranium
Cinquefoil	Florida pusley	Plantain, buckhorn*	Wild lettuce
Clover	Goldenrod	Plaintain, common*	Wild mustard
Clover, hop	Ground ivy	Poison ivy	Wild onion
Clover, red	Groundsel	Poison oak	Wild strawberry*
Clover, white (Dutch clover, honeysuckle clover, white trefoil, & purplewort)	Hawkweed	Puncturevine	Wild violet*
		Purple cudweed	Yarrow
			Yellow rocket

* **HARD-TO-CONTROL:** MAY REQUIRE TWO APPLICATIONS.

WHERE TO USE

Roundup® For Lawns, may be used on established lawns, vacant lots, playgrounds and other similar areas where broadleaf weeds are present. It will control weeds in St. Augustinegrass (including Floratam), Bermudagrass, buffalograss, centipedegrass, seashore paspalum, bahiagrass, zoysiagrass, Kentucky bluegrass, tall fescue, and red or fine leaf fescues.

Turfgrass tolerance to this product may vary. Temporary turfgrass yellowing may occur on St. Augustinegrass and certain varieties of hybrid Bermudagrass. Do not use on bentgrass, carpetgrass, dichondra, and lawns with desirable clovers or other desirable legumes, or on ornamentals (flowers, trees, groundcovers, landscape beds, and shrubs).

State Restrictions:

New York: Not for sale or use in New York State.

HOW MUCH AND WHEN TO APPLY

Spray as a spot treatment. Product is ready-to-use. Mixing with water is not required. The best time for a broadleaf weed application is when weeds are young, actively growing, and soil moisture is adequate. Normally a single application is sufficient to control broadleaf weeds in these conditions. Two applications may be necessary for hard-to-control weeds, dense infestations of perennial weeds, for adverse/extreme environmental conditions, or for hardened-off and mature weeds. Do not apply more than two applications per season.

This 1 gallon container treats approximately 2000 weeds.

TURFGRASS SPECIES THAT MAY BE TREATED		
APPLICATION SITE		REMARKS
St. Augustinegrass (improved varieties including Floratam and Bitterblue)		Do not apply this product to St. Augustinegrass (all varieties) below 50°F. Do not apply to St. Augustinegrass (all varieties) when temperatures are above 85°F unless temporary turf injury can be tolerated. Do not make applications of this product to St. Augustinegrass when turf is going into dormancy in the fall, or if temperatures are expected to drop below 40°F within 10 days of application.
St. Augustinegrass (common varieties)		
Common Bermudagrass Hybrid Bermudagrass Bahiagrass Zoysiagrass	Buffalograss Seashore paspalum Centipedegrass	This product may be applied to dormant bermudagrass, dormant zoysiagrass, and dormant bahiagrass. Use caution when applying this product to warm-season turfgrasses when turf is going into dormancy in the fall or coming out of dormancy in the spring as some injury may occur.
Kentucky bluegrass Annual bluegrass	Tall fescue Red or fine leaf fescues	Apply as specified on label.

HOW TO REFILL


For Ready-To-Use Containers with Applicators Intended to be Reused/Refilled

To refill this product, use the Roundup® For Lawns, refill, and carefully pour the entire content of the 1 gal refill bottle directly into this empty ready-to-use container equipped with spray applicator. DO NOT add water.

HOW TO APPLY

BATTERY OPERATED SPRAYER with Extendable Wand

1. Remove




• Remove wand from side clip.

• Pull connector by slightly twisting from holder and unwrap hose completely.


• Remove protective strip from battery compartment to activate batteries.

2. Connect




• Insert plug at end of hose into knob opening on cap until it clicks. Twist knob to ON.

3. Extend



• Flip open wand until it clicks and locks into position.
• Extend wand fully.

4. Spray



• Slide trigger lock on wand handle to the unlocked position.
• Twist nozzle to desired spray pattern.
• Point nozzle away from body and hold trigger for continuous spray.

Important Use Information: Do not submerge in water. When storing sprayer for long periods, remove batteries.

To Replace Batteries: Open battery compartment at bottom of wand with a small screwdriver.

Remove used batteries and replace with new AA alkaline batteries in correct position as marked inside battery compartment.

Securely close battery compartment door and screw closed firmly. Always use a complete set of the same type when replacing batteries. Best performance is achieved with alkaline batteries. Never mix alkaline, carbon-zinc or rechargeable batteries. Dispose of used batteries according to manufacturer's instructions or in household trash.

IMPORTANT SPRAYER INFORMATION

- Read and follow all directions before use.
- Wand is to be used only with Roundup® For Lawns, with a quick-connect cap.
- Wand may not be compatible with other products.
- Do not drop or throw sprayer.
- Do not submerge sprayer in water. Never place sprayer in dishwasher.
- Do not use soap or other cleaning agents to clean sprayer. If necessary, clean outer sprayer surface only with damp towel.
- Insert batteries in their correct (+/-) position. Remove batteries for winter storage or when storing product for long periods of time.
- Always use a complete set of new alkaline batteries. Never mix alkaline, carbon-zinc, or rechargeable batteries.
- Always follow the manufacturer's instructions for battery disposal and use.
- Purge wand of liquid for winter storage or place wand/ in a heated storage area.

USE PRECAUTIONS

- Temporary yellowing may occur to some turfgrasses following application. Sensitive species include St. Augustinegrass, Centipedegrass, and hybrid Bermudagrass.
- Do not broadcast apply this product when air temperatures are above 90°F (85°F for St. Augustinegrass) unless temporary turf injury can be tolerated.
- Rainfast in a little as 4 hours. Do not apply this product immediately before rainfall or irrigation. Do not irrigate or water the turfgrass within 3 hours after application. If dry conditions exist, irrigate at least 8 hours before and 8 hours after application.
- Delay mowing 2 days before and until 2 days after the application of this product.
- To avoid turf injury, use only on turfgrass that is reasonably free of stress from diseases, insects, excess heat or cold, drought or excess rainfall/irrigation, shaded areas, low soil pH, nematodes, improper mowing or improper applications of fertilizer and pesticides. Injury can occur if this product is applied under any of these or other stress conditions.
- Avoid fall or winter applications unless turf stunting can be tolerated.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage and disposal. Keep from freezing. Keep pesticide in original container. Do not put into food or drink containers. Avoid contamination of feed and foodstuffs. Store in a cool, dry place, preferably in a locked storage area.

PESTICIDE STORAGE:	Twist knob to OFF. NO NEED TO DISCONNECT SPRAYER HOSE FROM CAP. Twist sprayer nozzle to the OFF position. Engage trigger lock. Flip the wand closed and place in side clip. Store product in original container in a safe place away from direct sunlight. Keep from freezing. If frozen, allow to thaw and shake well before using.
PESTICIDE DISPOSAL AND CONTAINER HANDLING:	Nonrefillable container. Follow instructions in the REFILL section when using BATTERY OPERATED SPRAYER with Extendable Wand. Do not reuse or refill this container unless the directions for use allow refill according to the directions contained on the REFILL section. If empty: Place in trash or offer for recycling if available. If partly filled: Call your local solid waste agency for disposal instruction. Never place unused product down any indoor or outdoor drain.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION: Causes moderate eye irritation. Harmful if absorbed through skin or if swallowed. When using this product, wear long-sleeved shirt, long pants, socks, shoes and rubber gloves. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet.

FIRST AID	
IF IN EYES:	• Hold eye open and rinse slowly and gently with water for 15 - 20 minutes. • Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. • Call a poison control center or doctor for treatment advice.
IF SWALLOWED:	• Call a poison control center or doctor immediately for treatment advice. • Have person sip a glass of water if able to swallow. • Do not induce vomiting unless told to do so by a poison control center or doctor. • Do not give anything by mouth to an unconscious person.
IF ON SKIN OR ON CLOTHING:	• Take off contaminated clothing. • Rinse skin immediately with plenty of water for 15 - 20 minutes. • Call a poison control center or doctor for treatment advice.
Have the product container or label with you when calling a poison control center or doctor or going for treatment. You may also contact 1-866-572-0035 for emergency medical treatment information.	

ENVIRONMENTAL HAZARDS

This product is toxic to fish and aquatic invertebrates. Do not apply directly to water, or to areas where surface water is present, or to intertidal areas below the mean high water mark. Drift or runoff may be hazardous to aquatic organisms in water and to plants adjacent to treated areas. Do not contaminate water when disposing of equipment wash waters or rinsate. To protect the environment, do not allow pesticide to enter or run off into storm drains, drainage ditches, gutters or surface waters. Applying this product in calm weather when rain is not predicted for the next 24 hours will help to ensure that wind or rain does not blow or wash pesticide off the treatment area. Rinsing application equipment over the treated area will help avoid run off to water bodies or drainage systems.

This chemical has properties and characteristics associated with chemicals detected in groundwater. The use of this chemical in areas where soils are permeable, particularly where the water table is shallow, may result in groundwater contamination. Application around a cistern or well may result in contamination of drinking water or groundwater.

NOTICE: To the extent consistent with applicable law, buyer assumes all responsibility for safety and use not in accordance with directions.

***GUARANTEED RESULTS.** If for any reason you are not satisfied after using this product, simply send us the original proof of purchase and we will refund the purchase price.

INSTRUCCIONES DE USO

Utilizar este producto de modo inconsistente con las declaraciones de su etiqueta constituye una violación de las leyes federales.

No aplique este producto de forma que entre en contacto con otras personas o mascotas, ya sea directamente o al ser arrastrado por el viento. Durante la aplicación, mantenga alejadas del área a las personas y las mascotas. Las personas y las mascotas pueden ingresar al área tratada luego de que se seque el rocío. Para informarse sobre requerimientos específicos de su estado o tribu, consulte con la agencia encargada de reglamentar el uso de pesticidas.

DESCRIPCIÓN DEL PRODUCTO:

Roundup® Para Céspedes, contiene múltiples ingredientes activos que proveen un excelente control sobre las malezas en el césped de temporada caliente y temporada fría. Las malezas controlables incluyen la hidrocolita, diente de león, trébol y juncia. Síntomas de daños por malezas se pueden detectar luego de varios días después de utilizarse y las malezas pueden comenzar a morir entre 14 a 28 días. Los síntomas de daños en las malezas pueden incluir hojas y tallos enroscados y malezas tornándose amarillas.

RESTRICCIONES DE USO:

- Solo para tratamiento "localizado".
- No utilizar con boquilla que produce una gota pequeña al rociar el producto. No utilizar cuando el viento esté soplando hacia plantas que desea mantener. No rociar en raíces expuestas de árboles y plantas decorativas.
- No usar partes de las áreas tratadas como mantilla o composta alrededor de flores, plantas decorativas, árboles o huertos.
- No usar en o alrededor de vegetales, frutas o plantas ornamentales (flores, árboles, cubiertas vegetales, setos, jardines/lechos de flores y arbustos).
- No echar en ningún cuerpo de agua tales como lagos, arroyos, ríos, charcas, reservas, o estuarios (bahías de agua salada.) No echar en las orillas (tierras de cultivo adyacentes a las orillas del cuerpo de agua) de lagos, arroyos, ríos, charcas, reservas o estuarios (bahías de agua salada).

ELIMINACIÓN DE MALEZAS DE HOJA ANCHA

Este producto elimina o controla las siguientes malezas de hoja ancha. Aplique cuando las malezas están jóvenes y creciendo activamente.

DÓNDE USAR

Roundup® Para Céspedes, puede utilizarse en césped, lotes vacíos, parques y otros lugares similares donde se encuentren malezas. Eliminará las malezas San Agustín (incluyendo floratam), de Bermuda, búfalo, ciempiés, pasto de orilla, pasto de bahía, pasto zoysia, pasto azul de Kentucky, festuca alta, y festuca roja o de hoja fina.

La tolerancia del césped a este producto podría variar. Césped amarillento podría ocurrir en césped San Agustín y algunas variedades de césped híbrido de Bermuda. No usar en céspedes de las variedades agrostis, alfombra, dicondra ni en céspedes con tréboles u otras legumbres o en plantas ornamentales (flores, árboles, cubiertas vegetales, jardines y arbustos).

Restricciones del estado:

Nueva York: Prohibida la venta o uso en el estado de Nueva York.

CUÁNTO Y CUÁNDO UTILIZARLO

Utilice solo para tratamiento localizado. Producto listo para utilizarse. No se requiere agregar agua. El mejor momento para utilizar este producto es cuando las malezas están jóvenes, creciendo activamente y la humedad de la tierra es adecuada. Normalmente un solo uso es suficiente para eliminar las malezas en estas condiciones. En ocasiones será necesario utilizarlo dos veces para malezas difíciles de eliminar, para infecciones densas de plantas perennes, para condiciones del ambiente adversas o extremas o para malezas maduras y fuertes. Aplicar máximo dos veces por temporada.

Envase de 1 galón para tratamiento de aproximadamente 2000 malezas.

TIPOS DE CÉSPED QUE PUEDEN SER ELIMINADOS		
TIPO DE CÉSPED		OBSERVACIONES
Césped San Agustín (mejoró variedades que incluyen floratam y bitterblue)		No utilizar este producto en césped San Agustín (todas las variedades) por debajo de 10°C. No utilizar este producto en césped San Agustín (todas las variedades) cuando la temperatura está sobre los 29°C a menos que lesiones temporarias sean toleradas. No utilizar este producto en césped San Agustín cuando el césped estará inactivo durante el otoño o que las temperaturas se esperan bajen de los 4°C después de 10 días de haberlo utilizado.
San Agustín (variedades comunes)		
Césped común Bermuda césped híbrido Bermuda césped Bahía	césped zoysia césped búfalo	Este producto puede ser utilizado en césped Bermuda inactivo, césped zoysia inactivo y césped bahía inactivo. Tenga precaución cuando utilice este producto en césped de temporada caliente cuando el césped estará inactivo durante el otoño o terminando la inactividad en la primavera pues podrían ocurrir lesiones.
Césped azul de Kentucky Césped anual azul Orilla paspalum	Césped ciempiés festuca alta festuca roja o de hoja fina	Siga las instrucciones en la etiqueta.

CÓMO RELLENAR


Para envases listos para usar con aplicadores dispuestos para rellenarse o volverse a usar

Para rellenar este envase, use Roundup® Para Céspedes, de relleno y vierta con cuidado todo el contenido de la botella de 1 galones directamente en este envase equipado con aplicador de rocío, listo para usar. NO agregue agua.


CÓMO APLICAR

ROCIADOR A PILAS con varilla extensible

1. Retire



- Retire la varilla del sujetador lateral.



- Jale el conector girándolo ligeramente para sacarlo del soporte y desenrolle completamente la manguera.




- Quite la tira protectora del compartimento de las pilas para activarlas.

2. Conecte




- Inserte el conector al final de la manguera en la abertura de la perilla de la tapa hasta que haga clic. Gire la perilla hasta la posición "ON" (abierto).

3. Extienda



- Abra la varilla hasta que haga clic y quede firmemente asegurada en su lugar.
- Extienda completamente la varilla.

4. Rocíe



- Deslice el seguro del gatillo ubicado en el mango de la varilla hasta la posición de desbloqueo.
- Gire la boquilla a la posición deseada del patrón de rocío.
- Apunte la boquilla lejos del cuerpo y mantenga el gatillo oprimido para obtener un rociado continuo.

Información importante sobre el uso: No lo sumerja en agua. Quite las pilas cuando guarde el rociador durante periodos prolongados.

Para reemplazar las pilas: Abra el compartimento de las pilas localizado en la parte inferior de la varilla con un desarmador pequeño. Quite las pilas usadas y reemplácelas con pilas alcalinas AA nuevas colocándolas en la posición correcta, tal como está marcado en el interior del compartimento de las pilas. Cierre bien la tapadera del compartimento de las pilas y atornillela firmemente. Cuando cambie las pilas use siempre un juego completo del mismo tipo. Con las pilas alcalinas se logra un rendimiento mejor. Nunca mezcle pilas alcalinas, de carbón y zinc, o recargables. Siga las instrucciones del fabricante para deshacerse de las pilas usadas o tirelas en la basura de la casa.

INFORMACIÓN IMPORTANTE ACERCA DEL ROCIADOR

- Lea y siga todas las instrucciones antes de usarlo.
- La varilla ha de usarse únicamente con los productos Roundup® Para Céspedes, que cuentan con una tapa de conexión rápida "quick-connect".
- La varilla puede no ser compatible con otros productos.
- No aviente ni deje caer el rociador.
- No sumerja el rociador en agua. Nunca coloque el rociador en el lavavajillas.
- No use jabón ni otros productos de limpieza para limpiar el rociador. De ser necesario, limpie la superficie externa del rociador únicamente con una toalla húmeda.
- Coloque las pilas en la posición correcta (+/-). Retire las pilas cuando guarde el producto durante el invierno o por periodos prolongados.
- Use siempre un juego completo de pilas alcalinas nuevas. Nunca mezcle pilas alcalinas, de carbón y zinc, o recargables.
- Siempre siga las instrucciones del fabricante para la eliminación y utilización de las pilas.
- Purgue el líquido de la varilla para guardarla durante el invierno o póngala en un área de almacenamiento con calefacción.

- PRECAUCIONES DE USO**
- Algunos céspedes se podrían poner amarillos después de utilizarse el producto. Algunas especies sensitivas incluyen San Agustín, ciempiés y Bermuda híbrido.
 - No utilice cuando la temperatura del aire supere los 90°F (85°F / 29 °C para San Agustín) a menos que este daño en el césped pudiera ser tolerado.
 - Resistente a la lluvia en tan solo 4 horas. No aplique este producto inmediatamente antes de llover o regar. No riegue el césped dentro de las 3 horas posteriores a la aplicación. De imperar condiciones secas, riegue al menos 8 horas antes y 8 horas después de la aplicación.
 - Postergue el corte de césped 2 días antes y hasta 2 días después de la aplicación de este producto.
 - Para evitar daños en el césped, utilice sólo en césped que sea razonablemente libre de enfermedades, insectos, exceso de calor o frío, sequía o exceso de lluvias/irrigación, áreas con sombra, tierra con pH bajo, nematodos, corte de grama inadecuado o utilización inadecuada de fertilizantes y pesticidas. Daños pueden ocurrir si este producto se utiliza en estas y otras condiciones.
 - Evite usarlo durante el otoño o el invierno a menos que el retraso de crecimiento se pueda tolerar.

ALMACENAMIENTO Y ELIMINACIÓN

No contamine el agua, la comida ni el pienso para animales al almacenar o eliminar el producto. Guarde el producto en su envase original. No coloque alimentos o bebidas en el envase. Evite la contaminación de piensos y alimentos. Almacene en un lugar fresco y seco, preferiblemente bajo llave.

ALMACENAMIENTO DEL PESTICIDA:	Gire la perilla hasta la posición "OFF" (cerrado). NO NECESITA DESCONECTAR LA MANGUERA DEL ROCIADOR DE LA TAPA. Gire la boquilla del rociador hasta la posición "OFF" (cerrado). Póngale el seguro al gatillo. Cierre la varilla y colóquela en el sujetador lateral. Guarde el producto en el envase original en un lugar seguro y alejado de la luz directa del sol. Proteja del congelamiento. Si se congela, deje que se descongele y agítelo bien antes de usarlo.
ELIMINACIÓN DEL PESTICIDA Y MANEJO DEL ENVASE:	Este envase no se puede rellenar. Siga las instrucciones bajo CÓMO RELLENAR cuando utiliza un rociador operado a pila con vara extensible. No vuelva a usar o a rellenar este envase, a menos que las instrucciones de uso permitan que este envase sea rellenado de acuerdo con las instrucciones contenidas en la sección CÓMO RELLENAR. Si está vacío: Tirelo a la basura o recídelo, de ser posible. Si está parcialmente lleno: Llame a su agencia local de desechos sólidos para obtener instrucciones sobre cómo eliminarlo. Nunca elimine el producto no utilizado en drenajes internos o externos.

AVISOS DE PRECAUCIÓN

RIESGOS PARA LOS SERES HUMANOS Y LOS ANIMALES DOMÉSTICOS

PRECAUCIÓN: Causa irritación moderada en los ojos. Nocivo si es absorbido por la piel o tragado. Cuando utilice este producto, use camisa con mangas largas, pantalones largos, medias, zapatos y guantes de goma. Lávese con abundante agua y jabón después de manipular el producto y antes de comer, beber, masticar chicle, consumir tabaco o usar el inodoro.

PRIMEROS AUXILIOS	
SI ENTRA EN LOS OJOS:	• Mantenga el ojo abierto y enjuáguelo lentamente y con cuidado por 15 a 20 minutos. • Retire los lentes de contacto, de haberlos, después de transcurridos los primeros 5 minutos y continúe enjuagando el ojo. • Llame a un centro de envenenamientos o a un médico para recibir instrucciones de tratamiento.
SI SE INGIERE:	• Llame a un centro de control de envenenamientos o a un medico inmediatamente para recibir instrucciones de tratamiento. • Que la persona beba un vaso de agua si puede tragar. • No induzca el vómito, a menos que así se lo indique el centro de control de envenenamientos o un médico. • No le de nada a una persona que haya perdido el conocimiento.
EN LA PIEL O LA ROPA:	• Quite la ropa contaminada. • Inmediatamente enjuague la piel con mucha agua por 15-20 minutos. • Llame a un centro de control de envenenamientos o a un medico inmediatamente para recibir instrucciones de tratamiento.
Tenga el envase o la etiqueta del producto con usted cuando llame al centro de envenenamientos o al médico, o al acudir a recibir tratamiento. También puede llamar al 1-866-572-0035 para obtener información sobre tratamiento médico de emergencia.	

RIESGOS MEDIOAMBIENTALES

Este producto es tóxico para los peces y los invertebrados. No lo aplique directamente al agua, en áreas donde haya agua presente en la superficie ni en zonas intermareales por debajo de la línea de la marea alta. El producto que se escurre o sea arrastrado por el viento puede ser peligroso para las plantas y los organismos acuáticos de los cuerpos de agua adyacentes a las superficies tratadas. No contamine el agua al deshacerse de la que se use para lavar o enjuagar los utensilios. Para proteger el medio ambiente, no permita que el pesticida penetre o se escurra en drenajes pluviales, zanjas de desagüe, cunetas o aguas superficiales. La aplicación de este producto en un clima tranquilo, cuando no se pronostiquen lluvias para las próximas 24 horas, ayudará a asegurar que ni el viento ni la lluvia arrastren o laven el pesticida fuera del área de tratamiento. Enjuagar el equipo usado para la aplicación sobre el área tratada ayudará a evitar escurrimientos hacia cuerpos de agua o sistemas de drenaje.

Este químico contiene propiedades y características asociados con químicos detectados en agua subterránea. El uso de este químico en áreas donde el terreno es permeable, particularmente donde es agua o poco profunda, puede resultar en contaminación de agua subterránea. La utilización de este producto alrededor de una cisterna o un pozo de agua puede resultar en la contaminación de agua potable o agua subterránea.

ADVERTENCIA: En la medida contemplada por las leyes correspondientes, el comprador asume toda la responsabilidad por la seguridad y el uso de este producto si no se siguen las instrucciones.

***RESULTADOS GARANTIZADOS.** Si por algún motive usted no queda satisfecho después de usar este producto, simplemente envíenos el comprobante de compra original y le reembolsaremos el precio de compra.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage and disposal. Keep from freezing. Keep pesticide in original container. Do not put into food or drink containers. Avoid contamination of feed and foodstuffs. Store in a cool, dry place, preferably in a locked storage area.

PESTICIDE STORAGE:	Twist knob to OFF. NO NEED TO DISCONNECT SPRAYER HOSE FROM CAP. Twist sprayer nozzle to the OFF position. Engage trigger lock. Flip the wand closed and place in side clip. Store product in original container in a safe place away from direct sunlight. Keep from freezing. If frozen, allow to thaw and shake well before using.
---------------------------	---

PESTICIDE DISPOSAL AND CONTAINER HANDLING:	Nonrefillable container. Follow instructions in the REFILL section when using BATTERY OPERATED SPRAYER with Extendable Wand. Do not reuse or refill this container unless the directions for use allow refill according to the directions contained on the REFILL section. If empty: Place in trash or offer for recycling if available. If partly filled: Call your local solid waste agency for disposal instruction. Never place unused product down any indoor or outdoor drain.
---	--

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION: Causes moderate eye irritation. Harmful if absorbed through skin or if swallowed. When using this product, wear long-sleeved shirt, long pants, socks, shoes and rubber gloves. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet.

FIRST AID

IF IN EYES:	• Hold eye open and rinse slowly and gently with water for 15 - 20 minutes. • Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. • Call a poison control center or doctor for treatment advice.
--------------------	---

IF SWALLOWED:	• Call a poison control center or doctor immediately for treatment advice. • Have person sip a glass of water if able to swallow. • Do not induce vomiting unless told to do so by a poison control center or doctor. • Do not give anything by mouth to an unconscious person.
----------------------	---

IF ON SKIN OR ON CLOTHING:	• Take off contaminated clothing. • Rinse skin immediately with plenty of water for 15 - 20 minutes. • Call a poison control center or doctor for treatment advice.
-----------------------------------	---

Have the product container or label with you when calling a poison control center or doctor or going for treatment. You may also contact 1-866-572-0035 for emergency medical treatment information.

ENVIRONMENTAL HAZARDS

This product is toxic to fish and aquatic invertebrates. Do not apply directly to water, or to areas where surface water is present, or to intertidal areas below the mean high water mark. Drift or runoff may be hazardous to aquatic organisms in water and to plants adjacent to treated areas. Do not contaminate water when disposing of equipment wash waters or rinsate. To protect the environment, do not allow pesticide to enter or run off into storm drains, drainage ditches, gutters or surface waters. Applying this product in calm weather when rain is not predicted for the next 24 hours will help to ensure that wind or rain does not blow or wash pesticide off the treatment area. Rinsing application equipment over the treated area will help avoid run off to water bodies or drainage systems.

This chemical has properties and characteristics associated with chemicals detected in groundwater. The use of this chemical in areas where soils are permeable, particularly where the water table is shallow, may result in groundwater contamination. Application around a cistern or well may result in contamination of drinking water or groundwater.

 **Questions & Comments** **Preguntas y comentarios**
Call 1-866-572-0035 or Visit our Website at www.roundup.com

EPA Reg. No. 2217-1009-538
EPA Est. No. 239-IA-3¹, 239-MS-001^{1M}
Superscript is first letter of lot number.

Sold by: The Scotts Company
14111 Scottslawn Rd
Marysville, OH 43041

© 2016 The Scotts Company LLC. World rights reserved.

LB8691