

Got pests...get

REVENGE[®]



Spider Killer

Ready to Use

Keeps killing for up to

4 MONTHS



**For indoor and
outdoor use**

**Kills spiders, bedbugs,
centipedes and scorpions**

*Odorless
Kills on contact
Long-lasting*

Keep Out Of Reach Of Children

CAUTION (See booklet for additional
Precautionary Statements and First Aid)
Net Contents 128 FL OZ (3.784 L)

ACTIVE INGREDIENT:

Deltamethrin (CAS No. 52918-63-5) 0.02%

OTHER INGREDIENTS 99.98%

TOTAL 100.00%

EPA Est. No. 4-NY-1 EPA Reg. No. 4-440-9086

For Residential Use Only

4686



Spider Killer

Ready to Use

- Kills spiders, bedbugs, centipedes and scorpions
- Kills on contact
- Long-Lasting
- No unpleasant odor
- Kills home invading pests
- Keeps on killing for up to 4 months

Store and transport in an upright position.
EPA Est. No. 4-NY-1 EPA Reg. No. 4-440-9086
Buyers Guarantee Limited to Label Claims.
©Bonide Products, Llc All Rights Reserved
Bonide Products, Llc
6301 Sutliff Road
Oriskany, NY 13424

Gallon

BN

- **Contact kill gives you immediate results when spraying insects directly, while residual activity kills insects when they return to treated areas.**
- **Kills ants, fleas, ticks, crickets, spiders, flies and other listed pests**
- **Kills spiders, centipedes & scorpions**
- **Kills pantry pests**
- **Water-based, no shaking required**
- **Non-staining**
- **No oily residue**

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

General Information: SHAKE WELL BEFORE USE. Hold container upright. Do not spray up into air. Apply to surfaces only as a spot and crack and crevice treatment. Turn sprayer nozzle to "on" position. Hold approximately 12 inches from surface to be sprayed. Squeeze trigger to spray until surface is slightly moist. Repeat application as needed, but not more than once per week.

This product's long-lasting action keeps on killing for up to 4 months after you spray. This product keeps on killing German Cockroaches for up to 3 months after you spray; keeps on killing flies for up to 5 months after you spray.* Contact kill gives you immediate results when spraying insects directly, while residual activity kills insects when they return to treated areas. Use caution on fine finishes and fabrics. Test small area first.

*Not registered in California for 5 month control.

This product is intended to be used in and around residences and their immediate surroundings such as (but not limited to): **apartments, atriiums, attics, automobiles, basements, bathrooms, boats, cabins, campers, carports, cat sleeping quarters, clothes storage, condominiums, decks, dens, driveways, garages, gazebos, homes, kitchens, lanais, living rooms, parlors, patios, pet sleeping areas, play rooms, porches, recreational vehicles, rooms, solariums, storage areas, sun rooms, utility rooms and verandahs.**

Do not use in commercial food handling establishments, restaurants or other places where food is commercially prepared or processed.

Application is prohibited directly into sewers or drains, or to any area like a gutter where drainage to sewers, storm drains, water bodies, or aquatic habitat can occur. Do not allow the product to enter any drain during or after application.

SPRAYER DIRECTIONS

- Remove sprayer. Pull cord ALL THE WAY OUT.
- Remove top from cap on bottle.
- Insert plug into spout on cap until it clicks.
- Twist nozzle on sprayer to the spray position.

INDOORS

Cockroaches (including adult and immature stages of both non-resistant and organophosphate and carbamate resistant strains), **ants**, **Asian ladybeetle**, **booklice**, **boxelder bugs**, **centipedes**, **crickets**, **dermestids**, **firebrats**, **fleas**, **palmetto bugs**, **silverfish**, **sowbugs**, **stinkbugs**, **ticks** and **waterbugs**: Controls German Cockroaches for up to 3 months. Apply as a spot and crack & crevice treatment to areas where these pests crawl and hide, especially in hidden areas around sinks and storage areas, behind baseboards, around doors and windows, behind and under refrigerators, cabinets, sinks and stoves, the underside of shelves, drawers, bookcases, and similar areas. For ticks, spray surfaces until moist. Cover all food handling surfaces and cover or remove all food and cooking utensils or wash thoroughly after treatment. Exposed food should be covered or removed. **ROACHES**: Spray in cracks and crevices, around baseboards and other hiding places.

ANTS

Spray around ant trails, doors and windows and other places where ants enter the house.

CARPENTER ANTS

For control, locate and treat nests and surrounding areas. Apply around doors, windows and other places where ants enter premises and where they crawl and hide. Spray into infested wood through existing openings.

TICKS (INCLUDING TICKS THAT MAY TRANSMIT LYME DISEASE) AND FLEAS ON SURFACES

Remove pet bedding and destroy or clean thoroughly. Spray pet resting quarters until moist. Adult fleas and larvae contacted by spray will be killed. Put fresh bedding down once spray has dried. Do not spray animals directly. For best results, pets should be treated with an appropriate flea control product registered for use on pets before allowing them to return to the treated area. Spray rugs and carpets where infestations are bad. Delicate fabrics should be tested for staining in an inconspicuous area prior to use.

SPIDERS

Apply along and behind baseboards, to window and doorframes, corners, pipes, storage localities, attics, crawl spaces and other areas over which these pests may crawl.

CENTIPEDES, GROUND BEETLES, PILLBUGS, SOWBUGS, SCORPIONS AND TICKS

Apply around doors and windows and other places where these pests may enter premises. For Ticks, spray surfaces until moist. Treat baseboards, storage areas and other locations where these pests are found.

SILVERFISH, CRICKETS, SPIDERS

Apply to areas infested by these pests.

FLYING INSECTS

Houseflies, gnats, mosquitoes and small flying moths: Spray localized resting areas, such as under eaves, porches, inside surfaces of window and door frames, surfaces around light fixtures and cords, railings, etc. and anywhere these insects may rest. Insects coming to rest on treated surfaces will be killed.

HORSE STABLES

To control **stable flies, horn flies, house flies, face flies, horse flies, deer flies, mosquitoes and gnats.** Apply thoroughly to surfaces until wet. Insects coming to rest on treated surfaces will be killed or repelled. Do not spray animals or humans, or apply to animal feed or watering equipment. Controls Stable Flies for up to 4 months.

PANTRY PESTS

Grain Beetles (Rusty, Merchant and Saw-toothed), Flour Beetles (Red and Confused), Chocolate Moths, Cigarette Beetles, Clover Mites, Cluster Flies, Drugstore Beetles, Elmleaf Beetles, Rice Weevils, Lesser Grain Borers, Spider Beetles and

Tobacco Moths: Treat exposed stages. Remove all foodstuffs, utensils and shelf paper from area to be treated. Discard used shelf paper and any infested foodstuffs. Apply spray to shelves and in cracks and crevices behind and under cupboards and cabinets. Allow to dry prior to replacement of shelf paper, food and utensils. Wash any exposed food handling surfaces and utensils before reuse.

CARPET BEETLES (BLACK, FURNITURE AND VARIED)

Spray on and under edges of floor coverings, under rugs and furniture and in closets or other localities where these insects are found.

WEBBING CLOTHES MOTHS

Use this product as a crack and crevice treatment in closets and other storage areas where these pests are found. This is an adjunct treatment and will not control moth larvae already on clothes. Do not apply to clothing.

BED BUGS

Remove linens and wash before reuse. Lightly spray mattresses, especially tufts, folds and edges. Apply to the interior of the frame. Allow to dry before remaking bed.

OUTDOORS

Remove all exposed food and cooking utensils. Cover all food handling surfaces or wash thoroughly after treatment and before use. Do not use on edible crops. Do not water the treated area to the point of run-off. Do not make applications during rain. All outdoor applications must be limited to spot or crack-and-crevice

treatments only, except for the following permitted uses:

- (1) Treatment to soil or vegetation around structures;
- (2) Applications to lawns, turf, and other vegetation;
- (3) Applications to building foundations, up to a maximum height of 3 feet.

Other than applications to building foundations, all outdoor applications to impervious surfaces such as sidewalks, driveways, patios, porches and structural surfaces (such as windows, doors, and eaves) are limited to spot and crack-and-crevice applications only. Point sprayer away from face. Hold sprayer on a slight downward angle, approximately 12 inches from surface to be sprayed. Spray with wind if breeze is blowing. Do not contaminate fish ponds or apply directly to water.

PESTS ON OUTSIDE SURFACES OF BUILDINGS

For control of building infestation to ants, Asian ladybeetle, clover mites, crickets and sowbugs (pillbugs). Spray foundation of building where insects are active and may find entrance up to a height of 2 to 3 feet. Apply as a spot or crack-and-crevice spray to outside surfaces of buildings where insects tend to congregate. Spray areas include (but are not limited to) screens, window frames, eaves, porches, patios, garages and refuse dumps.

CRAWLING INSECTS

Ants, cockroaches (including Asian cockroaches), centipedes, crickets, mole crickets, water bugs and silverfish. Apply as a spot or crack-and-crevice spray to infested surface of patio or picnic area. Also spray legs of tables and chairs.

ANTS

Spray around ant trails and hills. Spray around nests hidden under steps, brickwork, concrete, etc. Break apart accessible nests and spray on and around debris.

LONE STAR TICKS, DOG TICKS, CRICKETS AND FLEAS

Apply thoroughly to infestation in bushes, grass or weeds.

WASPS, MUD DAUBERS*, HORNETS, YELLOW JACKETS AND BEES

Spray nests and other surfaces where bees may rest. Aim spray at nest openings.

Applications should be made late in the evening when insects are at rest.

*Not for use on Mud Daubers in California

FLYING INSECTS

Houseflies, gnats, mosquitoes and small flying moths: Apply as a spot or crack-and-crevice spray to outside surfaces of window and door frames and other areas where these pests may enter the home. Also apply as a spot or crack-and-crevice spray to localized resting areas, such as under eaves, porches, surfaces around light fixtures and cords, railings, etc. where these insects may rest. Insects coming to rest on treated surfaces will be killed.

TERMITES, CARPENTER ANTS AND CARPENTER BEES (FOR LOCALIZED CONTROL ONLY)

Apply this product to voids or channels in damaged wood of a structure or to cracks, crevices and spaces in and between wooden portions of a structure or between wood and the foundation, in locations vulnerable to attack such as crawl spaces.

For termites, the purpose of such applications is to kill workers or winged forms, which may be present in the treated areas at the time of application. Not recommended as sole protection against termites. For active infestations, get a professional inspection. Such applications are not a substitute for mechanical alteration, soil treatment or foundation treatment but are merely a supplement. For severe termite infestation, contact a professional pest control operator in your area.

HOUSEPLANTS

To control **aphids, Japanese beetles, lace bugs, leafminers, mealybugs, mites and spider mites** on house plants. Prior to spraying, remove plants from living and eating areas. Put in an area not likely to come in contact with pets, children or food. Plants can be returned to original location when leaves dry. If plants cannot be moved, cover or remove exposed food and food handling surfaces. Avoid spraying surrounding areas. Apply spray to upper and lower surfaces of foliage. Avoid wetting blossoms if possible.

FOR CONTROL OF ORNAMENTAL GARDEN INSECTS

For use on roses, dahlias, asters and other ornamentals to kill **Japanese beetles** hit by spray, as well as **whiteflies, aphids, armyworms, lace bugs, mealybugs, exposed thrips, pavement ants, spiders, spider and red mites, clover mites and leafminers**.

May be used on plants, as well as a multi-purpose spray in small ornamental gardens and for spot treatments to prevent insects from spreading into large garden areas.

May also be used on other plants such as African violets, asters, azaleas, begonias, camellias, carnations, chrysanthemums, delphiniums, dogwood, English ivy, euonymus, fuchsia, geraniums, crassula, grape vine, Kentia palm, laurel, marigolds, rhododendrons, rubber plants, snapdragons, stocks, wandering Jews and zinnias.

When spraying plants, do not operate closer than 18 inches. Use sweeping motion. Be cautious about wetting tender foliage, young plants and new growth. Do not spray plants when temperatures exceed 90°F. **DO NOT apply to vegetable plants or other plants used for food.** Spray insects directly whenever possible.

STORAGE AND DISPOSAL

Storage: Store and transport in an upright position. Store in a cool dry area.

Disposal: *If empty* - Nonrefillable container. Do not reuse or refill this container. Place in trash or offer for recycling if available. *If partly filled* - Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION: Contact with product may result in transient tingling and reddening of the skin. Avoid contact with skin or clothing. Wash thoroughly with soap and water after handling.

ENVIRONMENTAL HAZARDS

This product is extremely toxic to fish and aquatic invertebrates. To protect the environment, do not allow pesticide to enter or run off into storm drains, drainage ditches, gutters or surface waters. Applying this product in calm weather when rain is not predicted for the next 24 hours will help to ensure that wind or rain does not blow or wash pesticide off the treatment area.

This product is highly toxic to bees exposed to direct treatment or residues on blooming crops or weeds. Do not apply this product or allow it to drift to blooming crops or weeds if bees are visiting the treatment area.

PHYSICAL OR CHEMICAL HAZARDS

Do not apply this product in or on electrical equipment due to possibility of shock hazards.

For information on pesticide products (including health concerns, medical emergencies, or pesticide incidents), call the National Pesticide Information Center at 1-800-858-7378 or SafetyCall® International at: 833-972-1101 for emergency medical treatment information.

Notice: To the extent consistent with applicable law, buyer assumes all responsibility for safety and use not in accordance with directions.

Dispose of Properly
Buyer's Guarantee limited to label claims.



KEEP OUT OF REACH OF CHILDREN CAUTION

See booklet for additional
Precautionary Statements and First Aid
Store and transport in upright position.

STORAGE AND DISPOSAL

Storage: Store and transport in an upright position. Store in a cool dry area.

Disposal: *If empty* - Nonrefillable container. Do not reuse or refill this container. Place in trash or offer for recycling if available. *If partly filled* - Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION: Contact with product may result in transient tingling and reddening of the skin. Avoid contact with skin or clothing. Wash thoroughly with soap and water after handling.

Bonide Products Llc
6301 Sutliff Road Oriskany, NY 13424

©Bonide Products, Llc
All Rights Reserved