

***KILLS EVEN THE
TOUGHEST
WEEDS***

LB2350 PPN 95003K2-36

Roundup®

Keep Out of
Reach of Children
CAUTION

See back panel booklet for
additional precautionary statements.

Mantener Fuera del
Alcance de los Niños

PRECAUCIÓN

Vea declaraciones adicionales de precaución
en el reverso del panel de la etiqueta.

POISON IVY

PLUS TOUGH BRUSH KILLER

MATA LA HIEDRA VENENOSA Y LOS MATORRALES RESISTENTES

- KILLS POISON IVY, POISON OAK,
POISON SUMAC, WILD BLACKBERRY, KUDZU



PPN 95003K3-24



LB2348

ACTIVE INGREDIENTS

Glyphosate, isopropylamine salt 1.0%
Triclopyr, triethylamine salt 0.1%
OTHER INGREDIENTS 98.9%

NET 1 GALLON (128 FL OZ)

DID YOU KNOW?

This product can be used for habitat restoration and site preparation of wildlife food plots.

OPEN
ABRA



©2012 MONSANTO COMPANY
Produced for
Monsanto Company
Lawn & Garden Products
P.O. Box 418
Marysville, OH 43041

EPA Reg. No. 71995-36

EPA Est. 239-IA-31, 239-MS-001[™]
Superscript is first letter of lot number

Made in USA

PPN 95003K5-23X2



LB2349

FPO

0 70183 50029 1

1010



**Roundup® Ready-To-Use
Poison Ivy Plus Tough Brush Killer**
Roundup® Listo para Usar
Mata la Hiedra Venenosa y los Matorrales Resistentes

Keep Out of Reach of Children

CAUTION

Mantener Fuera del Alcance de los Niños

PRECAUCIÓN

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS & DOMESTIC ANIMALS



CAUTION: Causes moderate eye irritation. Avoid contact with eyes or clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, or using tobacco.

People and pets may enter treated areas after spray has dried.

FIRST AID

IF IN EYES

- Hold eye open and rinse slowly and gently with water for 15-20 minutes.
- Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eyes.
- Call a poison control center, 1-800-246-7219, or doctor for treatment advice.

EMERGENCY MEDICAL INFORMATION

- Have the product container or label with you when calling a poison control center or doctor, or going for treatment.
- You may contact 1-800-246-7219 for emergency medical treatment information.
- This product is identified as **Roundup® Ready-To-Use Poison Ivy Plus Tough Brush Killer, EPA Reg. No. 71995-36.**

STORAGE AND DISPOSAL

PESTICIDE STORAGE: Flip down spout to close. **NO NEED TO DISCONNECT TRIGGER SPRAYER.** Close nozzle on trigger sprayer. Snap sprayer back in place. Store product in original container in a safe place away from direct sunlight. Keep from freezing.

PESTICIDE DISPOSAL: Do not reuse or refill this container unless the directions for use allow refilling according to the directions contained in the **REFILL** section. **If Empty:** Place in trash or offer for recycling if available. **If Partly Filled:** Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

ENVIRONMENTAL HAZARDS: To protect the environment, do not allow pesticide to enter or run off into storm drains, drainage ditches, gutters or surface waters. Applying this product in calm weather when rain is not predicted for the next 24 hours will help to ensure that wind or rain does not blow or wash pesticide off the treatment area.



Questions, Comments or Information
1-800-246-7219 www.roundup.com
¿Preguntas, Comentarios o Información?

©2012 MONSANTO COMPANY
Produced for Monsanto Company
Lawn & Garden Products
P.O. Box 418, Marysville, OH 43041
EPA Reg. No. 71995-36
EPA Est. 239-IA-3¹; 239-MS-001^M
Superscript is first letter of lot number

Roundup is a registered trademark of Monsanto Technology LLC.
Protected by U.S. Patent 5,469,993. Other patent(s) pending.
No license granted under any non-U.S. patent(s).
Made in USA

Resealable Label for Directions & Precautions / Etiqueta re-cerrable para instrucciones y avisos de precaución.

LB2349

PPN 95003K5-23X2

PRODUCT FACTS

Container treats 300 sq ft.

KILLS THE TOUGHEST WEEDS, GRASSES, & BRUSH including Woody Brush & Vines, Poison Ivy, Poison Oak, Poison Sumac, Kudzu, Wild Blackberry and more.

WHERE TO USE


- Areas where tough weeds are invading your yard
- Around shrubs & trees
- On wooded and vacant lots
- Fields and trails
- Around homes, buildings, cabins, lodges, and camp sites
- In recreational areas, parks and sports facilities

DIRECTIONS FOR USE


It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

HOW TO ASSEMBLE AND USE


- 1** Remove sprayer.
Pull cord/tubing
ALL THE WAY OUT.



- 2** Insert plug into
spout until it
clicks.



- 3** Flip up spout.
Open nozzle
at end of sprayer.
Select desired
nozzle position,
foam or stream.



HOW TO APPLY

- Adjust nozzle at end of sprayer to a coarse spray.
- Spray the weeds or grasses you want to kill until thoroughly wet.
- When spot treating weeds around desirable plants shield plants from drift with a sheet of cardboard or plastic. If desirable plants are accidentally sprayed, rinse off immediately with water.

IMPORTANT: Do not spray desirable plants or grasses, they will die. Not recommended for spot weed control in lawns since glyphosate kills lawn grasses. **Note:** Do not use on or around edible food or feed crops.

Do not use for lawn renovation or flower bed and vegetable garden plot preparation; instead use Roundup® Weed & Grass Killer Concentrate Plus or Roundup® Weed & Grass Killer Super Concentrate.

HOW IT WORKS

Glyphosate, the primary active ingredient in this product enters the plant through the foliage, is absorbed by the weed leaves and moves systemically through the weed to the root, stopping the function of an essential enzyme found in plants (but not humans or animals). Weeds die, roots and all. Kills only what you spray. Any product not absorbed by the plant breaks down without moving in or on the soil to untreated plants. Weeds yellow and wilt within days with complete kill in 1 to 2 weeks for annual weeds. Perennial weeds such as poison ivy may take 4 or more weeks for complete kill.

The second active ingredient penetrates waxy leaves allowing the product to enter the plant more readily.

WHEN TO APPLY

- Apply when weeds are actively growing.
- For best results apply during warm, sunny weather above 60° F.
- Spray when air is calm to prevent drift to desirable plants.
- RAINPROOF: Rain or watering 30 minutes after application will NOT wash away effectiveness.

WHEN TO REPLANT

- Ornamental flowers may be planted **1 day after** application.
- Lawn grasses may be planted **7 days after** application.
- Non-conifer trees and shrubs may be planted **14 days after** application.
- Conifer trees and shrubs may be planted **30 days after** application.

REFILL

This container and sprayer can be reused. To this empty container add 6 fl oz (12 Tbs) of Roundup® Concentrate Poison Ivy Plus Tough Brush Killer then fill with water very slowly to avoid foaming.

STORAGE AND DISPOSAL

PESTICIDE STORAGE: Flip down spout to close. **NO NEED TO DISCONNECT TRIGGER SPRAYER.** Close nozzle on trigger sprayer. Snap sprayer back in place. Store product in original container in a safe place away from direct sunlight. Keep from freezing.

PESTICIDE DISPOSAL: Do not reuse or refill this container unless the directions for use allow refilling according to the directions contained in the **REFILL** section. **If Empty:** Place in trash or offer for recycling if available. **If Partly Filled:** Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS & DOMESTIC ANIMALS



CAUTION: Causes moderate eye irritation. Avoid contact with eyes or clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, or using tobacco.

People and pets may enter treated areas after spray has dried.

FIRST AID

IF IN EYES

- Hold eye open and rinse slowly and gently with water for 15-20 minutes.
- Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eyes.
- Call a poison control center, 1-800-246-7219, or doctor for treatment advice.

EMERGENCY MEDICAL INFORMATION

- Have the product container or label with you when calling a poison control center or doctor, or going for treatment.
- You may contact 1-800-246-7219 for emergency medical treatment information.
- This product is identified as **Roundup® Ready-To-Use Poison Ivy Plus Tough Brush Killer**, EPA Reg. No. 71995-36.

ENVIRONMENTAL HAZARDS: To protect the environment, do not allow pesticide to enter or run off into storm drains, drainage ditches, gutters or surface waters. Applying this product in calm weather when rain is not predicted for the next 24 hours will help to ensure that wind or rain does not blow or wash pesticide off the treatment area.

NOTICE: To the extent consistent with applicable law, buyer assumes all responsibility for safety and use not in accordance with directions.

*CONSUMER GUARANTEE

If for any reason you are not satisfied after using this product, simply send us original proof of purchase and we will replace the product or refund the purchase price.

Español



Roundup® Listo para Usar Mata la Hiedra Venenosa y los Matorrales Resistentes

¿SABÍA USTED?

Este producto se puede usar para la restauración de hábitats y para la preparación de parcelas para alimentos para la fauna.

DÓNDE USAR

- Áreas recreativas
- Alrededor de árboles
- A lo largo de cercas
- Alrededor de arriates de flores

LO QUE DEBE SABER

- A prueba de lluvia en 30 minutos
- Resultados visibles en 24 horas
- Siembre 1-30 días después de la aplicación (consulte la etiqueta para conocer detalles)

DATOS DEL PRODUCTO

Envase para tratar más de 300 pies cuadrados

ELIMINA LAS MALEZAS MÁS RESISTENTES, GRAMAS Y MATORRALES incluyendo enredaderas y matorrales leñosos, hiedra venenosa, roble venenoso, zumaque venenoso, kudzu, zarzamora silvestre y más.

DÓNDE USAR

- En áreas donde las malezas resistentes estén invadiendo su jardín
- Alrededor de arbustos y árboles
- En terrenos boscosos y vacíos
- En campos y senderos
- Alrededor de viviendas, edificios, cabañas, alojamientos y áreas de campamento
- En áreas recreativas, parques e instalaciones deportivas

INSTRUCCIONES

Es una violación a la ley Federal usar este producto de forma inconsistente con su etiqueta.

INSTRUCCIONES PARA ENSAMBLAR Y USAR EL ROCIADOR

- 1** Retire el rociador. SAQUE COMPLETAMENTE la manguera.



- 2** Inserte el conector en la boquilla de la tapa hasta que haga clic.



- 3** Abra la boquilla. Abra también la boquilla al extremo del rociador.



CÓMO APLICAR

- Ajuste la boquilla en el extremo del rociador para obtener un rocío grueso.
- Rocíe las malezas o gramas que desee eliminar hasta mojarlas completamente.
- Al aplicar un tratamiento localizado cerca de plantas que no desee eliminar, proteja dichas plantas de la diseminación con una lámina de cartón o de plástico. Si rocía accidentalmente las plantas que no desee eliminar, lávelas inmediatamente con agua.

IMPORTANTE: No rocíe las plantas o gramas que desee conservar, pues morirán. No se recomienda para el control localizado de malezas en céspedes ya que el glifosato elimina la grama del césped. **Nota:** No se debe usar en o alrededor de alimentos o cultivos comestibles.

No lo utilice para la renovación del césped o la preparación de terrenos para arriates de flores y jardines de vegetales; en vez use Roundup® Mata las Malezas y Gramas Concentrado Plus o Roundup® Mata las Malezas y Gramas Súper Concentrado.

CÓMO FUNCIONA

Glifosato, el ingrediente activo principal en este producto, entra a la planta a través del follaje, se absorbe por las hojas de las malezas y se mueve sistémicamente hacia la raíz a través de la maleza deteniendo la función de una enzima esencial que se encuentra en las plantas (pero no en los humanos o animales). Las malezas se mueren, con todo y raíces. Elimina solo lo que usted rocía. Cualquier producto que la planta no absorba se descompone en materiales naturales sin alterar la tierra para las plantas sin tratar. Las malezas se ponen amarillentas y se marchitan al cabo de días y en las malezas anuales se produce la eliminación completa en 1 a 2 semanas. Las malezas perennes, tales como la hiedra venenosa, pueden tardar 4 o más semanas para la eliminación completa.

El siguiente ingrediente activo penetra las hojas cerosas permitiendo que el producto entre más fácilmente en la planta.

CUÁNDO APLICAR

- Aplicar cuando las malezas están creciendo activamente.
- Para obtener mejores resultados, aplique durante clima cálido y soleado (por encima de 60°F).
- Rocíe cuando el aire esté tranquilo para evitar la diseminación a plantas que desee conservar.
- Protección A PRUEBA DE LLUVIA: la lluvia o el riego 30 minutos después de la aplicación NO eliminará su eficacia.

CUÁNDO REPLANTAR

- Las flores ornamentales pueden plantarse **1 día** después de la aplicación.
- Se puede plantar grama del césped **7 días** después de la aplicación.
- Los árboles y arbustos no coníferos se pueden plantar **14 días** después de la aplicación.
- Los árboles y arbustos coníferos se pueden plantar **30 días** después de aplicación.

RELLENAR

Se puede volver a usar este envase y el rociador. Agregue 6 onzas líquidas (12 cucharadas) a este envase vacío de Roundup® Concentrado Mata la Hiedra Venenosa y los Matorrales Resistentes, luego llénelo con agua muy lentamente para evitar la formación de espuma.

ALMACENAMIENTO Y ELIMINACIÓN

ALMACENAMIENTO DEL PESTICIDA: Coloque la boquilla hacia abajo para cerrar. **NO NECESITA DESCONECTAR EL ROCIADOR CON GATILLO.** Cierre la boquilla en el rociador con gatillo. Vuelva a colocar el rociador en su lugar. Guarde el producto en el envase original en un lugar seguro lejos de la luz directa del sol. Evite que se congele.

ELIMINACIÓN DEL PESTICIDA: No vuelva a usar o rellenar este envase a menos que las instrucciones permitan que se rellene de acuerdo con las instrucciones contenidas en la sección **RELLENAR**. **Si está vacío:** Colóquelo en la basura u ofrézcalo para reciclaje, si está disponible. **Si está parcialmente lleno:** Llame a su agencia local de desechos sólidos para obtener instrucciones de eliminación. Nunca elimine el producto sin usar en ningún drenaje interior o exterior.

AVISOS DE PRECAUCIÓN

RIESGOS PARA HUMANOS Y ANIMALES DOMÉSTICOS



PRECAUCIÓN: Causa irritación moderada en los ojos. Evite el contacto con los ojos o la ropa. Lávese completamente con agua y jabón después de usarlo y antes de comer, beber, masticar goma o consumir tabaco.

Las personas y mascotas pueden entrar a las áreas tratadas después de que se haya secado el rocío.

PRIMEROS AUXILIOS

SI ENTRA EN LOS OJOS	• Mantenga el ojo abierto y enjuague lenta y suavemente con agua durante 15 - 20 minutos.
	• Si tiene lentes de contacto, quítelos después de lavarse con agua los primeros 5 minutos y continúe lavando los ojos.
	• Llame a un centro de control de envenenamiento, al 1-800-246-7219, o al médico para obtener más recomendaciones sobre tratamiento.

INFORMACIÓN MÉDICA DE EMERGENCIA

• Tenga con usted el envase o etiqueta del producto cuando llame al centro de control de envenenamiento o al médico, o al buscar tratamiento.
• Puede llamar al 1-800-246-7219 para obtener información sobre tratamiento médico de emergencia.
• Este producto está identificado como Roundup® Listo para Usar Mata la Hiedra Venenosa y los Matorrales Resistentes, EPA Reg. No. 71995-36.

RIESGOS AMBIENTALES: Para proteger el ambiente, no permita que el pesticida entre o se escurra en drenajes pluviales, zanjas de drenaje, cunetas o aguas superficiales. Aplicar este producto en clima tranquilo cuando no haya pronóstico de lluvia para las siguientes 24 horas ayudará a asegurarse de que el viento o la lluvia no soplen o laven el pesticida del área de tratamiento.

ADVERTENCIA: El comprador asume toda responsabilidad de la seguridad y uso que no sea de acuerdo con las instrucciones.

*GARANTÍA PARA EL CONSUMIDOR

Si por cualquier razón usted no está satisfecho después de usar este producto, simplemente envíenos el comprobante de venta original y le reembolsaremos el producto o le reembolsaremos el precio de compra.