

SAFETY DATA SHEET

1. CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

FORMULATED FOR:

Residex, LLC
46495 Humboldt Drive
Novi, MI 48377-2446

PRODUCT NAME: TG Pro 28- 0-0
CHEMICAL NAME: Urea triazone fertilizer solution
CHEMICAL FAMILY: Aqueous, organic salt solution

Date of Issue: 3/10/16

2. HAZARDS IDENTIFICATION SUMMARY

Hazard Classification: Skin irritant, Category 2
Eye irritant, Category 2A

Signal Word: "WARNING"

Hazard Statements:

H315-Causes skin irritation
H320-Causes eye irritation
H335-May cause respiratory irritation
H333-May be harmful if inhaled
H303-May be harmful if swallowed

Precautionary Statements:

(PREVENTION)

P260-Do not breathe mist/vapors/spray
P264-Wash thoroughly after handling
P270-Do not eat, drink or smoke when using this product
P271-Use only outdoors in a well-ventilated area
P273-Avoid release to the environment
P280-Wear protective gloves / eye protection / face protection

(RESPONSE)

P301+P312- If swallowed, call a POISON CENTER or doctor if you feel unwell
P330-Rinse mouth
P302+P352-IF ON SKIN wash with plenty of soap and water
P305+P351+P338-IN IN EYES rinse cautiously with water for 20 minutes, remove contact lenses and
continue rinsing

P337+P313-If eye irritation persists, get medical advice / attention

P362+P364-Take off contaminated clothing

Precautionary Statements, Storage:

P403+P233-Store in a well-ventilated place. Keep container tightly closed.

P501-Dispose of container in accordance with local regulations



3. COMPOSITION, INFORMATION ON INGREDIENTS

N-P-K (NITROGEN-PHOSPHORUS-POTASSIUM) MIXED LIQUID BLENDED FERTILIZERS – No hazardous ingredient exceeds 1% of mixture.

| <u>Chemical Ingredients:</u> | <u>Percentage of Weight:</u> | <u>CAS No.</u> |
|------------------------------|------------------------------|----------------|
| Urea Triazone Solution | 100% | 7098-14-7 |

4. FIRST AID MEASURES

| | |
|----------------------|--|
| If in eyes: | Immediately rinse with water for 5 minutes |
| If on skin: | Wash skin with soap and water |
| If swallowed: | Rinse mouth with water and drink large quantity of water |
| If inhaled: | Remove product or move person to fresh air |

5. FIRE FIGHTING MEASURES

| | |
|--|---|
| FLASH POINT (°F/Test Method): | Not flammable |
| FLAMMABLE LIMITS (LFL & UFL): | Not applicable |
| EXTINGUISHING MEDIA: | Use foam, CO ₂ , dry chemical, or water |
| HAZARDOUS COMBUSTION PRODUCTS: | Heating to dryness may cause the release of ammonia and carbon dioxide. Ammonia may form flammable mixtures with air. |
| SPECIAL FIRE FIGHTING PROCEDURES: | Remove container from fire area |

6. ACCIDENTAL RELEASE MEASURES

STEPS TO BE TAKEN IF MATERIAL IS RELEASED OR SPILLED:

Stop leak, contain spill and absorb with soil or natural absorbents. Sweep up waste and place in container for disposal. Wash down area. Uncontaminated spilled material may be reused.

7. HANDLING AND STORAGE

| | |
|------------------|--|
| HANDLING: | Avoid eye contact and prolonged skin contact. Respiratory protection is normally not required. Sealed containers may develop pressure, open with caution. Wash hands thoroughly after handling the product. |
| STORAGE: | Store in the original labeled container in a cool place away from direct sunlight. Keep separate from food and feed products and out of reach of children and animals. Avoid storage at temperatures of 110F or higher. Corrosive to steel, aluminum, brass. Use with stainless steel or PVC fittings. Product may stain unfinished wood, painted surfaces, or concrete. |

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

| | |
|---------------------------------------|--|
| ENGINEERING CONTROLS: | Not normally required. |
| RESPIRATORY PROTECTION: | Not normally required. |
| PERSONAL PROTECTIVE EQUIPMENT: | Chemical goggles or shielded safety glasses and rubber or neoprene gloves. |

9. PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE AND ODOR: Clear liquid with ammonia smell
SOLUBILITY: Completely
pH: 11
SPECIFIC GRAVITY (Water = 1): 1.3
VAPOR PRESSURE: Not available
PERCENT VOLATILE (by volume): 60%
BULK DENSITY: 10.4 pounds / gallon
BOILING POINT: > 100° C
EVAPORATION RATE: of water

Note: These physical data are typical values based on material tested but may vary from sample to sample. Typical values should not be construed as a guaranteed analysis of any specific lot or as specification items.

10. STABILITY AND REACTIVITY

STABILITY: Stable for at least 2 years under normal conditions.
INCOMPATIBILITY: Strong oxidizing agents, alkalies
HAZARDOUS DECOMPOSITION PRODUCTS: Not applicable
HAZARDOUS POLYMERIZATION: Will not occur.

11. TOXICOLOGICAL INFORMATION

Acute Oral LD₅₀(rat): not established
Acute Dermal LD₅₀(rabbit): not established
Eye Irritation (rabbit): not established
Inhalation LC₅₀(rat): not established
Carcinogenic Potential: None listed in OSHA, NTP, IARC, or ACGIH
Skin Irritation (rabbit): not established
Skin Sensitization (guinea pig): not established

12. ECOLOGICAL INFORMATION

Ecotoxicology: Due to the non-toxic classification of this product no negative impact on wildlife is expected.

Biodegradation: Oxidation and microorganisms.

13. DISPOSAL CONSIDERATIONS

Waste disposal: Contaminated absorbents and surplus product should be buried in accordance with any local legislation.

Container disposal: Wash thoroughly with water and soap prior to reuse.

14. TRANSPORT INFORMATION

DOT Shipping Description: NOT REGULATED BY USDOT.
U.S. Surface Freight Classification: FERTILIZING COMPOUNDS (MANUFACTURED FERTILIZERS), NOI; LIQUID (NMFC 68140, SUB 6)

15. REGULATORY INFORMATION

| NFPA & HMIS Hazard Ratings: | | NFPA | HMIS |
|-----------------------------|--|----------------|------------|
| | | 1 Health | 0 Least |
| | | 0 Flammability | 1 Slight |
| | | 0 Instability | 2 Moderate |
| | | | 3 High |
| | | | 4 Severe |
| | | | H PPE |

SARA Hazard Notification/Reporting

SARA Title III Hazard Category: Immediate Y Fire N Sudden Release of Pressure
N
Delayed N Reactive N

Reportable Quantity (RQ) under U.S. CERCLA: Not listed
SARA, Title III, Section 313: Not listed
RCRA Waste Code: Not listed

16. OTHER

Disclaimer and Limitation of Liability: This data sheet was developed from information on the constituent materials identified herein and does not relate to the use of such materials in combination with any other material of process. No warranty is expressed or implied with respect to the completeness or ongoing accuracy of the information contained in this data sheet, and Residex, LLC disclaims all liability for reliance on such information. This data sheet is not a guarantee of safety. Users are responsible for ensuring that they have all current information necessary to safely use the product described by this data sheet for their specific purpose.