

SEVIN® SL

BROAD SPECTRUM INSECTICIDE FOR TURF, TREES, ORNAMENTALS, FRUIT, AND VEGETABLE CROPS

Prokoz Sevin SL is a broad spectrum insecticide containing 4 pounds active of Carbaryl per gallon. It provides control of over 130 turf and ornamental pests including worms, caterpillars, moths, borers, beetles, ticks, chiggers, grasshoppers, grubs, ants, and many more. One of the widest ranges of pest control available. Used as both a preventative and curative in insect control, the application sites are also extremely broad. Used by golf course superintendents, lawn care operators, arborists, park and recreation supervisors, and nursery professionals, Prokoz Sevin SL is one of the most reliable and effective insecticides used in the field today.

Active Ingredient

Carbaryl 43% by weight / 4 lb. per gallon active

Packaging

2 x 2.5 GL / CS

Application Sites

Turf – Golf courses, sports fields, domestic and commercial lawns, cemeteries, parks, campsites and recreational areas, rangeland, pasture, and grasses grown for seed.
Trees & Ornamentals – Non-urban forested areas and rangeland trees, tree plantations, planted Christmas trees, parks, rural shelter belts, and rangeland trees.

Application Rates

Turf – 2 to 8 quarts per acre, depending on target pests and infestation.
Trees & Ornamentals – 2% solution (5 fluid ounces per gallon).
Fruit and Vegetable – Wide application rate, refer to label.

Benefits

- Broad spectrum for application sites and target pests controlled.
- Effective as both a curative and preventative application.
- Can be used as a perimeter treatment to prevent infestations of buildings.
- Label includes adult mosquito control. (Not for U.L.V. Units or Thermal Foggers.)
- Can be used on certain fruiting and leafing vegetables and certain tree fruit and tree nut crops.
- Tank mix compatible with a wide range of insecticides.

Important

Refer to label for bee caution and grazing and haying restrictions where applicable. Avoid irrigation for 24 to 48 hours after application of Prokoz Sevin SL. Do not allow public use of areas during application or until spray dries. Avoid applications to surfaces where visible spray residues are objectionable.