

# SFM EXTRA<sup>®</sup>



ALLIGARE.COM

## OBTAIN EXTRA CONTROL WITH THIS BROAD SPECTRUM, DUAL-ACTION HERBICIDE

With two active ingredients, Alligare's SFM EXTRA offers long-lasting control of challenging grasses, broadleaf weeds and certain woody plants and vines.

### PERFORMANCE HIGHLIGHTS

- Pre- and post-emergent control of annual and perennial grasses and broadleaf weeds
- Excellent choice to expand weed spectrum in bare-ground applications
- Can be applied for site preparation and release in conifer plantations
- May be applied to labeled, unimproved turf species for release and/or suppression

### FOR BEST RESULTS

1. For post-emergent results, apply during the early stages of weed growth.
2. Precipitation is needed, following the application, for optimal pre-emergent control.
3. For hardwoods and vines, apply as a foliar spray between full leaf expansion in the spring and normal defoliation in the fall.
4. To improve the control of weeds, add surfactant by volume at 0.25 percent.

### USE SITES

- conifer plantations
- labeled unimproved turf
- pipelines and pumping installations
- lumber yards
- railroad and utility rights-of-way
- tank farms
- fencerows and storage areas
- industrial and utility plant sites



**Alligare**<sup>®</sup>

A member of the ADAMA Group

# SFM EXTRA<sup>®</sup>

ACTIVE INGREDIENTS: SULFOMETURON METHYL 56.25%, METSULFURON METHYL 15%



## TARGETED WEEDS

Blackberry	Aster	Barnyardgrass	Carolina geranium
Chicory	Clover	Crested wheatgrass	Evening primrose
Dewberry	Goldenrod	Hairy vetch	Kudzu
Marestail	Plantain	Pepperweed	Shepard's purse
Honeysuckle	Sericea lespedeza	Johnsongrass	Yellow foxtail
Western ragweed	Common chickweed	Common ragweed	Teasel

## BROADCAST MIXING INSTRUCTIONS

1. Add ½ of the required spray volume to the spray tank and start agitation.
2. Add the required amount of SFM EXTRA.
3. Add any additional tank-mix herbicides and surfactants, as needed.
4. Agitate during the final filling of the spray tank, and maintain sufficient agitation during application, to ensure uniformity of the spray mixture.

**ALWAYS READ AND FOLLOW LABEL INSTRUCTIONS**

## SIGNAL WORD

CAUTION

## APPLICATION DETAILS

MOA Group 2, ALS Inhibitor  
Use Rate ½ - 8 ounces/acre

## WORKER SAFETY

long-sleeved shirt and long pants  
chemical resistant gloves  
shoes plus socks



**Alligare**<sup>®</sup>

A member of the ADAMA Group

092524