Date : 01/15/2012

Version: 2

Material Safety Data Sheet



Sonar RTU

1. Product and company identification

Product name : Sonar RTU

EPA Registration Number : 67690-48

Material uses : Aquatic weed herbicide.

Supplier/Manufacturer : SePRO Corporation

11550 North Meridian Street

Suite 600

Carmel, IN 46032 U.S.A. Tel: 317-580-8282 Toll free: 1-800-419-7779 Fax: 317-428-4577

Monday - Friday, 8am to 5pm E.S.T.

www.sepro.com

Responsible name : KMK Regulatory Services Inc.

In case of emergency : INFOTRAC - 24-hour service 1-800-535-5053

2. Hazards identification

Physical state : Liquid. [Viscous.]
Color : Whitish. Tan.

Odor : Musty. Menthol-like.

OSHA/HCS status : While this material is not considered hazardous by the OSHA Hazard Communication

Standard (29 CFR 1910.1200), this MSDS contains valuable information critical to the safe handling and proper use of the product. This MSDS should be retained and

available for employees and other users of this product.

Emergency overview : NOT EXPECTED TO PRODUCE SIGNIFICANT ADVERSE HEALTH EFFECTS WHEN

THE RECOMMENDED INSTRUCTIONS FOR USE ARE FOLLOWED.

No known significant effects or critical hazards. Avoid prolonged contact with eyes, skin

and clothing.

Routes of entry : Dermal contact. Eye contact. Inhalation. Ingestion.

Potential acute health effects

Inhalation : Exposure to decomposition products may cause a health hazard. Serious effects may

be delayed following exposure.

Ingestion: No known significant effects or critical hazards.Skin: No known significant effects or critical hazards.Eyes: No known significant effects or critical hazards.

Potential chronic health effects

Chronic effects
 Carcinogenicity
 No known significant effects or critical hazards.
 Mutagenicity
 No known significant effects or critical hazards.
 Teratogenicity
 No known significant effects or critical hazards.
 Developmental effects
 No known significant effects or critical hazards.
 Fertility effects
 No known significant effects or critical hazards.
 No known significant effects or critical hazards.

Over-exposure signs/symptoms

Inhalation : No specific data.

Page: 1/7 Date of issue : 01/15/2012

Sonar RTU



Ingestion: No specific data.Skin: No specific data.Eyes: No specific data.

Medical conditions aggravated by over-exposure

: None known.

See toxicological information (Section 11)

3. Composition/information on ingredients

United States						
Name	CAS number	%				
Active ingredient: 4(1h)-pyridinone, 1-methyl-3-phenyl-5-[3- (trifluoromethyl)phenyl]-	59756-60-4	3.8				
Inert Ingredient: Proprietary Alcohol	Proprietary	5 - 10				

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

4. First aid measures

: Check for and remove any contact lenses. Immediately flush eyes with plenty of water for at least 20 minutes, occasionally lifting the upper and lower eyelids. Get medical attention if symptoms occur.
: In case of contact, immediately flush skin with plenty of water for at least 20 minutes while removing contaminated clothing and shoes. Wash clothing before reuse. Clean shoes thoroughly before reuse. Get medical attention if symptoms occur.
: Move exposed person to fresh air. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. Loosen tight clothing such as a collar, tie, belt or waistband. Get medical attention if symptoms occur.
: Wash out mouth with water. Do not induce vomiting unless directed to do so by medical personnel. Never give anything by mouth to an unconscious person. Get medical attention if symptoms occur.
: No action shall be taken involving any personal risk or without suitable training.
: In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.

Fire-fighting measures

Flammability of the product: In a fire or if heated, a pressure increase will occur and the container may burst.

Extinguishing media

Suitable

: In case of fire, use water spray (fog), foam, dry chemical or CO₂.

Not suitable

: None known.

Special exposure hazards

: Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.

Page: 2/7 Date of issue : 01/15/2012

Sonar RTU



Hazardous thermal decomposition products

Decomposition products may include the following materials: carbon dioxide carbon monoxide nitrogen oxides halogenated compounds

Special protective equipment for fire-fighters

: Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

Accidental release measures

Personal precautions

: No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Put on appropriate personal protective equipment (see Section 8).

Environmental precautions

: Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).

Methods for cleaning up

Spill

: Stop leak if without risk. Move containers from spill area. Prevent entry into sewers, water courses, basements or confined areas. Wash spillages into an effluent treatment plant or proceed as follows. Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations (see section 13). Dispose via a licensed waste disposal contractor. Note: see section 1 for emergency contact information and section 13 for waste disposal.

7. Handling and storage

Handling

: Put on appropriate personal protective equipment (see Section 8). Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas.

Storage

: Avoid freezing. Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination.

8. Exposure controls/personal protection

Product name

Exposure limits

Proprietary Alcohol

AIHA WEEL (United States, 5/2010).

TWA: 10 mg/m³ 8 hour(s).

Recommended monitoring procedures

: If this product contains ingredients with exposure limits, personal, workplace atmosphere or biological monitoring may be required to determine the effectiveness of the ventilation or other control measures and/or the necessity to use respiratory protective equipment.

Engineering measures

: No special ventilation requirements. Good general ventilation should be sufficient to control worker exposure to airborne contaminants. If this product contains ingredients with exposure limits, use process enclosures, local exhaust ventilation or other engineering controls to keep worker exposure below any recommended or statutory limits.

Page: 3/7 Date of issue : 01/15/2012





Hygiene measures	: Wash hands, forearms and face thoroughly after handling chemical products, before
	eating, smoking and using the lavatory and at the end of the working period. Appropriate
	tachniques should be used to remove notentially contaminated elething. Week

techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers

are close to the workstation location.

Personal protection

Applicators should refer to the product label for personal protective equipment.

: Use a properly fitted, air-purifying or supplied air respirator complying with an approved Respiratory standard if a risk assessment indicates this is necessary. Respirator selection must be

based on known or anticipated exposure levels, the hazards of the product and the safe

working limits of the selected respirator.

Hands : Chemical-resistant, impervious gloves complying with an approved standard should be

worn at all times when handling chemical products if a risk assessment indicates this is

necessary.

: Safety eyewear complying with an approved standard should be used when a risk **Eyes**

assessment indicates this is necessary to avoid exposure to liquid splashes, mists or

dusts.

Personal protective equipment for the body should be selected based on the task being Skin

performed and the risks involved and should be approved by a specialist before handling

this product.

Environmental exposure

controls

: Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be

necessary to reduce emissions to acceptable levels.

Physical and chemical properties

Physical state : Liquid. [Viscous.]

: Whitish. Tan. Color

: Musty. Menthol-like. Odor

: 6.19 pН : 1.07 Relative density

: Kinematic: 2.81 cm²/s (281 cSt) **Viscosity**

Dispersibility properties : Easily dispersible in the following materials: cold water and hot water.

10. Stability and reactivity

Chemical stability : The product is stable.

Conditions to avoid : Avoid freezing.

Incompatible materials : Reactive or incompatible with the following materials: oxidizing materials and acids.

Hazardous decomposition : If water evaporates, residues may product harmful vapors under fire conditions.

products

Possibility of hazardous : Under normal conditions of storage and use, hazardous reactions will not occur.

reactions

11. Toxicological information

Acute toxicity

Product/ingredient name	Result	Species	Dose	Exposure
Proprietary Alcohol	LD50 Dermal LD50 Oral	Rabbit Rat	20800 mg/kg 20 g/kg	-

Chronic toxicity

There is no data available.

Irritation/Corrosion

Page: 4/7 Date of issue : 01/15/2012



Product/ingredient name	Result	Species	Score	Exposure	Observation
Proprietary Alcohol	Eyes - Mild irritant	Rabbit	-	24 hours 500 mg	-
	Skin - Mild irritant	Human	-	168 hours 500	-
				mg	
	Eyes - Mild irritant	Rabbit	-	100 mg	-
	Skin - Moderate irritant	Child	-	96 hours 30%	-
				continuous	
	Skin - Moderate irritant	Human	-	72 hours 104 mg	-
				Intermittent	
	Skin - Mild irritant	Woman	-	96 hours 30%	-

Sensitizer

Skin: There is no data available.Respiratory: There is no data available.

Carcinogenicity

There is no data available.

Mutagenicity

There is no data available.

Teratogenicity

There is no data available.

Reproductive toxicity

There is no data available.

12. Ecological information

	•					
Ecotoxicity		No known	significant	effects or	critical	haza

Aquatic ecotoxicity

Product/ingredient name	Result	Species	Exposure
Proprietary Alcohol	Acute EC50 >1000 mg/L Fresh water Acute LC50 1020 mg/L Fresh water	Daphnia - Daphnia magna - <24 hours Crustaceans - Ceriodaphnia dubia - <=24 hours	48 hours 48 hours
	Acute LC50 710 mg/L Fresh water	Fish - Pimephales promelas - <=7 days	96 hours

Persistence/degradability

There is no data available.

13. Disposal considerations

Waste disposal

: The generation of waste should be avoided or minimized wherever possible. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe way. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Disposal of this product, solutions and any byproducts should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

Page: 5/7 Date of issue : 01/15/2012





Disposal should be in accordance with applicable regional, national and local laws and regulations.

Refer to Section 7: HANDLING AND STORAGE and Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION for additional handling information and protection of employees.

14. Transport information

Regulatory information	UN number	Proper shipping name	Classes	PG*	Label	Additional information
DOT Classification	Not regulated.	-	-	-		-
IMDG Class	Not regulated.	-	-	-		-
IATA-DGR Class	Not regulated.	-	-	-		-

AERG: Not applicable. PG*: Packing group Exemption to the above classification may apply.

15. Regulatory information

HCS Classification

: Not regulated.

U.S. Federal regulations

: TSCA 8(a) IUR Exempt/Partial exemption: Not determined

United States inventory (TSCA 8b): All components are listed or exempted.

SARA 302/304/311/312 extremely hazardous substances: No products were found. SARA 302/304 emergency planning and notification: No products were found.

SARA 302/304/311/312 hazardous chemicals: Proprietary Alcohol

SARA 311/312 MSDS distribution - chemical inventory - hazard identification: Proprietary Alcohol: Immediate (acute) health hazard, Delayed (chronic) health hazard

Clean Air Act Section

112(b) Hazardous Air **Pollutants (HAPs)**

: Not listed

Clean Air Act Section 602

Class I Substances

: Not listed

Clean Air Act Section 602 : Not listed

Class II Substances

DEA List I Chemicals

(Precursor Chemicals)

DEA List II Chemicals

: Not listed

(Essential Chemicals)

: Not listed

State regulations

Massachusetts : None of the components are listed. **New York** : None of the components are listed.

New Jersey : The following components are listed: Proprietary Alcohol : The following components are listed: Proprietary Alcohol **Pennsylvania**

California Prop. 65

No products were found.

Page: 6/7 Date of issue : 01/15/2012





16. Other information

Label requirements : NOT EXPECTED TO PRODUCE SIGNIFICANT ADVERSE HEALTH EFFECTS WHEN

THE RECOMMENDED INSTRUCTIONS FOR USE ARE FOLLOWED.

Hazardous Material : Health : 0 Flammability : 0 Physical hazards : 0

Information System (U.S.A.)

Caution: HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks Although HMIS® ratings are not required on MSDSs under 29 CFR 1910.1200, the preparer may choose to provide them. HMIS® ratings are to be used with a fully implemented HMIS® program. HMIS® is a registered mark of the National Paint & Coatings Association (NPCA). HMIS® materials may be purchased exclusively from J. J. Keller (800) 327-6868.

The customer is responsible for determining the PPE code for this material.

National Fire Protection : Health : 0 Flammability : 0 Instability : 0 Association (U.S.A.)

Reprinted with permission from NFPA 704-2001, Identification of the Hazards of Materials for Emergency Response Copyright ©1997, National Fire Protection Association, Quincy, MA 02269. This reprinted material is not the complete and official position of the National Fire Protection Association, on the referenced subject which is represented only by the standard in its entirety.

Copyright ©2001, National Fire Protection Association, Quincy, MA 02269. This warning system is intended to be interpreted and applied only by properly trained individuals to identify fire, health and reactivity hazards of chemicals. The user is referred to certain limited number of chemicals with recommended classifications in NFPA 49 and NFPA 325, which would be used as a guideline only. Whether the chemicals are classified by NFPA or not, anyone using the 704 systems to classify chemicals does so at their own risk.

History

Date of issue mm/dd/yyy : 01/15/2012 Date of previous issue : 01/15/2009

Version : 2

Revised Section(s) : 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16

Notice to reader

To the best of our knowledge, the information contained herein is accurate. However, neither the above-named supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein.

Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.

Page: 7/7 Date of issue : 01/15/2012