

60411

PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals

CAUTION: Avoid contact with skin or clothing. Wash thoroughly with soap and water after handling.

Environmental Hazards

This product is toxic to fish. Do not apply directly to water. Do not contaminate water by disposal of wastes.

FIRST AID

If inhaled: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison control center or doctor for further treatment advice.

If on skin or clothing: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.

If in eyes: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.

If swallowed: Call poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by the poison control center or doctor. Do not give anything by mouth to an unconscious person.

Have the product container or label with you when calling a poison control center or doctor, or going for treatment.

Physical or Chemical Hazards

Contents under pressure. Do not use or store near heat or open flame. Do not puncture or incinerate container. Exposure to temperatures above 130°F may cause bursting. Do not use this product in or on electrical equipment due to the possibility of shock hazard.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling. Do not use in food/feed areas of food/feed handling establishments, restaurants or other areas where food/feed is commercially prepared or processed. Do not use in serving areas while food is exposed or facility is in operation. Serving areas are areas where prepared foods are served such as dining rooms but excluding areas where foods may be prepared or held. In the home, all food processing surfaces and utensils should be covered during treatment or thoroughly washed before use. Exposed food should be covered or removed. This product may be used as a crack and crevice treatment or as a spot application in non-food/feed areas. All areas where insects hide or through which insects may enter should be treated. For use in non-food/non-feed areas such as garbage rooms, lavatories, floor drains (to sewers), offices, locker rooms, machine rooms, boiler rooms, garages, mop closets and storage (after canning or bottling). Not for use in Federally Inspected Meat and Poultry Plants. Do not apply this product in occupied patient rooms or in any rooms/areas while occupied by patients, the elderly or infirm. Do not apply to classrooms when in use.

General Information: Shur-Kill provides effective control of pests in and on buildings and structures and their immediate surroundings and on modes of transport. Permitted areas of use include, but are not limited to: apartment buildings, homes, hotels, hospitals, nursing homes, schools, industrial buildings, laboratories, mausoleums, private residences, utilities and the non-food/feed areas of food/feed handling establishments and on: vessels, railcars, aircraft (cargo areas only), buses, trucks, and trailers.

Surface spray application: Remove protective cap. Hold container upright with nozzle away from you. Press valve down and spray as directed. Spray surface until slightly wet (at a rate of 4 ounces product to treat approximately 25 square feet of surface area). **Crack & Crevice Injection:** Remove protective cap, hold container upright and attach injection tube for injecting into cracks and crevices where insects may be hiding, living and breeding. Place injection tip 1/2 inch into cracks, crevices, holes and other small openings where insects may be a problem. Release a one-second spray per spot. In serious infestations, if possible, place

spots approximately 12 inches apart. In light infestations or for preventative treatment, place spots approximately three feet apart. In long running cracks, move the injector tip along the crack while spraying. Move at a rate of one linear foot per second in heavy infestations and three feet per second in light infestations. See the additional directions below for effective control of specified insects.

INDOORS: *Cockroaches* (including adult and immature stages of both nonresistant and organophosphate and carbamate resistant strains), *Ants*, *Booklice*, *Boxelder Bugs*, *Centipedes*, *Crickets*, *Dermeestids*, *Firebrats*, *Fleas*, *Palmetto Bugs*, *Silverfish*, *Sowbugs*, *Ticks* and *Waterbugs:* Spray into hiding places such as cracks and crevices, behind sinks, cabinets, along baseboards and floors, around drains and plumbing, hitting insects with spray whenever possible. Repeat every 4 weeks. *Ants:* Spray freely around ant trails, doors and windows and other places where ants enter premises around nests hidden under steps, brickwork, concrete, etc. Break apart accessible nests and spray freely on and around debris. Repeat every 4 weeks. *Brown Dog Ticks and Fleas in Buildings:* Apply to infested areas such as pet beds and resting quarters, nearby cracks and crevices, under edges of rugs and floor coverings, between and under cushions of upholstered furniture and other areas where these pests may be present. Old bedding of pets should be removed and replaced with clean fresh bedding after treatment of pet areas. Do not use directly on pets. *Spiders:* Apply along and behind baseboards, to window and door frames, corners, pipes, storage localities, attics, crawl spaces and other areas over which these pests may crawl.

Centipedes, *Earwigs*, *Ground Beetles*, *Millipedes*, *Mole Crickets*, *Pillbugs*, *Sowbugs*, *Scorpions* and *Ticks:* Apply around doors and windows and other places where these pests may enter premises. Treat baseboards, storage areas and other locations where these pests are found. *Carpet Beetles (Black, Furniture and Varied):* Spray on and under edges of floor coverings, under rugs and furniture and in closets or other localities where these insects are found. Repeat every 4 weeks. *Webbing Clothes Moths:* Use this product as a crack and crevice treatment in closets and other storage areas where these pests are found. This is an adjunct treatment and will not control moth larvae already on clothes. Do not apply to clothing.

OUTDOORS: *Pests on Outside Surfaces of Buildings:* For control of building infestation due to *Ants*, *Clover Mites*, *Crickets*, *Earwigs*, *Millipedes* and *Sowbugs (Pillbugs).* Spray foundation of building where insects are active and may find entrance up to a height of 2 to 3 feet. Apply as a residual spray to outside surfaces of buildings where insects tend to congregate. Spray areas include (but are not limited to) screens, window frames, eaves, porches, patios, garage and refuse dumps. Repeat every 4 weeks.

Localized Treatment of Wood-Infesting Insects: Beetles and Borers (such as the following families: Anobilidae, Bostrichidae, Buprestidae, Cerambycidae, Lyctidae, Oedemerridae, Sesidae), Carpenter Bees and Wood Wasps: Locate area of infestation and/or insect tunnels and cavities. Using a crack & crevice tip, spray into tunnels, galleries and inaccessible closed voids. In infested areas, small holes should be drilled eight to ten inches apart to insure thorough insecticide gallery treatment. Be sure not to contact electrical wiring or plumbing when treating. For Carpenter Bees, seal the entrance holes with small pieces of stainless steel wool after application.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal. **STORAGE:** Do not store near heat or open flame. Store in a cool dry area away from children. **DISPOSAL:** Do Not Puncture or Incinerate! If empty: Place in trash or offer for recycling if available. If partly filled: Call your local solid waste agency or 1-800-CLEANUP for disposal instructions.

EPA Reg. No. 44446-64-72159
EPA Est. No. 44446-TX-1

Manufactured for: Agrisel USA, Inc.
P.O. Box 3528
Suwanee, GA 30024



SHUR-KILL

NO UNPLEASANT ODOR

KILLS ON CONTACT



USE INDOORS AND OUTDOORS

PROTECTS FOR UP TO 4 WEEKS

ACTIVE INGREDIENTS:

*Tetramethrin	0.150%
**Permethrin	0.375%
***Piperonyl Butoxide Technical	0.750%
INERT INGREDIENTS:	98.725%
TOTAL	100.000%

*1-cyclohexene-1,2-dicarboximidomethyl 2,2-dimethyl-3-(2-methyl-propenyl) cyclopropanecarboxylate.
 **3-(phenoxyphenyl) methyl (+/-) cis/trans 3-(2,2-dichloroethenyl) 2,2-dimethylcyclopropanecarboxylate. Cis/trans ratio: min. 35% (+/-) cis and max. 65% (+/-) trans.
 ***Equivalent to min. 0.60% (butylcarbityl)(6-propylpiperonyl) ether and 0.15% related compounds.

Net Weight: 16 oz.

KEEP OUT OF REACH OF CHILDREN

CAUTION

See Side Panel For Additional Precautions



Multi-Purpose Aerosol Insecticide