

# Sucker-Stopper<sup>®</sup> RTU

Monterey

For Lawn & Garden Residential Use

Not for use on plants being grown for sale or other commercial use, or for commercial seed production, or for research purposes. For use on plants intended for aesthetic purposes or climatic modification and being grown in interior plantscapes, ornamental gardens or lawns and grounds.

ATTENTION: This product contains a chemical known to the State of California to cause cancer.

EPA Reg. No. 5481-460-54705

EPA Est. No. 48498-CA-1

Manufactured For:

LAWN AND GARDEN PRODUCTS, INC.

P. O. Box 35000 • Fresno, CA 93745

(595) 499-2100 • info@montereylawngarden.com



NET CONTENTS: 1 PT/ 16 FL OZ / 478.2 mL 0597/0612(04)

## KEEP OUT OF REACH OF CHILDREN CAUTION

### FIRST AID

<b>IF IN EYES:</b>	<ul style="list-style-type: none"><li>• Hold eye open and rinse slowly and gently with water for 15 - 20 minutes.</li><li>• Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.</li><li>• Call a poison control center or doctor for treatment advice.</li></ul>
<b>IF ON SKIN OR CLOTHING:</b>	<ul style="list-style-type: none"><li>• Take off contaminated clothing.</li><li>• Rinse skin immediately with plenty of water for 15-20 minutes.</li><li>• Call a poison control center or doctor for treatment advice.</li></ul>
<b>IF INHALED:</b>	<ul style="list-style-type: none"><li>• Move person to fresh air.</li><li>• If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible.</li><li>• Call a poison control center or doctor for further treatment advice.</li></ul>

*(continued)*

**EMERGENCY INFORMATION**

Have the product container or label with you when calling a poison control center or doctor, or going for treatment. For the following emergencies, phone 24 hours a day:  
Transportation: CHEMTREC ..... 1-800-424-9300  
Other: The National Pesticide Information Center..... 1-800-858-7378

**PRECAUTIONARY STATEMENTS**

**Hazards to Humans and Domestic Animals**

**CAUTION:** Harmful if swallowed or inhaled. Causes eye and skin irritation. Avoid contact with eyes, skin or clothing.

**PERSONAL PROTECTIVE EQUIPMENT (PPE)**

Applicators and other handlers must wear:

- long-sleeved shirt and long pants
- chemical-resistant gloves made of any waterproof material
- shoes plus socks
- protective eyewear

**USER SAFETY RECOMMENDATIONS**

Users should:

- Wash hands before eating, drinking, chewing gum, using tobacco or using the toilet.
- Remove clothing immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing.

## **ENVIRONMENTAL HAZARDS**

Do not apply directly to water, to areas where surface water is present, or to intertidal areas below the mean high water mark. Do not contaminate water by cleaning equipment or disposal of equipment washwaters.

## **PHYSICAL OR CHEMICAL HAZARDS**

Do not use or store near heat or open flame.

## **DIRECTIONS FOR USE**

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. Do not apply this product in a way that will contact workers or other persons, either directly or through drift. Do not apply Sucker-Stopper<sup>®</sup> RTU through any type of irrigation system. Keep children and pets and other unprotected persons out of treated area until spray has dried.

Proper pruning of young non-bearing trees promotes the growth and development of strong, well-spaced branches that can support more larger sized fruit, resist wind and ice damage, improve spray penetration for better insect and disease control and improve light penetration for better fruit set, size and color. Non-bearing citrus trees sprout vigorously from the root stock and from pruning cuts made on hard wood branches. Sucker-Stopper<sup>®</sup> RTU controls sprouting from pruning cuts, trunks and root stocks. Sucker-Stopper<sup>®</sup> RTU is a ready-to-use product. Do not

allow Sucker-Stopper® RTU to contact buds or foliage as injury may result. Mix thoroughly before using.

## **FOR USE ON APPLES AND PEARS**

Do not apply Sucker-Stopper® RTU to trees less than one year old as injury and stand loss will occur. Do not treat any tree that is not vigorous, healthy, and free from stress.

### **New Plantings**

Apple and pear trees, healthy, vigorous and free from stress, may be treated after planting when the trees show established growth. Remove sprouts and follow the application procedures described below. Do not apply to non-established or stressed trees as injury and stand loss will result.

### **Established Plantings – Scaffold Limbs**

Prune existing sprouts and treat during the dormant season. Thoroughly cover area where existing sprouts were removed, but restrict treatment to the cut surfaces and 2 to 3 inches of the surrounding area. Avoid fine spray particles from drifting or splashing on surrounding fruiting wood or buds.

Do not treat scaffold limbs after bud activity starts in the Spring. There has been some fruit size reduction on Golden Delicious and Anjou pears from excessive treatments to scaffold limbs on older, weaker trees. To minimize the

chance of injury, limit treated areas to 10 percent of the total bark area of the tree. Do not treat weak trees and do not repeat applications on the same tree for at least one year.

### **Trunk and Basal Sprouts and Root Suckers**

Prune existing sprouts and apply Sucker-Stopper® RTU during the dormant season prior to green tip stage or during the summer pruning season when the new shoots are 6 to 12 inches in height. The later applications have been the most effective. On bearing trees do not treat suckers during bud swell, bloom or fruit set. This period is from the start of growth to 4 weeks after petal fall. Application during this time can result in excessive thinning. Avoid fine spray drift of fine spray particles.

### **Pruning Cuts on Large Lateral or Upright Limbs**

To control sprouts in the vicinity of pruning cuts, treat several inches of bark around the cut. Do not allow the mixture to splash or drip onto other parts of the tree. Treat only in the dormant season prior to bud activity.

## **OLIVES**

### **Trunk Basal Sprouts and Root Suckers**

(Do not treat scaffold branches or pruning cuts on olive trees.) Prune off existing sprouts or suckers and allow new

sprouts to regrow. Treat with Sucker-Stopper® RTU when sprouts are not more than 10 inches tall. Sucker-Stopper® RTU will control new sprout growth of olives, but will not control old woody sprouts. Do not treat during olive bloom or fruit set. Limit treated areas to 10% of the plant's total bark surface.

## **ORNAMENTAL WOODY PLANTS**

### **Controls Regrowth of Tree Sprouts**

#### **Following Proper Pruning**

Sucker-Stopper® RTU prevents and inhibits vegetative growth in woody plants. After proper pruning, allow new sprouts to regrow and apply Sucker-Stopper® RTU when sprouts are no more than 10 inches tall. It is effective on many ornamental, flowering and shade trees such as:

American Elm	Red Maple
Carob	River Birch
Chinese Elm	Silver Maple
Coast Redwood	Sugar Maple
Crabapples	Sycamore
Crepe Myrtle	Water Oak
Flowering Plum	Was Myrtle
Pyracantha	Willow spp (Black Marsh)

For most effective control of resprouts, prune to a lateral branch (drop crotch pruning) and apply Sucker-Stopper® RTU after resprout growth has begun. Do not leave

stubs and avoid severe trimming. Treatment of all cuts is important.

## **NON-BEARING CITRUS**

### **Sprouting From Scaffold Limbs**

Remove unwanted sprouts and thoroughly coat cut surfaces and surrounding bark.

### **Sprouting From Trunk**

Remove trunk suckers and water sprouts and apply Sucker-Stopper® RTU to the entire trunk from the ground line to scaffold limbs.

### **Rootstock**

Non-bearing citrus rootstock which is healthy, vigorous and free from stress may be treated. After planting apply Sucker-Stopper® RTU from the ground line to the first scaffold branches. Do not allow the product to puddle at the base of the tree as injury and stand loss may occur. Do not apply to rootstock if the bud union has not callused. In temperature zones where freezing may injure scaffold branches, restrict treatment to the frost-free period to allow for a short period of growth between treatment and damaging freeze.



## STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

**PESTICIDE STORAGE:** Do not store near fertilizers, seeds, insecticides or fungicides.

**PESTICIDE DISPOSAL:** Do not contaminate water, food or feed by storage or disposal. Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

**CONTAINER DISPOSAL:** Nonrefillable container. Do not reuse or refill this container. Offer for recycling if available. Triple rinse as follows: Empty the remaining contents into application equipment or a mix tank and drain for 10 seconds after the flow begins to drip. Fill the container  $\frac{1}{4}$  full with water and recap. Shake for 10 seconds. Pour rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Drain for 10 seconds after the flow begins to drip. Repeat this procedure two more times.

## LIMITED WARRANTY AND DISCLAIMER


The manufacturer warrants (a) that this product conforms to the chemical description on the label; (b) that this product is reasonably fit for the purposes set forth in the directions for use, subject to the inherent risks referred to herein, when it is used in accordance with such directions; and (c) that the directions, warnings, and other statements on this label are based upon responsible experts' evaluations of reasonable tests of effectiveness, of toxicity to laboratory animals and to plants and residues on food crops, and upon reports of field experience. Tests have not been made on all varieties of food crops and plants, or in all states or under all conditions.

There are no express warranties other than those set forth herein. The manufacturer neither makes nor intends, nor does it authorize any agent or representative, to make any other warranties, express or implied, and it expressly excludes and disclaims all implied warranties of merchantability of fitness or a particular purpose, or any warranty of quality or performance. This warranty does not extend to, and the buyer shall be solely responsible for, any and all loss or damage which results from the use of this product in any manner which is inconsistent with the label directions, warnings or cautions.

Buyer's exclusive remedy and manufacturer's or seller's exclusive liability for any and all claims, losses, damages, or injuries resulting from the use or handling of this product, whether or not based in contract, negligence, strict liability in tort or otherwise, shall be limited, at the manufacturer's option, to replacement of, or the repayment of the purchase price for, the quantity of product with respect to which damages are claimed. In no event, shall manufacturer or seller be liable for special, indirect or consequential damages resulting from the use or handling of this product.

Lawn and Garden Products, Inc. offers this product, and Buyer accepts it, subject to the foregoing Limited Warranty which may be varied only by agreement in writing signed by an authorized representative of Lawn and Garden Products, Inc.

(AV-053012N) 0597/0612(04)



# Sucker-Stopper® RTU



ATTENTION: This product contains a chemical known to the State of California to cause cancer.

EPA Reg. No. 5481-460-54705

EPA Est. No. 48498-CA-1

**KEEP OUT OF  
REACH OF CHILDREN  
CAUTION**

(See booklet for Precautionary Statements, Directions For Use and Storage and Disposal.)

Manufactured For:

LAWN AND GARDEN PRODUCTS, INC.

P. O. Box 35000 • Fresno, CA 93745

(559) 499-2100 • [info@montereylawngarden.com](mailto:info@montereylawngarden.com)

© Sucker-Stopper is a registered trademark of Lawn and Garden Products Inc.

**NET CONTENTS: 1 PT/ 16 FL OZ / 478.2 mL**

PEEL BACK BOOK HERE AND RESEAL AFTER OPENING