



MSDS Number: BLM007

Revision Date: 1/1/14 Page 1 of 5

PRODUCT AND COMPANY IDENTIFICATION

SDS

Manufacturer

PROFILE Products, LLC 750 LAKE COOK ROAD SUITE 440 BUFFALO GROVE, IL 60089

Phone:	(847) 215-1144
Fax:	(847) 215-0577
Email:	profileproducts.com
Web:	www.profileproducts.com

Product Name: Revision Date: MSDS Number: Common Name: CAS Number: Quick Dry® 1/1/14 BLM007 N.A. 371172-77-9

Description: Calcined, non-swelling illite and non-crystalline opal CT mineral.

HAZARDS IDENTIFICATION

Inhalation:	Lungs
Skin Contact:	Wash with soap and water until clean
Eye Contact:	Wash out with water
Ingestion:	No adverse effect

NFPA:

Health = 1, Fire = 0, Reactivity = 0



Crystalline Silica (Quartz) [EPA Hazard Category: Health]

Carcinogen: OSHA - No NTP - Yes (respirable) IARC - Yes This product contains up to 5% crystalline silica. The International Agency for Research on Cancer (IARC) has stated that there is sufficient evidence of carcinogenicity of crystalline silica to human beings. It was noted that carcinogenicity was not



MSDS Number: BLM007

Revision Date: 1/1/14

Page 2 of 5

detected in all industrial circumstances studied. The NTP's Sixth Annual Report on Carcinogens include respirable crystalline silica. The Hazard Communication Standard (29CFR 1910.1200) requires that any material containing over 0.1% of a substance reported as a carcinogen in an IARC monograph or the most recent NTP Annual Report on Carcinogens must be identified as a carcinogen. These identifications are for hazard communications only and do not serve as assessments of carcinogenic risk. Crystalline silica is known to cause silicosis. At dust levels below the recommended PEL exposure to the crystalline silica contained in this product should not present a health hazard.

3	COMPOSITION/INFORMATION ON INGREDIENTS

Ingredients:

Cas #	Perc.	Chemical	Name
14808607	3-5%	Silica,	crystalline quartz

SDS

4	FIRST AID MEASURES
Inhalation:	Move to fresh air.
Skin Contact:	Wash throughly with soap and water.
Eye Contact:	Flush thoroughly with water. See a physician if discomfort persists.
Ingestion:	None. If large quantities are ingested consult your physician.

FIRE FIGHTING MEASURES

Non-flammable and non-hazardous

ACCIDENTAL RELEASE MEASURES

Steps to be taken in case material is released or spilled: If uncontaminated, sweep up or collect, and reuse as product. If contaminated with other materials, collect in suitable containers.

7	HANDLING AND STORAGE
Handling Precautions:	Steps to be taken in case material is released or spilled: If uncontaminated, sweep up or collect, and reuse as product. If contaminated with other materials, collect in suitable containers.
Storage Requirements:	Do not store near vegetable oil or turpentine.





MSDS Number: BLM007

Revision Date: 1/1/14

Page 3 of 5

EXPOSURE CONTROLS/PERSONAL PROTECTION

SDS

 Personal Protective Equip:
 Respiratory Protection: If dust concentrations exceed recommended Permissible Exposure Limits, use NIOSH- approved dust respirators, with approval TC-21C-xxx, until feasible engineering controls are completed.

 Ventilation:
 Local exhaust or other ventilation that will reduce dust concentrations to less than Permissible Exposure Limits is recommended.

 Eye Protection:
 If high dust concentrations exist, tight-fitting goggles are recommended to reduce dust exposure to the eyes.

 Other Protective Equipment:
 Optional.

PHYSICAL AND CHEMICAL PROPERTIES

Appearance:	Brown to buff-colored granular particles		
Physical State:	Solid granular particles	Odor:	Negligible
Odor Threshold:	Negligible	Molecular Formula:	Negligible
Particle Size:	-50 mesh	Solubility:	Negligible
Spec Grav./Density:	N.A.	Heat Value:	N.A.
Boiling Point:	N.A.	Freezing/Melting Pt.:	N.A.
Flammability:	N.A.	Flash Point:	N.A.
Partition Coefficient:	N.A.	Octanol:	N.A.
Vapor Pressure:	N.A.	Vapor Density:	N.A.
pH:	6.8	VOC:	N.A.
Evap. Rate:	N.A.	Bulk Density:	38 lbs/cubic ft.
Molecular weight:	N.A.	Auto-Ignition Temp:	N.A.
Decomp Temp:	N.A.	UFL/LFL:	N.A.

10 STABILITY AND REACTIVITY Stability: Quick Dry is stable under all normal conditions. Conditions to Avoid: Strong Oxiders Materials to Avoid: Unreacted polymer monomers Hazardous Decomposition: None Known Hazardous Polymerization: Will not occur. However, contact with vegetable oil or turpentine may cause evolution of heat.

11 TOXICOLOGICAL INFORMATION

Inhalation- N.E. Intravenous- Rat - LD50:15mg/kg Oral - Rat - LD50:3160 mg/kg





MSDS Number: BLM007

Revision Date: 1/1/14

Page 4 of 5

ECOLOGICAL INFORMATION

SDS

Natural occuring mineral- none determined

Teratogenicity- ND

Mutagenicity- ND

Reproductive toxicity- ND

DISPOSAL CONSIDERATIONS

Can be disposed of in an approved disposal facility, in accordance with applicable federal, state, and local regulations. The nature and extent of contamination, if any, may require use of specialized disposal methods.

14 TRANSPORT INFORMATION	14
--------------------------	----

DOT Class: Not regulated #

Ground Clay contains crystalline silica in solid form

WHMIS Classification D2A

WHMIS Label on each package

Not TDG regulated

COMPONENT / (CAS/PERC) / CODES

*Silica, crystalline quartz (14808607 3-5%) MASS, NRC, OSHAWAC, PA, TSCA, TXAIR

REGULATORY KEY DESCRIPTIONS

MASS = MA Massachusetts Hazardous Substances List NRC = Nationally Recognized Carcinogens OSHAWAC = OSHA Workplace Air Contaminants PA = PA Right-To-Know List of Hazardous Substances TXAIR = TX Air Contaminants with Health Effects Screening Level

TSCA = Toxic Substances Control Act





MSDS Number: BLM007

Revision Date:1/1/14Page5of5

OTHER INFORMATION

SDS

This product has been classified according to the hazard criteria of the CPR and the SDS contains all the information required by the CPR.