# Material Safety Data Sheet TALSTAR® INSECTICIDE

**SDS** #: 6691

**Revision Date:** 2011-02-18

Version 1



This MSDS has been prepared to meet U.S. OSHA Hazard Communication Standard 29 CFR 1910.1200 and Canada's Workplace Hazardous Materials Information System (WHMIS) requirements.

# 1. PRODUCT AND COMPANY IDENTIFICATION

Product name TALSTAR® INSECTICIDE

Active Ingredient(s) Bifenthrin

Synonyms FMC 54800; (2-methyl[1,1'-biphenyl]-3-yl)methyl 3-(2-chloro-3,3,3-

trifluoro-1-propenyl)-2,2-dimethylcyclopropanecarboxylate; IUPAC: 2-methylbiphenyl-3-ylmethyl (Z)-(1RS)-cis-3-(2-chloro-3,3,3-trifluoroprop-1-enyl)-2,2-dimethylcyclopropanecarboxylate.

Chemical Family Pyrethroid Pesticide

Recommended use Insecticide

Manufacturer Emergency telephone number

FMC Corporation

Agricultural Products Group For leak, fire, spill or accident emergencies, call: 1735 Market Street (800) 424-9300 (CHEMTREC - U.S.A.)

Philadelphia, PA 19103 (703) 527-3887 (CHEMTREC - Collect - All Other Countries)

General Information: Medical Emergencies:

Phone: (215) 299-6000 (800) 331-3148 (U.S.A. & Canada)

E-Mail: msdsinfo@fmc.com (651) 632-6793 (All Other Countries - Collect)

# 2. Hazards identification

**Appearance** Aerosolized liquid

Physical State No information available

**Odor** odorless

Physical hazards Non-flammable aerosol.

Potential health effects

Principle Routes of Exposure Skin contact, Eye contact, Inhalation.

**Acute effects** 

**Eves** May cause irritation.

Skin Non-irritating during normal use. Prolonged or repeated contact may dry skin and cause irritation.

**Inhalation** May cause irritation of respiratory tract.

**Ingestion** Ingestion may cause irritation to mucous membranes. Ingestion may cause gastrointestinal irritation,

nausea, vomiting and diarrhea.

Chronic effects

**Aggravated Medical Conditions** Asthma.

Revision Date: 2011-02-18

Version 1

# 3. Composition/information on ingredients

## **Hazardous ingredients**

Chemical Name	CAS-No	Weight %
Dimethyl ether	115-10-6	10-20
Petroleum distillates, hydrotreated light	64742-47-8	1-5
Bifenthrin	82657-04-3	0.053
Prallethrin	23031-36-9	0.03

### 4. First aid measures

Eye contact Hold eyes open and rinse slowly and gently with water for 15 to 20 minutes. Remove contact lenses,

if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor

for further treatment advice.

Skin contact Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes.

Call a poison control center or doctor for treatment advice.

Inhalation Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial

respiration, preferably by mouth-to-mouth, if possible. Call a poison control center or doctor for

further treatment advice.

Ingestion Call a poison control center or doctor immediately for treatment advice. Have a person sip a glass of

water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or

doctor. Do not give anything by mouth to an unconscious person.

Notes to physician This product is a pyrethroid. If large amounts have been ingested, the stomach and intestines should

be evacuated. Treatment is symptomatic and supportive. Digestible fats, oils, or alcohol may increase

absorption and so should be avoided.

# 5. Fire-fighting measures

Flammable properties Non-flammable aerosol.

Flash Point Does not flash Special hazards arising from the substance or mixture

Sensitivity to Mechanical Impact not applicable Sensitivity to Static Discharge not applicable

Extinguishing media

Suitable extinguishing media Use CO2, dry chemical, or foam..

Hazardous combustion products Toxic fumes may be produced.

Specific hazards arising from the

chemical

Closed containers may rupture violently under fire conditions.

Advice for fire-fighters

**Protective equipment and precautions** As in any fire, wear self-contained breathing apparatus and full protective gear.

for firefighters

**NFPA** 

**Health Hazard** 1

**Revision Date:** 2011-02-18

Version 1

Flammability 1 Stability 0 Special Hazards -

# 6. Accidental release measures

**Personal precautions** Isolate and post spill area. Remove all sources of ignition. Ventilate the area. Wear suitable

protective clothing, gloves and eye/face protection. For personal protection see section 8. If ventilation is not possible wear full protection suit and chemical protective equipment.

**Environmental precautions** Keep people and animals away from and upwind of spill/leak. Keep material out of lakes, streams,

ponds, and sewer drains.

Methods for cleaning up

Transfer damaged cartridges or cans to containers for later disposal. Clean and neutralize spill area,

tools and equipment by washing with bleach water and soap. Waste must be classified and labeled prior to recycling or disposal. Dispose of waste as indicated in Section 13. Rinsate may be disposed

at a waste water treatment plant.

OTHER INFORMATION For further clean-up instructions call FMC Emergency Hotline number listed in Section 1 "Product

and Company Identification" above.

# 7. Handling and storage

Handling Do not contaminate other pesticides, fertilizers, water, food or feed by storage or disposal.

Storage Keep in a dry, cool and well-ventilated place. Keep away from open flames, hot surfaces and

sources of ignition. Keep out of reach of children and animals. Store in original container only.

#### 8. Exposure controls/personal protection

## **Exposure guidelines**

Chemical Name	British Columbia	Quebec	Ontario TWAEV	Alberta
Dimethyl ether 115-10-6	TWA: 1000 ppm			
Petroleum distillates, hydrotreated light 64742-47-8	TWA: 200 mg/m³ Skin			

#### Occupational exposure controls

Engineering measures Apply technical measures to comply with the occupational exposure limits. When working in

confined spaces (tanks, containers, etc.), ensure that there is a supply of air suitable for breathing and

wear the recommended equipment.

Personal protective equipment

General Information If the product is used in mixtures, it is recommended that you contact the appropriate protective

equipment suppliers. These recommendations apply to the product as supplied.

**Respiratory protection** For dust, splash, mist or spray exposures wear a filtering mask.

Eye/face protection For dust, splash, mist or spray exposure, wear chemical protective goggles or a face-shield.

**Skin and body protection** Wear long-sleeved shirt, long pants, socks, shoes, and gloves.

**Hand protection** Protective gloves

**Revision Date:** 2011-02-18

Version 1

#### Hygiene measures

Clean water should be available for washing in case of eye or skin contamination. Wash skin prior to eating, drinking, chewing gum or using tobacco. Shower or bathe at the end of working. Remove and wash contaminated clothing before re-use. Launder work clothing separately from regular household laundry.

# 9. Physical and chemical properties

Appearance Aerosolized liquid

**Color** clear

Physical State No information available

 Odor
 odorless

 pH
 6.0-6.6

Melting Point/RangeNo information availableFreezing pointNo information available

Boiling Point/Rangenot applicableFlash PointDoes not flashEvaporation ratenot applicableAutoignition Temperaturenot applicable

Flammable properties Non-flammable aerosol.

Vapor pressure not applicable

Vapor density No information available

**Density** 0.975 g/mL

Specific GravityNo information availableBulk densityNo information availableWater solubilitySoluble in water

Percent volatile No information available

Partition coefficient: not applicable

Autoignition Temperature not applicable

Viscosity No information available

Oxidizing properties not applicable

## 10. Stability and reactivity

**Stability** Stable

**Conditions to avoid** Heat, flames and sparks

**Hazardous decomposition products** May emit toxic fumes under fire conditions.

**Hazardous polymerization** Hazardous polymerization does not occur.

# 11. Toxicological information

#### Acute toxicity

Large doese of bifenthrin ingested by laboratory animals produced signs of toxicity including convulsions, tremors and bloody nasal discharge. Bifenthrin does not cause acute delayed neurotoxicity. Experience to date indicates that contact with bifenthrin may occasionally produce skin sensations such as rashes, numbing, burning or tingling. These sensations are reversible and usually subside within 12 hours.

**Eye contact** Mild Irritant **Skin contact** Mild Irritant

**Ingestion** Ingestion may cause irritation to mucous membranes. Ingestion may cause gastrointestinal irritation,

nausea, vomiting and diarrhea.

**Inhalation** May cause irritation of respiratory tract.

# TALSTAR® INSECTICIDE

**SDS** #: 6691

**Revision Date:** 2011-02-18

LC50 = 4720 mg/L 96 h

Version 1

 LD50 Dermal
 > 5000 mg/kg (rat)

 LD50 Oral
 > 5000 mg/kg (rat)

 LC50 Inhalation:
 > 5.12 mg/L (rat) (4-hr)

Sensitization Non-sensitizing

**Chronic Toxicity - Active Ingredient(s)** 

Carcinogenicity Bifenthrin: Did not show carcinogenic effects in animal experiments.

Mutagenicity Bifenthrin: Not genotoxic.

**Reproductive toxicity** Bifenthrin: No toxicity to reproduction.

Neurological Effects Tremors were associated with chronic exposure of laboratory animals to bifenthrin, which may

disappear with continued exposure.

**Developmental Toxicity** Bifenthrin: Not teratogenic in animal studies

Target Organ Effects Bifenthrin: A slight increase in male mouse urinary bladder tumors at the highest dose was probably

not of toxicological concern.

# 12. Ecological information

#### **Ecotoxicity**

Bifenthrin (82657-04-3)

Active Ingrendient	Duration	Species	Value	Units
Bifenthrin	EC50	Aquatic organisms	0.11 - 0.57	μg/L
Bifenthrin	96 h LC50	Fish	0.1 - 2.0	μg/L
Bifenthrin	LD50 Oral	Bobwhite quail	>1800	mg/kg
Bifenthrin	LD50 Oral	Mallard duck	>2150	mg/kg
Bifenthrin	LD50	Bee	0.1	μg/bee

Chemical Name Toxicity to algae Toxicity to fish Toxicity to microorganisms Toxicity to daphnia and other aquatic invertebrates

Petroleum distillates, LC50= 45 mg/L Pimephales hydrotreated light promelas 96 h LC50= 2.2 mg/L

Lepomis macrochirus 96 h LC50= 2.4 mg/L Oncorhynchus

mykiss 96 h

#### **Environmental Fate**

Bifenthrin (82657-04-3)

Dilenturii (82037-04-3)		
Active Ingrendient	Type of Test	Result
Bifenthrin	Bioconcentration factor (BCF)	1709
Bifenthrin	Half-life in soil	~85 days
Bifenthrin	log Pow	6.6
Bifenthrin	Mobility in soil	Not expected to reach groundwater
Bifenthrin	Stability in water	Stable to hydrolysis over a wide range of pH
		values

Chemical Name	log Pow
Dimethyl ether	-0.18

Persistence and degradability Inherently biodegradable.

**Revision Date:** 2011-02-18

Version 1

# 13. Disposal considerations

Waste disposal methods Improper disposal of excess pesticide, spray mixture, or rinsate is prohibited. If these wastes cannot

be disposed of by use according to label instructions, contact appropriate disposal authorities for

guidance.

Contaminated packaging Containers must be disposed of in accordance with local, state and federal regulations. Refer to the

product label for container disposal instructions.

# 14. Transport information

Packaging Type Non-Bulk

DOT

Proper shipping name Consumer Commodity, ORM-D

**TDG** 

Proper shipping nameAerosolsHazard Class2UN/ID NoUN1950

ICAO/IATA

UN/ID No UN1950

Proper shipping name Aerosols, non-flammable

Hazard Class 2

IMDG/IMO

Proper shipping name Aerosols
UN/ID No UN1950

# 15. Regulatory information

#### U.S. Federal Regulations

## **SARA 313**

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

#### SARA 311/312 Hazard Categories

Acute Health Hazard
No
Chronic Health Hazard
No
Fire Hazard
No
Sudden Release of Pressure Hazard
No
Reactive Hazard
No

#### **CERCLA**

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material.

Chemical Name	U.S TSCA (Toxic Substances Control Act) - Section 8(a) - Chemical-Specific Reporting and Recordkeeping
Petroleum distillates, hydrotreated light	Partially exempt chemical substance termed Petroleum Process Stream

**Revision Date:** 2011-02-18

Version 1

# **International Regulations**

Mexico - Grade No information available

## Canada

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations (CPR) and the MSDS contains all the information required by the CPR.

WHMIS Hazard Class not determined

## 16. Other information

**Revision Date:** 2011-02-18

**Reason for revision:** No information available

#### Disclaimer

FMC Corporation believes that the information and recommendations contained herein (including data and statements) are accurate as of the date hereof. NO WARRANTY OF FITNESS FOR ANY PARTICULAR PURPOSE, WARRANTY OF MERCHANTABILITY OR ANY OTHER WARRANTY, EXPRESSED OR IMPLIED, IS MADE CONCERNING THE INFORMATION PROVIDED HEREIN. The information provided herein relates only to the specified product designated and may not be applicable where such product is used in combination with any other materials or in any process. Use of this product is regulated by the U.S. Environmental Protection Agency (EPA). It is a violation of Federal law to use this product in a manner inconsistent with its labeling. Further, since the conditions and methods of use are beyond the control of FMC Corporation, FMC corporation expressly disclaims any and all liability as to any results obtained or arising from any use of the products or reliance on such information

**Prepared By** 

**FMC** Corporation

Talstar and FMC Logo - Trademarks of FMC Corporation

© 2011 FMC Corporation. All Rights Reserved

**End of Material Safety Data Sheet**