

Contains beta-cyfluthrin, the active ingredient used Tempo® SC Ultra.



INSECTICIDE

Tirade™

ULTRA SC



CONTROL 100+ INSECTS INDOORS AND OUTDOORS WITH LOW USE RATES

Tirade™ Ultra SC is a powerful beta-cyfluthrin-based insecticide that effectively controls more than 100 nuisance pests. Its broad-spectrum control provides quick knockdown and long residual activity, making it an ideal choice for both homeowners and pest management professionals. In addition to indoor and outdoor pest control, Tirade Ultra SC is a fast-acting, pre-binning, and residual treatment for stored grains and livestock housing.

Tirade Ultra SC's liquid formulation provides several advantages over traditional powder formulations. Tirade Ultra SC requires less agitation during use, making it more user-friendly and ensuring a more even spray dispersion, resulting in thorough insect control. It also offers lower toxicity without compromising effectiveness with its low use rate. Control nuisance pests in a variety of settings with Atticus' portfolio of beta-cyfluthrin and cyfluthrin insecticides including the powerful Tirade Ultra SC.

KEY BENEFITS

- Broad-spectrum control of over 100 pests
- Low use rates
- Quick knockdown and long residual
- Easy-to-use liquid formulation
- Leaves no odor or staining

KEY USES

- Commercial & Residential Lawns
- Food Processing Areas
- Indoor & Outdoor Areas
- Interior Plantscapes
- Landscape Ornamentals
- Livestock Housing
- Turf
- Stored Grain

PRODUCT NOTES

EPA REGISTRATION NUMBER
91234-294

ACTIVE INGREDIENT
Beta-Cyfluthrin 11.8%

FORMULATION
Suspension Concentrate

IRAC NUMBER
3A

SIGNAL WORD
Caution

PACKAGE SIZE
48 x 32 ml
6 x 240 ml
8 x 900 ml

**RESTRICTED
USE No**

Refer to label for specific use restrictions.



Relevant. Simple. Reliable.

PRODUCT INFORMATION

Tirade Ultra SC is a suspension concentrate containing 1 lb of beta-cyfluthrin per gallon. Tirade Ultra SC may be tank-mixed with other pesticides unless listed specifically prohibited in the product labels. A small volume mixing test with other products is recommended to ensure compatibility. Tirade Ultra SC can be reapplied every 7 to 10 days if needed. For turf, do not apply more than 6 times per year.

RESTRICTIONS

- All outdoor applications, if permitted elsewhere on the product label, must be limited to spot or crack and crevice treatments only, except for the following permitted uses:
 - Application to pervious surfaces such as soil, lawn, turf, and other vegetation.
 - Perimeter band treatments of 7 feet wide or less from the base of a man-made structure to pervious surfaces (e.g., soil, mulch, or lawn).
 - Applications to underside of eaves, soffits, doors, or windows permanently protected from rainfall by a covering, overhang, awning, or other structure.
 - Applications around potential exterior pest entry points into man-made structures such as doorways and windows, when limited to a band not to exceed one inch.
 - Applications to vertical surfaces (such as the side of a man-made structure) directly above impervious surfaces (e.g., driveways, sidewalks, etc.), up to 2 feet above ground level.
 - Applications to vertical surfaces directly above pervious surfaces, such as soil, lawn, turf, mulch or other vegetation) only if the pervious surface does not drain into ditches, storm drains, gutters, or surface waters.
- Spot treatments must not exceed two square feet in size.
- Do not apply this product by aerial application or by any type of chemigation system.
- Do not apply when turfgrass areas are water logged or the soil is saturated with water (i.e., will not accept irrigation).
- Do not apply to any food crop.
- Remove or tightly cover fish tanks and disconnect aerators during application.
- Remove pets during application and until treated surfaces are completely dry.
- Avoid contact with treated surfaces until dry.
- When treating areas directly over your head, wear eye protection and an approved respirator found in the product label.
- Do not treat entire area of floor or floor coverings.
- Do not apply where electrical short circuits can occur.
- Do not apply in occupied hospital and/or nursing home rooms. Occupants may return when surfaces have dried.
- Do not apply in occupied classrooms. Classrooms may be used again after treated surfaces have dried.
- Do not apply to parts of furniture or upholstery where prolonged contact by humans will occur.
- Do not apply as a space spray.
- Do not allow to enter indoor or outdoor drains.

Refer to product label for complete application and mixing instructions.

©2023 Atticus. Important: Always read and follow label instructions. Not all products are registered for use in every state. Tirade™ Ultra SC is not manufactured, or distributed by Bayer Environmental Science seller of Tempo® Ultra SC. Tempo® is a registered trademark of Bayer. Tirade™ is trademark of Atticus, LLC. 23-EC-0070-A

KEY INSECTS

Ants (except Pharaoh)
Aphids
Armyworms
Azalea caterpillars
Bedbugs
Bees
Beetles
Bill bugs
Bluegrass billbug
Boxelder bugs
Brown marmorated
Budworms
Carpenter bees
Carpet beetles
Centipedes
Chinch bugs
Clothes moths
Clover mites
Cluster flies
Cockroaches
Crickets
Cutworms
Earwigs
Elm leaf beetles
Fire ants
Firebrats
Fleas
Fruit flies
Gnats
Grasshoppers
Ground beetles
Hornets
Japanese beetles
Kudzu bugs
Leafhoppers
Leag-feeding caterpillars
Mealybugs
Midges
Millipedes
Mole crickets
Mosquitos
Moths
Multicolored Asian lady beetles
Orchid weevil
Pillbugs
Scorpions
Seed bugs
Silverfish
Sod webworms
Sowbugs
Spiders
Stink bugs
Thrips
Ticks
Wasps
Webworms
Whiteflies
Yellow jackets
Yellownecked caterpillars

(Refer to product label for complete list)