HERBICIDE



PROTECT YOUR TURF FROM THE START WITH TOROCITY.

Keep unwanted broadleaf weeds and grass species off your turf with Torocity™ from Atticus. Torocity is absorbed through plants' roots, shoots and leaves, which inhibits photosynthesis and leaves targeted plants such as clover, barnyard grass, nimblewill and verbena unable to grow beyond the seedling stage.

Torocity is most effective when applied to a clean application site and when weeds are at the early stage of development. It is an excellent tank mix partner with other herbicides and delivers effective, systemic preemergence and postemergence protection from over 45 broadleaf weed and grass varieties. For golf courses, landscapes, or sports fields, trust Torocity to help you cultivate beautiful, weed-free turf.

KEY BENEFITS

- Broad spectrum weed control; controls over 45 broadleaf weed and grass species
- Effective post-emergent control of many difficult to manage weeds
- Controls weeds at first seeding to minimize weed competition

KEY USES

- Golf Courses
- Lawn & Landscape
- Sports & Recreation Turf Management
- Turf



PRODUCT NOTES

EPA REGISTRATION NUMBER 91234-75

ACTIVE INGREDIENTMesotrione 40.0%

FORMULATIONSuspension Concentrate

HRAC NUMBER

SIGNAL WORD
Caution

PACKAGE SIZE 24 x 8 fl oz 4 x 1 gal

RESTRICTED USE

Refer to label for specific use restrictions.





INTEGRATED WEED PEST MANAGEMENT

Integrate Torocity into an overall weed pest management strategy whenever the use of an herbicide is required. Practices known to reduce weed development (tillage, crop competition) and herbicide use (weed scouting, proper application timing, banding) should be followed wherever possible. Consult local agricultural and weed authorities for additional IPM strategies established for your area.

To minimize the occurrence of resistant biotypes, observe the following general weed management practices:

- Scout application site before and after herbicide applications.
- Start with a clean application site, using either a burndown herbicide application or tillage.
- Control weeds early when they are small.
- Add other herbicides (e.g. a selective and/or a residual herbicide) and cultural practices (e.g. tillage or crop rotation) where appropriate.
- Utilize the specified label rate for the most difficult to control weed in your field.
 Avoid tank mixtures with other herbicides that reduce this product's efficacy, or tank mixture directions that encourage application rates of this product below the label directions.
- Clean equipment before moving from field to field to minimize the spread of weed seed or plant parts.
- Contact your local sales representative, crop advisor, or extension agent to find out if suspected resistant weeds to this mode of action have been found in your region. If resistant biotypes of target weeds have been reported, use the application rates of this product specified for your local conditions. Tank mix products so that there are multiple effective mode of actions for each target weed.

KEY WEEDS

Barnyardgrass Bentgrass

Bluegrass, annual

Buttercup

Carpetweed

Chickweed

Clover, large hop Clover, white

Crabgrass

Crabgrass, large

Crabgrass, smooth

Crabgrass, southern

Creeping Bentgrass

Curly dock

Dandelion

Florida Betony

Foxtail, yellow

Galinsoga

Goosegrass

Ground ivy

Healall

Henbit

Lambsquarters, common

Lawn Burweed

Lovegrass, Tufted

Marestail

Nimblewill

Nutsedge, yellow

Oxalis

Pigweed

Plantain, Buckhorn

Purslane

Pusley, Florida

Shepherd's purse

Smartweed

Sowthistle

Speedwell, persian

Swinecress

Thistle, Canada

Verbena

Violet, Wild

Wild carrot

Windmillgrass

(Refer to product label for complete list)

Refer to product label for complete application and mixing instructions.

©2020 Atticus. Important: Always read and follow label instructions. Not all products are registered for use in every state. Torocity™ is not manufactured, or distributed by Syngenta, seller of Tenacity®. Tenacity® is a registered trademark of Syngenta. Torocity™ is a trademark of Atticus, LLC.

