

Ultra Saber™ Pour-On Insecticide (MERCK ANIMAL HEALTH)

Label

White papers

Coupons

Other

Image

MERCK ANIMAL HEALTH

Intervet Inc.

2 GIRALDA FARMS, MADISON, NJ, 07940

Customer Service: 800-521-5767

Order Desk: 800-648-2118

Technical Service (Companion Animal): 800-224-5318

Technical Service (Livestock): 800-211-3573

Fax: 973-937-5557

Website: www.merck-animal-health-usa.com



Every effort has been made to ensure the accuracy of the information provided. Please consult the product label and consult with a veterinarian for more information. Use the product information contained on the USA product label.

ULTRA SABER™

Intervet/Merck Animal Health

POUR-ON INSECTICIDE FOR BEEF CATTLE & CALVES

For Control of Horn Flies and Lice

Season-Long Lice Control† with One Application

May be used with Automatic Dosing System

ACTIVE INGREDIENT:

Lambdacyhalothrin: [1α-(S), 3α(Z)]-(±)-cyano (3-phenoxyphenyl)-methyl-3-(2-chloro-2-methylcyclopropanecarboxylate

Piperonyl butoxide

OTHER INGREDIENTS

TOTAL

Keep Out of Reach of Children

WARNING

EPA Reg. No. 773-92 EPA Est. No. 618-LA-1

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with the label directions.

READY TO USE - No dilution necessary. Do not apply to lactating or dry dairy cows.

Apply To	Target Insects	Dosage
Beef Cattle and Calves	Lice, Horn flies	Apply product
		Less than 60
		10 mL (1/3 f

Repeat treatment as needed; however, do not apply more than once every 2 weeks.

Special Note: ULTRA SABER™ Pour-On is not recommended for use on veal calves or grubs. Therefore, this product can be used on cattle at any time of the year without the use of treatment products. ULTRA SABER Pour-On should be used in an integrated pest management program with the use of other pest control practices. Continual exposure of horn flies to a single insecticide can lead to the development of resistance to that class of insecticide. In order to reduce resistance, rotate, on a seasonal basis, the class of insecticide used and/or the method of application. In relation to specific local conditions, consult resources in resistance management.

PRECAUTIONARY STATEMENTS, HAZARDS TO HUMANS AND DOMESTIC ANIMALS

WARNING - May be fatal if swallowed. Harmful if absorbed through skin. Harmful if inhaled. Avoid eating, drinking, chewing gum, or using tobacco. Avoid contact with skin, eyes, nose, mouth, and clothing. Remove and wash contaminated clothing before reuse. Avoid contact with shoes, and gloves.

FIRST AID

If Swallowed •Call a poison control center or doctor immediately for treatment advice. Do not induce vomiting unless told to do so by the poison control center or doctor. •Do not eat or drink. •If inhaled •Move person to fresh air. •If person is not breathing, give artificial respiration. •Call a poison control center or doctor for further treatment advice. •If swallowed •Call a poison control center or doctor immediately for treatment advice. •Do not induce vomiting unless told to do so by the poison control center or doctor. •Do not eat or drink. •If inhaled •Move person to fresh air. •If person is not breathing, give artificial respiration. •Call a poison control center or doctor for further treatment advice. •If swallowed •Call a poison control center or doctor immediately for treatment advice. •Do not induce vomiting unless told to do so by the poison control center or doctor. •Do not eat or drink. •If inhaled •Move person to fresh air. •If person is not breathing, give artificial respiration. •Call a poison control center or doctor for further treatment advice.

HOT LINE NUMBER

Have the product container or label with you when calling a poison control center
Mountain Poison Center 303-595-4869 for emergency medical treatment informa

ENVIRONMENTAL HAZARDS

This pesticide is extremely toxic to fish. Use with care when applying in areas adj
contaminate water by cleaning of equipment or disposal of rinse water. Apply this

PHYSICAL OR CHEMICAL HAZARDS

Do not use or store near heat or open flame.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal.

Storage: Keep container sealed when not in use. Do not store near food or feed.

Pesticide Disposal: Wastes resulting from the use of this product may be dispos

Container Disposal: Triple rinse (or equivalent). Then offer for recycling or recor
incineration, or, if allowed by State and local authorities, by burning. If burned, sta

†Season-long lice control from January-April.

NOTICE OF WARRANTY

TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, MERCK ANIMAL HE
FOR ANY PARTICULAR PURPOSE, OR OTHERWISE EXPRESSED OR IMPLII
EXTEND BEYOND THE USE OF THIS PRODUCT UNDER NORMAL CONDITIC
LABEL.

Copyright © 2007, Intervet Inc, a subsidiary of Merck & Company Inc., Summit, N

Net Contents:		
30 fl oz (900 mL) Squeeze 'N' Measure™ Bottle	0061-5478-01	127690 R2 10/12 132065 R2 Rev. 10/12
Treats 90 550 lb Cattle		
One US Gallon (3.785 L)	0061-5478-02	130568 R2 10/12 130370 R2 Rev. 9/12
Treats 378 550 lb Cattle		

CPN: 1047294.2

By using this site, you agree to the [Terms of Service](#) and [Privacy Policy](#)

Copyright 2018 - Animalytix LLC