

vetality  
**Avantect II**  
Small Dog

READ ENTIRE LABEL BEFORE EACH USE.  
For Use Only On Dogs & Puppies  
Over 7 Weeks of Age

**Monthly Topical Treatment of Fleas, Ticks, Mosquitoes, Biting Flies and Lice**

Vetality™ Avantect™ II Small Dog rapidly kills fleas and may reduce the incidence of flea allergy dermatitis (FAD), a hypersensitivity skin disorder which may be induced by the feeding activity of fleas. Vetality™ Avantect™ II Small Dog kills existing fleas on dogs within 12 hours. Any other fleas that jump on the dog are killed within 2 hours. Protection against further flea infestation lasts at least four (4) weeks.

Pre-existing pupae in the environment may continue to emerge for six (6) weeks or longer depending upon the climate. Flea larvae in the dog's surroundings are killed following contact with a Vetality™ Avantect™ II Small Dog treated dog. Vetality™ Avantect™ II Small Dog is waterproof and will remain effective even after a shampoo treatment, after swimming, or after exposure to rain or sunlight. For best results, use monthly treatments for flea and tick control.

**PRECAUTIONARY STATEMENTS**

**HAZARDS TO HUMANS. WARNING:** Causes substantial but temporary eye injury. Do not get in eyes or on skin or clothing. Harmful if swallowed. Harmful if absorbed through skin. Avoid contact with skin. Wash thoroughly with soap and water after handling and before eating, drinking, and chewing gum, using tobacco or using the toilet. Remove and wash contaminated clothing before reuse.

**HAZARDS TO DOMESTIC ANIMALS. For external use on dogs only. Do not use on animals other than dogs.** Do not use on dogs or puppies under seven weeks of age or weighing less than 4 lbs. Do not get this product in dog's eyes or mouth. As with any product, consult your veterinarian before using this product on debilitated, aged, pregnant or nursing dogs. Individual sensitivities may occur after using ANY pesticide product for dogs. If signs persist, or become more severe, consult a veterinarian immediately. If your dog is on medication, consult your veterinarian before using this or any other product.

**ENVIRONMENTAL HAZARDS** This product is extremely toxic to aquatic organisms, including fish and invertebrates. Do not add directly to water. Do not contaminate water when disposing of product packaging.

**FIRST AID**

<b>IF IN EYES:</b>	<ul style="list-style-type: none"> <li>Hold eye open and rinse slowly and gently with water for 15-20 minutes.</li> <li>Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.</li> <li>Call a poison control center or doctor for further treatment advice.</li> </ul>
<b>IF SWALLOWED:</b>	<ul style="list-style-type: none"> <li>Call a poison control center or doctor immediately for treatment advice.</li> <li>Have person sip a glass of water if able to swallow.</li> <li>Do not induce vomiting unless told to do so by a poison control center or doctor.</li> <li>Do not give anything by mouth to an unconscious person.</li> </ul>
<b>IF ON SKIN OR CLOTHING:</b>	<ul style="list-style-type: none"> <li>Take off contaminated clothing.</li> <li>Rinse skin immediately with plenty of water for 15-20 minutes.</li> <li>Call a poison control center or doctor for treatment advice.</li> </ul>

**HOT LINE NUMBER**

Have the product container or label with you when calling a poison control center or doctor, or going for treatment. For more information on this pesticide product (including health concerns, medical emergencies or pesticide incidents), you may call 1-800-775-9416.

**NOTE TO PHYSICIAN OR VETERINARIAN**

Treat patient symptomatically.

**DIRECTIONS FOR USE**

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling. Do not allow children to apply product. READ ENTIRE LABEL BEFORE EACH USE. USE ONLY ON DOGS.

**RESTRICTIONS**

Do not use on cats. Do not allow your dog to ingest this product. Do not get this product in your dog's eyes. Do not use on dogs under seven weeks of age or weighing less than 4 lbs. Do not apply more than 1 tube per treatment per dog.

**HOW TO APPLY**

The dog should be standing for the application. Remove tube from the package. Hold tube in a vertical upright position. Cut off top of tube with scissors. Part the hair at each spot until the skin is visible. Invert tube and place the open end of the tube on the skin of the dog. Squeeze tube to expel the liquid and apply the product evenly along the dog's back in 3 to 4 spots from the base of the skull to the base of the tail. Take care that liquid does not run off the dog. Avoid contact with treated area until dry. Discard empty tube as described in Storage and Disposal. In case of severe pest infestations, you are able to retreat your dog earlier than (4) four weeks. If infestation is severe at the initiation of treatment, once a week treatment is permitted not to exceed 4 weeks. After pest control has been successful, please return to a monthly retreatment schedule.



**LIMITED WARRANTY AND LIMITATION OF DAMAGES**

Teva Brands, LLC warrants that this material conforms to the chemical description on the label. TO THE EXTENT CONSISTENT WITH APPLICABLE LAW Teva Brands, MAKES NO OTHER EXPRESS OR IMPLIED WARRANTY, INCLUDING ANY OTHER EXPRESS OR IMPLIED WARRANTY OF FITNESS OR MERCHANTABILITY, and no agent of Teva Brands is authorized to do so except in writing with a specific reference to this warranty. To the extent consistent with applicable law, any damages arising from a breach of this warranty shall be limited to direct damages and shall not include consequential commercial damages such as loss of profits or values, etc.

If you have questions or comments about this product, please write:

Teva Brands Pet Owner Response, 9100 F Street, Suite 200, Omaha, NE 68127

In Case of Emergency, call: 1-800-775-9416

Non-Emergency call: 1-844-276-3290

Manufactured for: Teva Brands, LLC

9100 F Street, Suite 200, Omaha, NE 68127

EPA Reg. No. 92334-1-92413

EPA Est. No. 2724-TX-1

P01039 RGRU 300522047

teva  
BRANDS



**STORAGE AND DISPOSAL**

Do not contaminate water, food, or feed by storage or disposal. Do not store in a cool, dry place. Protect from freezing. **Pesticide Disposal and Container Handling:** Nonrefillable container. If empty: Do not reuse this container. Place in trash or offer for recycling, if available. If partly filled: Call your local solid waste agency or 1-844-276-3290 for disposal instructions. Never place unused product down any indoor or outdoor drain.

vetality  
**Avantect II**  
Small Dog

For Use Only on Dogs & Puppies  
7 weeks of age and older

**4-10 lbs.**

**FOUR MONTH SUPPLY**



For Use Only on Dogs & Puppies  
7 weeks of age and older

**4-10 lbs.**

vetality™  
**Avantect II**  
Small Dog

**Repels & Kills Fleas, Flea Eggs,  
Ticks and Mosquitoes**

**Repels Biting Flies  
and Kills Lice**

**Waterproof**

**4 TUBES**

Contains  
Imidacloprid,  
Permethrin & Pyriproxyfen,  
the active ingredients  
found in  
**K9 Advantix® II  
for Dogs\***



**Active Ingredients:**

Imidacloprid .....	7.12%
Permethrin .....	35.6%
Pyriproxyfen .....	0.36%
<b>OTHER INGREDIENTS...</b>	<b>56.92%</b>
<b>TOTAL .....</b>	<b>100.00%</b>

<sup>1</sup> cis/trans ratio: max 55% (-) cis and min 45% (+) trans

**KEEP OUT OF REACH**

**OF CHILDREN  
WARNING** SEE FIRST AID AND  
DIRECTIONS FOR USE  
ON BACK PANEL.

Net Contents: 0.064 fl oz (1.92 mL)  
Four tubes – 0.016 fl oz (0.48 mL)



**DO NOT  
USE ON  
CATS**

\*This product is not manufactured or distributed by Bayer, the maker of K9 Advantix® II. K9 Advantix® II is a registered trademark of Bayer.

vetality  
**Avantect II**  
Small Dog

For Use Only on Dogs & Puppies  
7 weeks of age and older  
**4-10 lbs.**

vetality  
**Avantect II**  
Small Dog

**vetality**  
**Avantect II**  
Medium Dog

READ ENTIRE LABEL BEFORE EACH USE.  
For Use Only On Dogs & Puppies  
Over 7 Weeks of Age

**Monthly Topical Treatment of Fleas, Ticks, Mosquitoes, Biting Flies and Lice**

Vetality™ Avantect™ II Medium Dog rapidly kills fleas and may reduce the incidence of flea allergy dermatitis (FAD), a hypersensitivity skin disorder which may be induced by the feeding activity of fleas. Vetality™ Avantect™ II Medium Dog kills existing fleas on dogs within 12 hours. Any other fleas that jump on the dog are killed within 2 hours. Protection against further flea infestation lasts at least four (4) weeks.

Pre-existing pupae in the environment may continue to emerge for six (6) weeks or longer depending upon the climate. Flea larvae in the dog's surroundings are killed following contact with a Vetality™ Avantect™ II Medium Dog treated dog. Vetality™ Avantect™ II Medium Dog is waterproof and will remain effective even after a shampoo treatment, after swimming, or after exposure to rain or sunlight. For best results, use monthly treatments for flea and tick control.

**PRECAUTIONARY STATEMENTS**

**HAZARDS TO HUMANS. WARNING:** Causes substantial but temporary eye injury. Do not get in eyes or on skin or clothing. Harmful if swallowed. Harmful if absorbed through skin. Avoid contact with skin. Wash thoroughly with soap and water after handling and before eating, drinking, and chewing gum, using tobacco or using the toilet. Remove and wash contaminated clothing before reuse.

**HAZARDS TO DOMESTIC ANIMALS. For external use on dogs only. Do not use on animals other than dogs.** Do not use on dogs or puppies under seven weeks of age or weighing less than 11 lbs. Do not get this product in dog's eyes or mouth. As with any product, consult your veterinarian before using this product on debilitated, aged, pregnant or nursing dogs. Individual sensitivities may occur after using ANY pesticide product for dogs. If signs persist, or become more severe, consult a veterinarian immediately. If your dog is on medication, consult your veterinarian before using this or any other product.

**ENVIRONMENTAL HAZARDS** This product is extremely toxic to aquatic organisms, including fish and invertebrates. Do not add directly to water. Do not contaminate water when disposing of product packaging.

**FIRST AID**

<b>IF IN EYES:</b>	<ul style="list-style-type: none"> <li>Hold eye open and rinse slowly and gently with water for 15-20 minutes.</li> <li>Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.</li> <li>Call a poison control center or doctor for further treatment advice.</li> </ul>
<b>IF SWALLOWED:</b>	<ul style="list-style-type: none"> <li>Call a poison control center or doctor immediately for treatment advice.</li> <li>Have person sip a glass of water if able to swallow.</li> <li>Do not induce vomiting unless told to do so by a poison control center or doctor.</li> <li>Do not give anything by mouth to an unconscious person.</li> </ul>
<b>IF ON SKIN OR CLOTHING:</b>	<ul style="list-style-type: none"> <li>Take off contaminated clothing.</li> <li>Rinse skin immediately with plenty of water for 15-20 minutes.</li> <li>Call a poison control center or doctor for treatment advice.</li> </ul>

**HOT LINE NUMBER**

Have the product container or label with you when calling a poison control center or doctor, or going for treatment. For more information on this pesticide product (including health concerns, medical emergencies or pesticide incidents), you may call 1-800-775-9416.

**NOTE TO PHYSICIAN OR VETERINARIAN**

Treat patient symptomatically.

**DIRECTIONS FOR USE**

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling. Do not allow children to apply product. READ ENTIRE LABEL BEFORE EACH USE. USE ONLY ON DOGS.

**RESTRICTIONS**

Do not use on cats. Do not allow your dog to ingest this product. Do not get this product in your dog's eyes. Do not use on dogs under seven weeks of age or weighing less than 11 lbs. Do not apply more than 1 tube per treatment per dog.

**HOW TO APPLY**

The dog should be standing for the application. Remove tube from the package. Hold tube in a vertical upright position. Cut off top of tube with scissors. Part the hair at each spot until the skin is visible. Invert tube and place the open end of the tube on the skin of the dog. Squeeze tube to expel the liquid and apply the product evenly along the dog's back in 3 to 4 spots from the base of the skull to the base of the tail. Take care that liquid does not run off the dog. Avoid contact with treated area until dry. Discard empty tube as described in Storage and Disposal. In case of severe pest infestations, you are able to retreat your dog earlier than (4) four weeks. If infestation is severe at the initiation of treatment, once a week treatment is permitted not to exceed 4 weeks. After pest control has been successful, please return to a monthly retreatment schedule.



**SIDE EFFECTS** Monitor your dog after application. Side effects, although very rare, may include signs of skin irritation such as redness, scratching, or other signs of discomfort. Although uncommon, gastrointestinal signs such as vomiting or diarrhea have also been reported. If these or other side effects occur, consult your veterinarian or call 1-800-775-9416.



**DO NOT USE ON CATS — MAY BE FATAL.** Keep cats away from treated dogs for 24 hours. If applied to a cat or ingested by a cat, contact your veterinarian immediately.

**DO NOT USE ON CATS**



In Case of Emergency, call: 1-800-775-9416  
Non-Emergency call: 1-844-276-3290

Manufactured for: Tevra Brands, LLC  
9100 F Street, Suite 200, Omaha, NE 68127

EPA Reg. No. 92334-1-92413  
EPA Est. No. 2724-TX-1

P01038 RGRU 300522046

**vetality**  
**Avantect II**  
Medium Dog

For Use Only on Dogs & Puppies  
7 weeks of age and older  
**11-20 lbs.**

**FOUR MONTH SUPPLY**



For Use Only on Dogs & Puppies  
7 weeks of age and older  
**11-20 lbs.**

**vetality**  
**Avantect II**  
Medium Dog

**Repels & Kills Fleas, Flea Eggs,  
Ticks and Mosquitoes**

**Repels Biting Flies  
and Kills Lice**

**Waterproof**

**4 IIII  
TUBES**

Contains  
Imidacloprid,  
Permethrin & Pyriproxyfen,  
the active ingredients  
found in  
**K9 Advantix® II  
for Dogs\***



**Active Ingredients:**  
Imidacloprid ..... 7.12%  
Permethrin ..... 35.6%  
Pyriproxyfen ..... 0.36%  
**OTHER INGREDIENTS... 56.92%**  
**TOTAL ..... 100.00%**

**KEEP OUT OF REACH  
OF CHILDREN**

**WARNING** SEE FIRST AID AND DIRECTIONS FOR USE ON BACK PANEL.

Net Contents: 0.164 fl oz (4.8 mL)  
Four tubes-0.041 fl oz (1.2mL)



**DO NOT  
USE ON  
CATS**

\*This product is not manufactured or distributed by Bayer, the maker of K9 Advantix® II. K9 Advantix® II is a registered trademark of Bayer.

**STORAGE AND DISPOSAL**

Do not contaminate water, food, or feed by storage or disposal. **Storage:** Store in a cool, dry place. Protect from freezing. **Pesticide Disposal and Container Handling:** Nonrefillable container. **If empty:** Do not reuse this container. Place in trash or offer for recycling, if available. **If partly filled:** Call your local solid waste agency or 1-844-276-3290 for disposal instructions. Never place unused product down any indoor or outdoor drain.

**vetality**  
**Avantect II**  
Medium Dog

For Use Only on Dogs & Puppies  
7 weeks of age and older  
**11-20 lbs.**

**vetality**  
**Avantect II**  
Medium Dog

vetality  
**Avantect II**  
Large Dog

READ ENTIRE LABEL BEFORE EACH USE.  
For Use Only On Dogs & Puppies  
Over 7 Weeks of Age

Monthly Topical Treatment of Fleas, Ticks, Mosquitoes, Biting Flies and Lice

Vetality™ Avantect™ II Large Dog rapidly kills fleas and may reduce the incidence of flea allergy dermatitis (FAD), a hypersensitivity skin disorder which may be induced by the feeding activity of fleas. Vetality™ Avantect™ II Large Dog kills existing fleas on dogs within 12 hours. Any other fleas that jump on the dog are killed within 2 hours. Protection against further flea infestation lasts at least four (4) weeks.

Pre-existing pupae in the environment may continue to emerge for six (6) weeks or longer depending upon the climate. Flea larvae in the dog's surroundings are killed following contact with a Vetality™ Avantect™ II Large Dog treated dog. Vetality™ Avantect™ II Large Dog is waterproof and will remain effective even after a shampoo treatment, after swimming, or after exposure to rain or sunlight. For best results, use monthly treatments for flea and tick control.

PRECAUTIONARY STATEMENTS

**HAZARDS TO HUMANS. WARNING:** Causes substantial but temporary eye injury. Do not get in eyes or on skin or clothing. Harmful if swallowed. Harmful if absorbed through skin. Avoid contact with skin. Wash thoroughly with soap and water after handling and before eating, drinking, and chewing gum, using tobacco or using the toilet. Remove and wash contaminated clothing before reuse.

**HAZARDS TO DOMESTIC ANIMALS. For external use on dogs only. Do not use on animals other than dogs.** Do not use on dogs or puppies under seven weeks of age or weighing less than 21 lbs. Do not get this product in dog's eyes or mouth. As with any product, consult your veterinarian before using this product on debilitated, aged, pregnant or nursing dogs. Individual sensitivities may occur after using ANY pesticide product for dogs. If signs persist, or become more severe, consult a veterinarian immediately. If your dog is on medication, consult your veterinarian before using this or any other product.

**ENVIRONMENTAL HAZARDS** This product is extremely toxic to aquatic organisms, including fish and invertebrates. Do not add directly to water. Do not contaminate water when disposing of product packaging.

FIRST AID

IF IN EYES:	<ul style="list-style-type: none"> <li>Hold eye open and rinse slowly and gently with water for 15-20 minutes.</li> <li>Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.</li> <li>Call a poison control center or doctor for further treatment advice.</li> </ul>
IF SWALLOWED:	<ul style="list-style-type: none"> <li>Call a poison control center or doctor immediately for treatment advice.</li> <li>Have person sip a glass of water if able to swallow.</li> <li>Do not induce vomiting unless told to do so by a poison control center or doctor.</li> <li>Do not give anything by mouth to an unconscious person.</li> </ul>
IF ON SKIN OR CLOTHING:	<ul style="list-style-type: none"> <li>Take off contaminated clothing.</li> <li>Rinse skin immediately with plenty of water for 15-20 minutes.</li> <li>Call a poison control center or doctor for treatment advice.</li> </ul>

HOT LINE NUMBER

Have the product container or label with you when calling a poison control center or doctor, or going for treatment. For more information on this pesticide product (including health concerns, medical emergencies or pesticide incidents), you may call 1-800-775-9416.

NOTE TO PHYSICIAN OR VETERINARIAN

Treat patient symptomatically.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling. Do not allow children to apply product.

READ ENTIRE LABEL BEFORE EACH USE. USE ONLY ON DOGS.

RESTRICTIONS

Do not use on cats. Do not allow your dog to ingest this product. Do not get this product in your dog's eyes. Do not use on dogs under seven weeks of age or weighing less than 21 lbs. Do not apply more than 1 tube per treatment per dog.

HOW TO APPLY

The dog should be standing for the application. Remove tube from the package. Hold tube in a vertical upright position. Cut off top of tube with scissors. Part the hair at each spot until the skin is visible. Invert tube and place the open end of the tube on the skin of the dog. Squeeze tube to expel the liquid and apply the product evenly along the dog's back in 3 to 4 spots from the base of the skull to the base of the tail. Take care that liquid does not run off the dog. Avoid contact with treated area until dry. Discard empty tube as described in Storage and Disposal. In case of severe pest infestations, you are able to retreat your dog earlier than (4) four weeks. If infestation is severe at the initiation of treatment, once a week treatment is permitted not to exceed 4 weeks. After pest control has been successful, please return to a monthly retreatment schedule.



LIMITED WARRANTY AND LIMITATION OF DAMAGES

Tevra Brands, LLC warrants that this material conforms to the chemical description on the label. TO THE EXTENT CONSISTENT WITH APPLICABLE LAW Tevra Brands, MAKES NO OTHER EXPRESS OR IMPLIED WARRANTY, INCLUDING ANY OTHER EXPRESS OR IMPLIED WARRANTY OF FITNESS OR MERCHANTABILITY, and no agent of Tevra Brands is authorized to do so except in writing with a specific reference to this warranty. To the extent consistent with applicable law, any damages arising from a breach of this warranty shall be limited to direct damages and shall not include consequential commercial damages such as loss of profits or values, etc.

If you have questions or comments about this product, please write: Tevra Brands Pet Owner Response, 9100 F Street, Suite 200, Omaha, NE 68127

In Case of Emergency, call: 1-800-775-9416  
Non-Emergency call: 1-844-276-3290

Manufactured for: Tevra Brands, LLC  
9100 F Street, Suite 200, Omaha, NE 68127

EPA Reg. No. 92334-1-92413

EPA Est. No. 2724-TX-1

P01036 RGRU 300522045

tevera  
BRANDS



STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal.

Store in a cool, dry place. Protect from freezing. **Pesticide Disposal and Container Handling:** Nonrefillable container. If empty: Do not reuse this container. Place in trash or offer for recycling, if available. If partly filled: Call your local solid waste agency or 1-844-276-3290 for disposal instructions. Never place unused product down any indoor or outdoor drain.

vetality  
**Avantect II**  
Large Dog

For Use Only on Dogs & Puppies  
7 weeks of age and older  
**21-55 lbs.**

FOUR MONTH SUPPLY



For Use Only on Dogs & Puppies  
7 weeks of age and older  
**21-55 lbs.**

vetality™  
**Avantect II**  
Large Dog

Repels & Kills Fleas, Flea Eggs,  
Ticks and Mosquitoes

Repels Biting Flies  
and Kills Lice

Waterproof

4 TUBES

Contains  
Imidacloprid,  
Permethrin & Pyriproxyfen,  
the active ingredients  
found in  
K9 Advantix® II  
for Dogs\*



KEEP OUT OF REACH  
OF CHILDREN

**WARNING** SEE FIRST AID AND  
DIRECTIONS FOR USE  
ON BACK PANEL.

Active Ingredients:  
Imidacloprid ..... 7.12%  
Permethrin ..... 35.6%  
Pyriproxyfen ..... 0.36%  
OTHER INGREDIENTS... **56.92%**  
TOTAL ..... **100.00%**

Net Contents: 0.404 fl oz (12.0 mL)  
Four tubes – 0.101 fl oz (3.0 mL)

\*cis/trans ratio: max 55% (+) cis and min 45% (+) trans

\*This product is not manufactured or distributed by Bayer, the maker of K9 Advantix® II. K9 Advantix® II is a registered trademark of Bayer.



vetality  
**Avantect II**  
Large Dog

For Use Only on Dogs & Puppies  
7 weeks of age and older  
**21-55 lbs.**

vetality  
**Avantect II**  
Large Dog

vetality  
**Avantect II**  
Extra Large Dog

READ ENTIRE LABEL BEFORE EACH USE.  
For Use Only On Dogs & Puppies  
Over 7 Weeks of Age

Monthly Topical Treatment of Fleas, Ticks, Mosquitoes, Biting Flies and Lice

Vetality™ Avantect™ II Extra Large Dog rapidly kills fleas and may reduce the incidence of flea allergy dermatitis (FAD), a hypersensitivity skin disorder which may be induced by the feeding activity of fleas. Vetality™ Avantect™ II Extra Large Dog kills existing fleas on dogs within 12 hours. Any other fleas that jump on the dog are killed within 2 hours. Protection against further flea infestation lasts at least four (4) weeks.

Pre-existing pupae in the environment may continue to emerge for six (6) weeks or longer depending upon the climate. Flea larvae in the dog's surroundings are killed following contact with a Vetality™ Avantect™ II Extra Large Dog treated dog. Vetality™ Avantect™ II Extra Large Dog is waterproof and will remain effective even after a shampoo treatment, after swimming, or after exposure to rain or sunlight. For best results, use monthly treatments for flea and tick control.

PRECAUTIONARY STATEMENTS

**HAZARDS TO HUMANS. WARNING:** Causes substantial but temporary eye injury. Do not get in eyes or on skin or clothing. Harmful if swallowed. Harmful if absorbed through skin. Avoid contact with skin. Wash thoroughly with soap and water after handling and before eating, drinking, and chewing gum, using tobacco or using the toilet. Remove and wash contaminated clothing before reuse.

**HAZARDS TO DOMESTIC ANIMALS. For external use on dogs only. Do not use on animals other than dogs.** Do not use on dogs or puppies under seven weeks of age or weighing less than 55 lbs. Do not get this product in dog's eyes or mouth. As with any product, consult your veterinarian before using this product on debilitated, aged, pregnant or nursing dogs. Individual sensitivities may occur after using ANY pesticide product for dogs. If signs persist, or become more severe, consult a veterinarian immediately. If your dog is on medication, consult your veterinarian before using this or any other product.

**ENVIRONMENTAL HAZARDS** This product is extremely toxic to aquatic organisms, including fish and invertebrates. Do not add directly to water. Do not contaminate water when disposing of product packaging.

FIRST AID

IF IN EYES:	<ul style="list-style-type: none"> <li>Hold eye open and rinse slowly and gently with water for 15-20 minutes.</li> <li>Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.</li> <li>Call a poison control center or doctor for further treatment advice.</li> </ul>
IF SWALLOWED:	<ul style="list-style-type: none"> <li>Call a poison control center or doctor immediately for treatment advice.</li> <li>Have person sip a glass of water if able to swallow.</li> <li>Do not induce vomiting unless told to do so by a poison control center or doctor.</li> <li>Do not give anything by mouth to an unconscious person.</li> </ul>
IF ON SKIN OR CLOTHING:	<ul style="list-style-type: none"> <li>Take off contaminated clothing.</li> <li>Rinse skin immediately with plenty of water for 15-20 minutes.</li> <li>Call a poison control center or doctor for treatment advice.</li> </ul>

HOT LINE NUMBER

Have the product container or label with you when calling a poison control center or doctor, or going for treatment. For more information on this pesticide product (including health concerns, medical emergencies or pesticide incidents), you may call 1-800-775-9416.

NOTE TO PHYSICIAN OR VETERINARIAN

Treat patient symptomatically.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling. Do not allow children to apply product. READ ENTIRE LABEL BEFORE EACH USE. USE ONLY ON DOGS.

RESTRICTIONS

Do not use on cats. Do not allow your dog to ingest this product. Do not get this product in your dog's eyes. Do not use on dogs under seven weeks of age or weighing less than 55 lbs. Do not apply more than 1 tube per treatment for dogs over 55 lbs.

HOW TO APPLY

The dog should be standing for the application. Remove tube from the package. Hold tube in a vertical upright position. Cut off top of tube with scissors. Part the hair at each spot until the skin is visible. Invert tube and place the open end of the tube on the skin of the dog. Squeeze tube to expel the liquid and apply the product evenly along the dog's back in 3 to 4 spots from the base of the skull to the base of the tail. Take care that liquid does not run off the dog. Avoid contact with treated area until dry. Discard empty tube as described in Storage and Disposal. In case of severe pest infestations, you are able to retreat your dog earlier than (4) four weeks. If infestation is severe at the initiation of treatment, once a week treatment is permitted not to exceed 4 weeks. After pest control has been successful, please return to a monthly retreatment schedule.



**SIDE EFFECTS** Monitor your dog after application. Side effects, although very rare, may include signs of skin irritation such as redness, scratching, or other signs of discomfort. Although uncommon, gastrointestinal signs such as vomiting or diarrhea have also been reported. If these or other side effects occur, consult your veterinarian or call 1-800-775-9416.



**DO NOT USE ON CATS — MAY BE FATAL.** Keep cats away from treated dogs for 24 hours. If applied to a cat or ingested by a cat, contact your veterinarian immediately.



**LIMITED WARRANTY AND LIMITATION OF DAMAGES**  
Tevra Brands, LLC warrants that this material conforms to the chemical description on the label. TO THE EXTENT CONSISTENT WITH APPLICABLE LAW Tevra Brands, MAKES NO OTHER EXPRESS OR IMPLIED WARRANTY, INCLUDING ANY OTHER EXPRESS OR IMPLIED WARRANTY OF FITNESS OR MERCHANTABILITY, and no agent of Tevra Brands is authorized to do so except in writing with a specific reference to this warranty. To the extent consistent with applicable law, any damages arising from a breach of this warranty shall be limited to direct damages and shall not include consequential commercial damages such as loss of profits or values, etc.  
If you have questions or comments about this product, please write:  
Tevra Brands Pet Owner Response, 9100 F Street, Suite 200, Omaha, NE 68127  
In Case of Emergency, call: 1-800-775-9416  
Non-Emergency call: 1-844-276-3290  
Manufactured for: Tevra Brands, LLC  
9100 F Street, Suite 200, Omaha, NE 68127  
EPA Reg. No. 92334-1-92413  
EPA Est. No. 2724-TX-1

tevera  
BRANDS

P01037 RGRU 300522044

vetality  
**Avantect II**  
Extra Large Dog

For Use Only on Dogs & Puppies  
7 weeks of age and older  
**over 55 lbs.**

FOUR MONTH SUPPLY



For Use Only on Dogs & Puppies  
7 weeks of age and older  
**over 55 lbs.**

vetality  
**Avantect II**  
Extra Large  
Dog

Repels & Kills Fleas, Flea Eggs,  
Ticks and Mosquitoes

Repels Biting Flies  
and Kills Lice  
Waterproof

Contains  
Imidacloprid,  
Permethrin & Pyriproxyfen,  
the active ingredients  
found in  
K9 Advantix® II  
for Dogs\*

4 TUBES



**Active Ingredients:**  
Imidacloprid ..... 7.12%  
Permethrin<sup>1</sup> ..... 35.6%  
Pyriproxyfen ..... 0.36%  
OTHER INGREDIENTS... 56.92%  
TOTAL ..... 100.00%

<sup>1</sup> cis/trans ratio: max 55% (+) cis and min 45% (+) trans

KEEP OUT OF REACH  
OF CHILDREN

**WARNING**

SEE FIRST AID AND  
DIRECTIONS FOR USE  
ON BACK PANEL.  
Net Contents: 0.648 fl oz (19.2 mL)  
Four tubes – 0.162 fl oz (4.8 mL)



DO NOT  
USE ON  
CATS

\*This product is not manufactured or distributed by Bayer, the maker of K9 Advantix™ II. K9 Advantix™ II is a registered trademark of Bayer.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal. **Pesticide Disposal and Container Handling:** Nonrefillable container. If empty: Do not reuse this container. Place in trash or offer for recycling, if available. If partly filled: Call your local solid waste agency or 1-844-276-3290 for disposal instructions. Never place unused product down any indoor or outdoor drain.

vetality  
**Avantect II**  
Extra Large  
Dog

For Use Only on Dogs & Puppies  
7 weeks of age and older  
**over 55 lbs.**

vetality  
**Avantect II**  
Extra Large Dog