

WEED BEATER[®] ULTRA

Ready to Use

Kills 200+ broadleaf weeds

ACTIVE INGREDIENTS:

MCPA, 2-ethylhexyl ester	0.3370%
Mecoprop-p acid	0.0660%
Dicamba acid	0.0180%
Carfentrazone-ethyl	0.0023%

INERT INGREDIENTS 99.5767%

TOTAL 100.0000%

EPA Est. No. 4-NY-1 EPA Reg. No. 2217-865-4

For Home Lawns Only

THIS PRODUCT CONTAINS: 2-methyl-4-chlorophenoxyacetic acid equivalent, 0.2160%

Keep Out Of Reach Of Children

CAUTION (See back booklet for additional Precautionary Statements and First Aid)

TRUSTED SINCE 1926

BONIDE[®]

Visible results
in just 24 hours



Proven
cool-weather
performance

WEED BEATER[®] ULTRA

Ready to Use

- ✓ Performs in both warm and cool weather
- ✓ Won't harm lawn grass when used as directed
- ✓ For Northern and Southern grasses
- ✓ See results in hours
- ✓ Reseed in 2 weeks

Store and transport in an upright position.
EPA Reg. No. 2217-865-4 EPA Est. No. 4-NY-1
Buyers Guarantee Limited to Label Claims.
©Bonide Products, Inc. All Rights Reserved
Distributed by: Bonide Products, Inc.
6301 Sutliff Road, Oriskany, NY 13424



BN



**READ THE ENTIRE LABEL FIRST.
OBSERVE ALL PRECAUTIONS AND
FOLLOW DIRECTIONS CAREFULLY.**

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

USE RESTRICTIONS:

- Do not apply this product in a way that will contact any person, or pet, either directly or through drift. Keep people and pets out of the area during application. Do not allow people or pets to enter the treated area until sprays have dried.
- Not for use on turf being grown for sale or other commercial use on sod, or for commercial seed production, or for research purposes.
- Do not apply this product to bentgrass, carpetgrass, dichondra, legumes, and lawns where desirable clovers are present.

- Do not apply to 'Floritam' St. Augustinegrass grown in Florida.
- Do not allow spray to contact vegetables, flowers or ornamentals as injury may result.
- Do not apply more than 1.9 gallons of product per 1,000 sq. ft. per year. (1.5 lb a.i. MCPA per acre per year)
- Do not apply more than 2 applications per year with a minimum retreatment interval of 21 days.
- Do not apply as a fine mist because of potential for injury to desirable plants.
- Do not apply directly to or near water, storm drains, gutters, sewers, or drainage ditches. Do not apply within 25 feet of rivers, fish ponds, lakes, streams, reservoirs, marshes, estuaries, bays, and oceans. Do not apply when windy. To prevent product runoff, do not over water the treated area to the point of runoff or apply when raining or when rain is expected that day.

PRODUCT FACTS

This product contains four active ingredients including carfentrazone-ethyl that broaden the spectrum of weed control.

This product offers these advantages:

- Excellent postemergent activity with proven performance for broadleaf weed control in turfgrass.
- Superior cool weather performance.
- Rapid and effective weed control for common and troublesome weed species in turfgrass, e.g. spurge, pennywort (dollarweed), dandelion, and white clover.
- Injury to weeds can be noticed within hours of the application and plant death can occur within 7-14 days.

WHERE TO USE

On Lawns:

Use to spot treat broadleaf weeds commonly found in cool season and warm season grasses such as: Kentucky bluegrass, Perennial ryegrass, Tall fescue, Red or fine leaf fescues, Mixtures of cool season species, Common bermudagrass, Hybrid bermudagrass, St. Augustinegrass (excluding 'Floritam'), Zoysiagrass.

WHEN TO APPLY

For best results, treat weeds in the spring and the fall when weeds are actively growing. However, this product is effective any time during the growing season.

- Do not apply when air temperatures are above 85°F as lawn injury can occur.
- Hard-to-kill weeds may require a repeat application in 3 weeks.

- Do not water lawn within 12 hours of application. If rainfall occurs within 12 hours after application, retreatment may be necessary.
- Do not apply to newly seeded lawns until after the second mowing.
- Delay application to newly sodded, plugged, or sprigged lawns until new grass has been mowed four times.
- Treated areas may be reseeded 2 weeks after application.
- Applications to dormant bermudagrass, zoysiagrass, and St. Augustinegrass may be used to control actively growing broadleaf weeds.

HOW TO USE

For Containers with Trigger Sprayers: This product is ready-to-use and is applied directly from the container fitted with the trigger sprayer. Shake the container well. Direct the spray to the target weeds to provide uniform coverage of the upper leaf surfaces. Apply to the point of runoff only. Excessive spraying can injure lawns.

BROADLEAF WEEDS CONTROLLED

This product will control or suppress the following broadleaf weeds.

Annual yellow sweetclover, Aster, Aster (white prairie, heath, wild), Austrian fieldcress, Bedstraw, Bedstraw (catchweed, pineywoods), Beggarticks, Beggarweed (creeping), Betony (Florida), Bindweed, Bindweed (field, hedge), Bitter wintercress, Bittercress (hairy), Bitterweed, Black medic, Black-eyed Susan, Bloodflower milkweed, Blue lettuce, Brassbuttons, Bristly oxtongue, Broomweed, Burclover, Burdock, Burweed, Buttercup, Buttercup (bulbous, creeping), Carolina geranium, Carpetweed, Catnip, Chickweed (common, mouseear), Chicory, Cinquefoil, Cinquefoil (rough), Clover, Clover (crimson, hop, red, strawberry, sweet, white), Cockle, Cocklebur, Cocklebur (Oriental, spiny), Common mullein, Compassplant, Creeping Jenny (Creeping Charlie), Cudweed, Cudweed (purple), Daisy (English, oxeye), Dandelion, Dayflower, Dichondra, Dock, Dock (broadleaf, curly, smooth)

Dogbane, Dogfennel, Dollarweed, Elderberry, False dandelion (*spotted catsear & common catsear), Falseflax, Fiddleneck, Filaree (redstem, whitestem) Fleabane (daisy, hairy, rough) Florida pusley, Frenchweed, Galinsoga, Galinsoga (smallflower) Goathead, Goldenrod, Ground ivy, Groundsel, Gumweed, Hawkweed, Hawkweed (orange), Healall, Heartleaf drymary, Hemp, Henbit, Hoary cress, Innocence (Blue-eyed Mary), Jimsonweed, Knawel, Knotweed (prostrate) Kochia, Lambsquarters, Lespedeza, Lespedeza (common), Mallow, Mallow (common), Matchweed, Mexicanweed, Morningglory, Morningglory (woolly), Mugwort, Mustard, Mustard (black, hedge, tansy, tumble, white, wild), Nettle, Nettle (bull, burning, dead, horse, stinging, tall) Old world diamond flower, Oxalis (*yellow woodsorrel & creeping woodsorrel), Parsley-piert, Parsnip, Pearlwort, Pennsylvania smartweed, Pennycress, Pennywort (*dollarweed), Peppergrass (pepperweed), Pigweed, Pigweed (prostrate, redroot, Russian, smooth, tumble) Pineappleweed,

Plains coreopsis (tickseed), Plantain, Plaintain (blackseed, bracted, broadleaf, buckhorn, hoary, narrowleaf, slender, woolly) Poison ivy, Poison oak, Pokeweed, Poorjoe, Prickly lettuce, Prickly sida, Puncturevine, Purslane, Purslane (common), Ragweed, Red sorrel (*sheep sorrel), Redweed, Scarlet pimpernel, Shepherd's purse, Sowthistle, Sowthistle (spiny), Spanish needles, Spiny amaranth, Spurge (prostrate, spotted) Spurweed, Strawberry (India mock)Sunflower (false, prairie) Tansy ragwort, Tanweed, Thistle, Thistle (blessed, bull, Canada, musk, Russian, Scotch) Trailing Crownvetch, Velvetleaf, Venice mallow, Veronica (*corn speedwell), Vervain (blue, hoary, prostrate, tall) Vetch (bird, milk, narrowleaf, wild) Virginia buttonweed, Virginia creeper, Virginia pepperweed, Water pennywort, Wavyleaf bullthistle, Western clematis, Western salsify, Wild buckwheat, Wild carrot, Wild four-o'clock, Wild garlic, Wild geranium, Wild lettuce, Wild marigold, Wild onion,

Wild parsnip, Wild radish, Wild rape, Wild
strawberry, Wild sweet potato, Wild violet,
Woolly croton, Wormseed, Yarrow, Yellow rocket,
Yellowflower pepperweed

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage and disposal.

PESTICIDE STORAGE: Keep from freezing. Store in original container in an area inaccessible to children and pets.

PESTICIDE DISPOSAL AND CONTAINER HANDLING: Nonrefillable container. Do not reuse or refill this container. **If empty:** Place in trash or offer for recycling if available. **If partly filled:** Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

FIRST AID

If in eyes:

- Hold eye open and rinse slowly and gently with water for 15-20 minutes.
- Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.
- Call a poison control center or doctor for treatment advice.

If on skin or on clothing:

- Take off contaminated clothing.
- Rinse skin immediately with plenty of water for 15-20 minutes.
- Call a poison control center or doctor for treatment advice.

If swallowed:

- Call a poison control center or doctor immediately for treatment advice.
- Have person sip a glass of water if able to swallow.
- Do not induce vomiting unless told to by a poison control center or doctor.
- Do not give anything by mouth to an unconscious person.

Have the product container or label with you when calling a poison control center or doctor or going for treatment. You may also contact 1-800-858-7378 for emergency medical treatment information.

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION: Causes moderate eye irritation. Harmful if absorbed through the skin. Avoid contact with eyes, skin, or clothing. Harmful if swallowed. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco, or using the toilet.

ENVIRONMENTAL HAZARDS

This pesticide may adversely affect non-target plants. Do not apply directly to water. Do not contaminate water when disposing of equipment wash waters or rinsate. Drift and runoff may be hazardous to aquatic organisms in water adjacent to treated areas. Runoff of this product will be reduced by avoiding applications when rainfall is forecasted to occur within 48 hours.

LIMITED WARRANTY AND DISCLAIMER

FOR USE ONLY AS DIRECTED.

TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, THE MANUFACTURER NEITHER MAKES NOR INTENDS ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING ANY WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE, WHICH ARE HEREBY EXPRESSLY DISCLAIMED. TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, IN NO CASE SHALL THE MANUFACTURER BE LIABLE FOR INCIDENTAL, CONSEQUENTIAL, OR SPECIAL DAMAGES RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT. If these terms are not acceptable, return this product unopened immediately to the point of purchase, and the purchase price will be refunded in full. The terms of this LIMITED WARRANTY AND DISCLAIMER cannot be varied by any written or verbal statements or agreements at the point of sale or elsewhere.