Application should therefore be made in advance of expected insect activity.

Z or more weeks should be expected. Longer delays may be expected with larger plants. Woody Perennials: Onset of protection is slower than in herbaceous species. A delay of resistance management strategies and recommended pest management practices for your area. strategies established for the use area. Consult your Cooperative Extension Service for use. As with any insecticide, the use of this product should conform to resistance management Resistance: Some insects are known to develop resistance to Insecticides after repeated

RESTRICTION: DO NOT apply more than a total of 80 lb (0.4 lb of active ingredient) per acre condition that raintall or irrigation will penetrate vertically into the soil profile.

DO NOT apply when treatment area is water saturated. The treated area must be in such a previous records or experiences, current season adult trapping or other methods.

egg laying period. The need for an application can be based on historical monitoring of the site, High levels of control can be achieved when applications are made preceding or during the modestly, but thoroughly after application, allowing no leaching and runoff form treatment area. product must be placed where the roots of the plant can absorb the active ingredient. Irrigate preceding the egg laying activity of the target pests. To assure optimum effectiveness, the active ingredient in this product has sufficient residual activity so that applications can be made This product is a systemic insecticide and will be translocated upward within the plant. The

РВОВОСТ І И РОВИРАТІОИ

Keep children and pet off treated area until dry. this product is used to produce agricultural plants on farms, forests, nurseries, or greenhouses. Worker Protection Standard for agricultural pesticides (40 CFR part 170). The WPS applies when The requirements in this box apply to uses of this product that are NOT within the scope of the

NON-AGRICULTURAL USE REQUIREMENTS

specific to your state or tribe, consult the agency responsible for pesticide regulation. through drift. Only protected handlers may be in the area during application. For any requirements DO NOT apply this product in a way that will contact workers or other persons, either directly or It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

DIRECTIONS FOR USE

No specific antidote is available. Treat the patient symptomatically. **NOTE TO PHYSICIAN**

IE ON 2KIN

going for treatment. You may also contact 1-800-858-7378 for emergency medical treatment Have the product container or label with you when calling a poison control center or doctor, or

	gagmin ani i tou
	 Call a poison control center or doctor for treatment advice.
	continue rinsing eye.
	 Remove contact lenses, if present, after the first 5 minutes, the
E IN EXES	Ald eye open and rinse slowly and gently with water for 15 to 20
	COLUMN ALIGURADA DE LOS CON DE LOS CONTROS DE COLUMN DE

Sall a poison control center or doctor for treatment advice. ок сготниб

 Rinse skin immediately with plenty of water for 15 to 20 minutes. Take off contaminated clothing. **GIA T2**811

particularly where the water table is shallow, may result in groundwater contamination. detected in groundwater. The use of this chemical in areas where soils are permeable, This chemical demonstrates the properties and characteristics associated with chemicals DO NOT contaminate water when disposing of equipment washwaters.

areas where surface water is present or to intertidal areas below the mean high water mark. This product is highly toxic to aquatic invertebrates. DO NOT apply directly to water, or to

ENVIRONMENTAL HAZARDS

EMONING. As soon as possible, wash thoroughly and change into clean clothing. Remove PPE immediately after handling this product. Wash the outside of gloves before

Remove clothing immediately if pesticide gets inside. Then wash thoroughly and put on clean Wash hands before eating, drinking, chewing gum, using tobacco, or using the toilet.

USER SAFETY RECOMMENDATIONS Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables, use detergent and hot water. Keep and wash PPE separately from other laundry. Protective eyewear.

Spoes plus socks.

Users Should:

nitrile rubber, neoprene rubber, natural rubber, polyethylene, polyvinylchloride (PVC) or viton. ·Chemical-resistant gloves made of waterproof material such as barrier laminate, butyl rubber,

Long-sleeved shirt and long pants.

Applicators and other handlers must wear:

PERSONAL PROTECTIVE EQUIPMENT (PPE)

with soap and water after handling and before eating, drinking, chewing gum or using tobacco. CAUTION - Causes moderate eye irritation. Avoid contact with eyes or clothing. Wash thoroughly

HAZARDS TO HUMANS AND DOMESTIC ANIMALS PRECAUTIONARY STATEMENTS

to water-logged or saturated areas will not allow penetration into the root zone of the plant. DO NOT apply this product to water-logged or saturated areas. Application of this product DO NOT allow runoff or puddling of irrigation water following application. DO NOT apply more than 80 lb (0.4 lb of active ingredient) per acre per year.

move the active ingredient into soil. Mechanical incorporation, irrigation or rainfall is required within 24 hours after application to materials that inhibit water permeability.

Apply as a broadcast treatment. Prior to application, remove black plastic or other weed barrier

Remarks Chafers, Phyllophaga spp., Asiatic garden beetle, Oriental beetle)

For control of: White grub larvae (including Japanese beetle larvae, 1.4 to 1.8 lb per 1000 sq ft DOSAGE

& bedding plants, and ground covers.

ORNAMENTALS: Landscape Plantings (including trees, shrubs, evergreens, flowers, foliage

DO NOT graze treated areas or use clippings from treated areas for feed or forage. to water-logged or saturated areas will not allow penetration into the root zone of the plant. DO NOT apply this product to water-logged or saturated areas. Application of this product DO NOT allow runoff or puddling of irrigation water following application.

of application will not be affected. DO NOT mow turt or lawn area until after irrigation or rainfall has occurred so that uniformity

DO NOT apply more than 80 lb (0.4 lb of active ingredient) per acre per year.

Restrictions

On golf courses, irrigate treated areas following application.

through the thatch.

Irrigation or rainfall is required within 24 hours after application to move the active ingredient more specific information regarding timing of application. Consult your local State Agricultural Experiment Station, or State Extension Turf Specialist for

For suppression of chinchbugs, make application prior to the hatching of the first instar nymphs. a remedial insecticide.

When adults or large nymphs are present and actively tunneling, accompany this product with For control of mole crickets make application prior to or during the peak egg hatch period.

application prior to egg hatch of the target pest. For control of grubs, billbugs, European crane fly and annual bluegrass weevil, make

are liveous acceptabild laurage has with any	For appared of arribe billburge Furspapes aga			
Ветагка				
1.8 lb per 1000 sq ft	Cutworms			
	Chinchbugs			
	For suppression of:			
	Mole crickets			
	For control of:			
ft pe 0001 neq dl 8.1 of 4.1	Southern masked chafer			
	Oriental beetle (Phyllophaga spp.)			
	Northern masked chafer			
	May or June beetles			
	Japanese beetle			
	Green June beetle			
	European Crane Fly			
	European chafer			
	Black furfgrass ataenius			
	Billbugs			
	Asiatic garden beetles (Maladera spp.)			
	Annual bluegrass weevil			
	For control of:			
DOSAGE	PEST			
	LOIN OLYGODEO (EGMIS)			

wear, and condition of spreader.

an accurate rate of this product. Application rates will vary depending upon speed, equipment Use the "SPREADER SETTINGS FOR THIS PRODUCT" table below as a guide in establishing equipment at the time of application to achieve the specified application rate.

spreaders that apply the material in narrow, concentrated bands. Calibrate all application Both drop-type and rotary-type spreaders may be used to apply this product. DO NOT use Apply this product uniformly over the area being treated with granular application equipment.

rrigation and mechanical incorporation after application will aid in maximizing control. areas. Make application prior to anticipated pest infestation to maximize control. Rainfall, purposes or climatic modification, ornamental gardens or lawns and grounds on residential Use this product as a broadcast application to the soil around plants intended for aesthetic ornamentals as directed on the use sites listed below. Use this product for the control of listed soil inhabiting pests of turigrass and landscaped

APPLICATION TO TURFGRASSES AND LANDSCAPE ORNAMENTALS

LIMITATION OF LIABILITY

TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, MANUFACTURER OR SELLER SHALL NOT BE LIABLE THER NATURE OF PENALTIES RELATING TO THE GOODS SOLD, OR FOR DAMAGES, IN THEIR NATURE OF PENALTIES RELATING TO THE GOODS SOLD, MITH APPLICABLE OR SELLER SHALL NOT BE LIABLE TO BUYER, OR USER BY WAY OF INDEMNIFICATION TO BUYER OR TO CUSTOMERS OF BUYER, IF RESULTING FROM OR BY REASON OF, OR RISING OUT OF THE MISUSE, OR BUYER, IF RESULTING FROM OR BY REASON OF, OR RISING OUT OF THE MISUSE, OR BUYER, IF RESULTING FROM OR BY REASON OF, OR RISING OUT OF THE MISUSE, OR FAILURE RESULTING FROM OR BY REASON OF, OR RISING OUT OF THE MISUSE, OR FAILURE RESULTING FROM OR BY REASON OF, OR RISING OUT OF THE MISUSE, OR FAILURE RESULTING FROM OR BY REASON OF, OR RISING OUT OF THE MISUSE, OR FAILURE OF DAMAGES, OR USER'S EXCLUSIVE TO THE EXTENT CONSISTENT MITH APPLICABLE.

TO FOLLOW LABEL WARNINGS OR SUBSTANTING FROM SERVING OUT OF THE MISUSE, OR ITS CUSTOMERS, IN TO FOLLOW LABEL TO BUYER, IN THE MISUSE, OR SIGNED BY MISURE OF THE MISUSE, OR SIGNED SALL BROWN OR BY RESOND OF, OR SIGNED SALL BROWN OR BY THE COSTOMERS, OR SIGNED SALL BROWN OR THE COSTOMERS, OR SIGNED SALL BROWN OR BY THE PROPER SALL BUYER'S EXCLUSIVE OF THE MISUSE OF THE PROPER SALL BROWN OR THE FOR DAMAGES OF SIGNED SALL BROWN OR SALL BROWN, OR THE COODS SOLD BY THE SALL BUYER.

TO FOLLOW LABEL WAS SHALL BROWN OF, OR SIGNED BY THE MISUSE OUT OF THE MISUSE.

TO FOLLOW LABEL TO BUYER.

TO FOLLOW LABEL TO BUYER.

TO FOLLOW LABEL TO BUYER.

THE SOURS SELLER TO BUYER.

THE SOURS SOLD SALL BROWN OF, OR SELLER SALL BUYER, OR SELLER SALL TO BUYER.

THE SOURS SALL BOWN OR SALL BUYER. YTIJIBAIJ 90 NOITATIMIJ MAKE ANY REPRESENTATION OR WARRANTY OR AGREEMENT RELATING IN ANY WAY TO

disclaimers, or limitations on liability, do not use the product, and return it unopened to the Seller, and the purchase price will be refunded.

If you do not agree with or do not accept any of the directions for use, the warranty

www.bonide.com

All Rights Reserved

©Bonide Products, Inc.

Onskany, NY 13424

6301 Sutliff Road

Bonide Products, Inc.

Distributed by

USED IN COMBINATION WITH THE GOODS, OR THE MANNER OF USE OR APPLICATION, INCLUDING WEATHER, ALL OF WHICH ARE BEYOND THE CONTROL OF MANUFACTURER OR SELLER, WRITING CONTAINS ALL OF THE REPRESENTATIONS AND AGREEMENTS BETWEEN BUYER, MANUFACTURER AND SELLER, AND NO PERSON OF ACREMENTS BETWEEN BUYER, MANUFACTURER AND SELLER, THE PROPERTY OF THE PROPE The directions for use of this product must be followed carefully. To the extent directions for use of this product must be followed carefully. To the expensions for use of this product must be followed carefully. To the product consistent must be expressed or implied, or by different morphologies, which must be make no werrantes, guarantees, or representations of any contempted of user, either express or implied, or by user, of the product sold, including, but not limited to merchanters, were not limited to merchanters. The product sold including but morphology or different morphology of the product sold including but morphology or different morphology. The consequences including but not limited to including but morphology of the product sold including the product s

WARRANTY DISCLAIMER

For chemical spill, leak, fire, or exposure, you may contact CHEMTREC at 800-424-9300. uncontaminated product according to Directions For Use. Keep unauthorized people away. DO NOT walk through spilled material. Dispose of as directed for pesticides above, or apply

with the handling of this material. sweep material into a pile. Refer to Precautionary Statements on label for hazards associated SPILLS: If the container is leaking or material is spilled for any reason or cause, carefully

If burned stay out of smoke. sanitary landfill or by incineration. **DO NOT** burn unless allowed by state and local ordinance. application equipment, then offer for recycling if available, or dispose of empty bag in a Nonrefillable container. DO NOT reuse or refill this container. Completely empty bag into

CONTAINER DISPOSAL: nolation of hederal law.

on site or at an approved waste disposal facility. Improper disposal of excess pesticide is a PESTICIDE DISPOSAL: Wastes resulting from the use of this product may be disposed of out of the reach of children, preferably in a locked storage area. contamination with other pesticides, fertilizers, food, or feed. Store in original containers and

PESTICIDE STORAGE: Store in a cool, dry place and in such a manner as to prevent cross DO NOT contaminate water, food, or feed by storage or disposal.

STORAGE AND DISPOSAL

G. 1	Sears Rotary			
3.5	Scotts SpeedyGreen	3.5	Sears Drop	
3.1	Republic EZ #540	3.5	Scotts AccuGreen	
9	Еацһмау	Þ	Republic EZ #530	
	Rotary Spreaders		Drop Spreaders	

Applications will very depending upon speed, equipment wear and condition of spreader. The following chart can be used as a guide in establishing an accurate rate of this product.

SPREADER SETTINGS FOR THIS PRODUCT

Apply anytime - Spring through late Summer One application kills grubs all season long Kills Grubs









