

to protect your pet against and to minimize reinfestation of adult fleas from outdoors, use EPA registered flea and tick products, flea or flea and tick collars, pet dusts, pet sprays, pet dips, pet shampoos, flea shampoos or flea and tick shampoos, in conjunction with this application and prior to re-entry. As part of a complete flea control program, use EPA registered Bonide Total Pest Control, indoor and outdoor formulas or Bonide Household Insect Control, indoor spray.

Kills insects such as: Adult and nymph Cockroaches, Waterbugs and Palmetto Bugs, Sowbugs, Millipedes, Beetles, Boxelder Fleas, Earwigs, Lice, Pillbugs, Clover Mites, Carpet Beetles, Fleas, Ticks, Deer Tick, Other Ixodid Species, Foraging Ants, Carpenter Ants, Centipedes, Granary Insects, including Cadelles, Rice Weevils, Flour Beetles, Cigarette Beetles, Drugstore Beetles, Lesser Grain Borers, Merchant Grain Beetles, Saw-toothed Grain Beetles, Grain Weevils, Cheese Mites, Flies, Gnats, Cluster Flies, Mosquitoes, Sciarid Flies, Firebrats, Silverfish, Booklice, Wood Borers (exposed stages), Flying Moths, Indian Mealworms, Hornets, Carpenter Bees, Wasps, Yellow Jackets.

For use in: Apartments, Attics, Basements, Boats, Cabins, Campers, Closed Porches, Condominiums, Garages, Homes, Institutions, Kennels, Kitchens, Pet Sleeping Areas, Rooms.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

FOR COMPLETE DIRECTIONS FOR USE SEE OUTER CONTAINER

READ ALL DIRECTIONS AND PRECAUTIONS COMPLETELY BEFORE USE.

Does not control bed bugs.

GENERAL PRECAUTIONS AND RESTRICTIONS:

Do not apply this product in a manner that will contact adults, children or pets either directly or through drift.

For use only when building has been vacated by human beings and pets. Remove pets and birds, and cover fish aquariums before spraying. Do not use in greenhouses where plants are grown for food. Do not use in aircraft cabins. Do not allow adults, children, or pets to enter the treated area, until vapors, mists and aerosols have dispersed, and the treated area has been thoroughly ventilated. Wait two (2) hours after application, then open windows, vents and doors for two (2) hours. If an odor is still detectable, additional ventilation is required.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage and disposal.

Pesticide Storage: Store in a cool, dry area. Always store pesticides in the original container. Store away from food and pet food. **Pesticide Disposal and Container Handling:** Do Not Puncture or Incinerate! Nonrefillable container. Do not reuse or refill this container. If empty: Place in trash or offer for recycling if available. If partly filled: Call your local solid waste agency for disposal instructions.

Distributed by
BONIDE PRODUCTS, INC.


6301 Sutliff Rd. • Oriskany, NY 13424

TRUSTED SINCE 1926

BONIDE®

Total Release Flea Fogger

One treatment
works for 7 months
against hatching fleas



Kills adult and preadult fleas



Flea



Tick



Spider

ACTIVE INGREDIENTS:

2-[1-Methyl-2-(4-phenoxyphenoxy) ethoxy] pyridine	0.100%
Pyrethrins	0.050%
*N-Octyl bicycloheptene dicarboximide	0.380%
**Permethrin	0.400%
TOTAL INGREDIENTS	99.070%
OTHER	100.000%

*MGK® 264, Insecticide Synergist

**Cis-trans isomers ratio: Min. 35% (+ or -) cis and Max. 65% (+ or -) trans
EVERCIDE®, NYLAR®, and MGK® - Registered trademarks of McLaughlin Gormley King Company

EPA Reg. No. 1021-1623-4 EPA Est. No. 11623-GA-1 (G), 5693-MA-1 (M)
Postscript is first letter of code number on container.

Keep Out Of Reach Of Children

CAUTION (See Outer Container for Additional Precautionary Statements & Complete Directions)

Instrucciones en español dentro de la caja
Net Contents: 6 oz. (170 g)

FIRST AID

IF SWALLOWED:

- Immediately call a poison control center or doctor.
- Do not induce vomiting unless told to do so by a poison control center or doctor.
- Do not give any liquid to the person.
- Do not give anything by mouth to an unconscious person.

IF ON SKIN OR CLOTHING:

- Take off contaminated clothing.
- Rinse skin immediately with plenty of water for 15 - 20 minutes.
- Call a poison control center or doctor for treatment advice.

Have the product container or label with you when calling a poison control center or doctor or going for treatment. For information regarding medical emergencies or pesticide incidents, call 1-888-740-8712.

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION: Breathing spray mist may be harmful. Harmful if absorbed through skin. Avoid contact with skin, eyes, or clothing. Causes moderate eye irritation. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet. Users should wear long-sleeved shirt, long pants and shoes plus socks. Remove and wash contaminated clothing before reuse.

PHYSICAL OR CHEMICAL HAZARDS

Highly Flammable Ingredient Ingrediente Altamente Inflamable



Contents under pressure. Do not use or store near heat or open flame. Do not puncture or incinerate container. Exposure to temperatures above 130°F may cause bursting. This product contains a highly flammable ingredient. It may cause a fire or explosion if not used properly. Follow the Directions for Use on this label very carefully.