



International

SAFETY DATA SHEET

Page 1 of 5

Brigand WB

Revision 1
Revision date 30-Jun-2010

1. IDENTIFICATION OF THE SUBSTANCE / PREPARATION AND THE COMPANY

Product name Brigand WB
Company PelGar International Ltd
Unit 13 Newman Lane Industrial Estate
Newman Lane Alton
Hampshire
GU34 2QR
philip@pelgar.co.uk
www.pelgar.co.uk

Telephone Tel +44 (0) 1420 80744
Fax Fax +44 (0) 1420 80733
Emergency telephone number Tel +44 (0) 1420 80744
Product code 702.
Intended use Ready for use rodenticide containing 50ppm bromadiolone.

2 HAZARDS IDENTIFICATION.

Main hazards The preparation is non-dangerous in accordance with Directive 1999/45/EC. Unlikely to cause harmful effects under normal conditions of handling and use. Harmful to Wildlife. Wild mammals and birds may be at greater risk if the product is not used in accordance with its label.

3 . COMPOSITION / INFORMATION ON INGREDIENTS.

Hazardous ingredients

	Conc.	CAS	EINECS	Symbols/Risk phrases
Denatonium benzoate	0.001%	3734-33-6	223-095-2	Xn;R20 Xn;R22 Xi;R37 Xi;R38 Xi;R41 R52/53
propane-1,2-diol	1 - 10%	57-55-6	200-338-0	
Sugar (Sucrose)	1 - 10%	57-50-1		
Paraffin Wax	30 - 40%	8002-74-2	232-315-6	
Bromadiolone	0.005%	28772-56-7	249-205-9	T+; R27/28 T; R48/24/25 R50/53
1,2-Benzisothiazolin-3-one	<0.02%	2634-33-5	220-120-9	Xn; R22 Xi; R38-41 R43 N; R50

Print date 30-Jun-2010

Brigand WB

Revision 1
Revision date 30-Jun--2010

4. FIRST AID MEASURES

Skin contact	May cause skin irritation in susceptible persons. Remove contaminated clothing. Wash off immediately with plenty of soap and water. If irritation persists obtain medical attention. Contaminated clothing should be washed and dried before re-use.
Eye contact	May cause eye irritation of susceptible persons. Rinse immediately with plenty of water and seek medical advice if irritation persists.
Inhalation	Unlikely to present an inhalation hazard as the product is supplied as a solid block. Move the exposed person to fresh air. Obtain medical advice immediately.
Ingestion	If swallowed, seek medical advice immediately and show this container or label.
General information	In case of accident or if you feel unwell, seek medical advice immediately (show the label where possible). ADVICE FOR DOCTORS: Bromadiolone is an indirect anti-coagulant. Phytomenadione, Vitamin K1, is antidotal. Determine prothrombin time not less than 18 hours after consumption. If elevated, administer Vitamin K1 until prothrombin time normalises. Continue determination of prothrombin time for two weeks after withdrawal of antidote and resume treatment if elevation occurs in that time.

5. FIRE FIGHTING MEASURES

Extinguishing media	Keep fire exposed containers cool by spraying with water if exposed to fire. Carbon dioxide (CO ₂) Alcohol resistant foam. Dry chemical. Use extinguishing media appropriate to the surrounding fire conditions. Do not use water jets.
Protective equipment	in the event of fire, wear self-contained breathing apparatus, suitable gloves and boots.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions	Wear suitable protective clothing, gloves and eye/face protection. See section 8.
Environmental precautions	prevent further leakage or spillage if safe to do so..
Clean up methods	Clean up promptly by sweeping. Transfer to a suitable labelled container. Subsequently, wash the contaminated area with water, taking care to prevent the washings entering sewers or drains.

7. HANDLING AND STORAGE

Handling	Avoid contact with eyes and skin. Avoid formation of dust. Do not smoke eat or drink while handling this product . Always use good personal hygiene procedures when handling chemicals. Wash hands and face before eating, drinking or smoking. Read the label before use. Unlikely to produce dust as the product is a wax block.
Storage	Keep in a cool, dry, well ventilated area. Keep out of the reach of children. Keep away from food and animal feedstuffs. Keep away from oxidising agents.
Specific use	Ready for use rodenticide containing 50ppm bromadiolone.

Brigand WB

Revision 1
Revision date 30-Jun--2010

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Exposure limits

propane-1,2-diol (Propane-1,2-diol particulates)	WEL 8-hr limit ppm: - WEL 15 min limit ppm: -	WEL 8-hr limit mg/m3: 10 WEL 15 min limit mg/m3: -
propane-1,2-diol (Propane-1,2-diol total vapour and particulates)	WEL 8-hr limit ppm: 150 WEL 15 min limit ppm: -	WEL 8-hr limit mg/m3: 474 WEL 15 min limit mg/m3: -
Sugar (Sucrose)	WEL 8-hr limit ppm: - WEL 15 min limit ppm: -	WEL 8-hr limit mg/m3: 10 WEL 15 min limit mg/m3: 20
Paraffin Wax	WEL 8-hr limit ppm: WEL 15 min limit ppm:	WEL 8-hr limit mg/m3: 2 WEL 15 min limit mg/m3: 6
Paraffin Wax (Paraffin wax, fume)	WEL 8-hr limit ppm: - WEL 15 min limit ppm: -	WEL 8-hr limit mg/m3: 2 WEL 15 min limit mg/m3: 6

Respiratory protection Unlikely to present an inhalation hazard unless excessive dust is present. If levels approach the WEL, then suitable approved respiratory protection should be worn.

Hand protection impervious gloves.

Eye protection Tight fitting goggles if exposed to excessive dust.

Protective equipment impervious clothing, boots..

9. PHYSICAL AND CHEMICAL PROPERTIES

Description	Waxy Solid.
Colour	Red.
Odour	Slight.
Flammability limits	Combustible
Relative density	Not available
Melting point	~ 60 (for the wax)°C

10. STABILITY AND REACTIVITY

Stability	Stable under normal conditions.
Conditions to avoid	Heat, sparks and open flames.
Materials to avoid	Oxidising agents.
Hazardous decomposition products	Combustion or thermal decomposition will produce toxic and irritant fumes.

Brigand WB

Revision 1
Revision date 30-Jun--2010

11. TOXICOLOGICAL INFORMATION

Toxicological information

Denatonium benzoate Oral Rat LD50 = 749 mg/kg
Inhalation Rat LC50/4 h = 0.2 mg/l

propane-1,2-diol Oral Rat LD50 >2000 mg.kg

Bromadiolone Dermal Rat LD50 = 23 mg/kg
Oral Rat LD50 < 5mg/kg

Acute toxicity ORL RAT LD50 approx 20g/Kg (calculated).
Corrosivity No irritation expected.
Sensitization Grain Dust and flour dust are respiratory sensitizers causing asthma. As the product is a solid, it is unlikely to cause any problems during normal use.
Mutagenic effects No evidence to suggest anticoagulant rodenticides are mutagenic.
Carcinogenic effects No evidence to suggest anticoagulant rodenticides are carcinogenic.

12. ECOLOGICAL INFORMATION

Ecotoxicity As the product contains 50ppm bromadiolone, unlikely to be hazardous to aquatic life.

propane-1,2-diol Daphnia EC50/48h = 100 mg/l
Fish LC50/96h = 100 mg/l

Bromadiolone Daphnia EC50/48h = 5.79 mg/l
Rainbow trout LC50/96h = 2.89 mg/l

Further information Harmful to wildlife. Read all precautions before use.

13. DISPOSAL CONSIDERATIONS

General information Dispose of in compliance with all local and national regulations.

Disposal of packaging Empty containers can be sent to landfill after cleaning, if in compliance with local and national regulations.

14. TRANSPORT INFORMATION

Further information Not classified as dangerous for transport.

Brigand WB

Revision 1
Revision date 6-May-2010

15. REGULATORY INFORMATION

Labelling Not classified as a dangerous preparation

16. OTHER INFORMATION

Text of risk phrases in Section 3.

R20 - Harmful by inhalation.
R22 - Harmful if swallowed.
R27/28 - Very toxic in contact with skin and if swallowed.
R37 - Irritating to respiratory system.
R38 - Irritating to skin.
R41 - Risk of serious damage to eyes.
R43 - May cause sensitisation by skin contact.
R48/24/25 - Toxic: danger of serious damage to health by prolonged exposure in contact with skin and if swallowed.
R50 - Very toxic to aquatic organisms.
R50/53 - Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.
R52/53 - Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

Restricted use ready for use rodenticide containing 50 ppm bromadiolone.

Data sources EEC Directive 67/548 as amended. EH40. Raw material suppliers Safety Data Sheets.