## EPIC

## **Granular Repellents Applied with a Spreader!**

America's Finest™



ITEM# 5882 • 22 lb. (9.98 kg) • COVERAGE: Approx. 13,200 sq ft

**Vole Scram Professional** is an organic, granular repellent used to reduce and eliminate Voles from lawn, turf and infested beds. Vole Scram Pro will safely and naturally stop vole infestation when used as directed.


**Apply Vole Scram** with a broadcast spreader using the settings below or apply by hand with scoop in beds, mulch or rough grass. **Voles are predominately active under snow covering during winter months.** Early Sept, Early Oct. apply a 20 foot band to the perimeter of the property where voles are nesting during the summer months. This will help reduce voles from entering the property.

<u>Directions For Northern Snowfall</u>
<u>Regions:</u> First Application (*Late*<u>October After Irrigation Is Off</u>) Apply
to areas that have repeated winter
vole infestation each year.

Second Application (November 14 Days After first application) Re-apply to the same areas prior to snowfall (Voles problems seem to be heaviest in areas where snow drifting occurs). Third Application (Early Spring to

Late Winter) Apply immediately after snow melt.

<u>Directions For Midwest & Southern Regions:</u> Apply 2 applications, 2 weeks apart, to areas that are showing vole damage. Repeat again 30 days after 2<sup>nd</sup> application.



America's Finest™

ARMADILIO

CRANTM

PROFESSIONAL

ITEM# 5725 • 22 lb. (9.98 kg) • COVERAGE: Approx. 13,200 sq ft

**Armadillo Scram Professional** repels armadillos and stops digging damage in two ways: Food and surrounding soil tastes bad, and the armadillo burrows become bad smelling.

**To Apply: DAY 1:** Apply with spreader. Cover the entire area where armadillo damage has occurred and up to boundaries where armadillos have entered. Extend the coverage to about thirty (30) feet around and beyond the damaged area within large properties. Hand sprinkle, using the scoop provided, within damaged garden plots and

beds. Look behind shrubs and along buildings for excavated nesting areas and apply liberally within them. If burrow entrances can be located, drop a half scoop into each hole and flush down thoroughly with water.

DAY 14 Application: Reapply Armadillo Scram Professional in 14 days after the initial application. Reapply every thirty days thereafter. Heavy or extended

periods of rainfall will shorten the effective period.

30 FEET Beyond Damage

Armadillos do not hibernate and are active all year throughout their range. Use Armadillo Scram Pro year round where damage or an infestation occurs.

## America's Finest\*\* | Marica's Finest\*\* | Mari

ITEM# 5225 • 22 lb. (9.98 kg) • COVERAGE: Approx.15,000 sq ft

Mole Scram Professional all natural ingredients and formula allow it to leach into the ground to coat worms & bugs - the moles' main food source with a bad taste. It also makes the mole's tunnels and surrounding soil smell disagreeable to them. These changes to mole's environment drive them out of the application zone.

For Quoting Mole Applications: Measure an area that extends 30 feet beyond the infested area to obtain total square feet (length x width = square feet). Apply by using a broadcast spreader. Brand specific settings are included in Applications Instructions within each bucket.

**Day 1 Application:** In a radius extending past the infested area at least 30 feet, apply Mole Scram Pro to this entire area. **Water In!** Mole Scram Pro should be watered in for 20 minutes after each application.



**Day 14 Application:** Reapply Mole Scram Professional two weeks after initial treatment. Water in. Reapply every 30 days thereafter.

Moles are most visibly active during wet seasons, when worm activity near the surface is greatest. Use preventative applications in early fall and early spring, and in mid-winter in southern regions.

Specific golf course applications available upon request.

## America's Finest™ COPURS CRAM PROFESSIONAL

ITEM# 5325 • 22 lb. (9.98 kg) COVERAGE: Approx. 13,750 sq ft

**Gopher Scram Professional** alters pocket gophers' environment by making their food source dis-agreeable to taste and making surrounding soil smell bad.

**To Quote:** Estimate dimensions of the affected area, add 30 feet to the dimensions, and calculate square feet to be covered.

**2-Step Application:** DAY 1: STEP 1. Using a broadcast spreader, cover entire area where gopher damage is present. Application should extend 30 ft. around or beyond the infested area (indicated by mounds & plant damage). STEP 2. Locate mound, sprinkle about 3 oz.(1/8 of a scoop or a small handful) into mound. Open plugged mounds to access & apply Gopher Scram Professional. Refill opened

mounds with soil. **WATER** the application area for approximately 20 minutes

DAY 14 Application: Apply Gopher Scram Professional by repeating Day One steps. Repeat every 30 days thereafter.

Pocket gophers are active throughout the year and do not hibernate. Peak times for mound building activity begin in spring and continue through fall.

