### PRECAUTIONARY STATEMENTS

# HAZARDS TO HUMANS AND DOMESTIC ANIMALS

# CAUTION

Harmful if inhaled or absorbed through skin. Causes moderate eve irritation. Avoid contact with skin, eves, or clothing. Avoid breathing vapors or spray mist. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, or using tobacco. Remove and wash contaminated clothing before reuse.

### PHYSICAL OR CHEMICAL HAZARDS

Highly Flammable Ingredient



Ingrediente Altamente Inflamable

Flammable. Contents under pressure. Do not store near heat or open flame. Do not puncture or incinerate container. Exposure to temperatures above 130°F may cause bursting. This product contains a highly flammable ingredient. It may cause a fire or explosion if not used properly. Follow the Directions for Use on this label very carefully.

# DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

Authorized for Use in Federally Inspected Meat, Milk and Poultry Plants.

Avoid contamination of food or feedstuffs...

Remove pets, birds, and cover fish aquariums before spraying.

### SHAKE WELL REFORE LISE, KEEP CONTAINER LIPRIGHT.

DO NOT use more than one fogger per room. DO NOT use in small, enclosed spaces such as closets, cabinets or under counters or tables. Do not use in a room 5 ft x 5 ft or smaller: instead, allow fog to enter from other rooms, Turn off ALL ignition sources such as pilot lights (shut off gas valves), other open flames or running electrical appliances that cycle off and on (i.e., refrigerators, thermostats. etc.). Call your gas utility or management company if you need assistance with your pilot lights.

Do not apply when food processing facility is in operation or foods are exposed. Cover or remove all food and food processing equipment before application. Thoroughly wash all food processing surfaces before reuse. After spraying in bakeries, meat packing plants, food processing plants, etc., all benches, shelving, equipment, etc. where exposed food will be handled must be washed with an effective cleaning compound followed by a potable water rinse to remove all traces of contamination. In the home, all food processing surfaces and utensils should be covered during treatment or thoroughly washed before use. Exposed food should be covered or removed.

Food areas include areas for receiving, storage, packaging (canning, bottling, wrapping, boxing), preparing, edible waste storage and enclosed processing systems (mills, dairies, edible oils, syrups). Serving areas are places where prepared foods are served, such as dining rooms, but not excluding areas where foods may be prepared or held. Non-food areas include entries and vestibules, offices, locker rooms, machine rooms. boiler rooms, garages, mon closets and storage (after canning or bottling).

Do not treat establishments where livestock feed is present.

This product will kill ants, cockroaches, confused flour beetles. crickets, fleas, houseflies, mosquitoes, rice weevils, sawtoothed grain beetles, small flying moths, sow bugs, spiders and ticks.

Cover exposed food, dishes and food-handling equipment. Open cabinets and doors in area to be treated. Shut off fans and air conditioners. Close doors and windows. Point valve opening away from face when releasing. Use one unit for each 6,000 cubic feet of unobstructed area (a room 30' x 25' with an 8 foot ceiling). Do not remain in the area during treatment and ventilate thoroughly before reentry.

TO OPERATE VALVE: Place several layers of newspaper or pad on stand or table in the center of the room. Point valve opening away from face. To lock valve in open position for automatic discharge, press valve button all the way down, hooking the catch. Then place fogger on stand or table with valve locked open. Leave building at once and keep building closed for two hours before airing out. Open all doors and windows and allow to air for 30 minutes. Repeat spraying in two weeks.

To Kill Ticks and Fleas: Destroy pet's old bedding and replace with clean, fresh bedding after treatment is completed. Use product as above. Pets should be treated with a registered flea and tick control product prior to reentering treated premises. Also, treat your yard with a product registered for yard application.

# STORAGE AND DISPOSAL

STORAGE: Store in a cool, dry place. Keep container closed. DISPOSAL: Do Not Puncture or Incinerate! If Empty: Place in trash or offer for recycling if available. If Partly Filled: Call your local solid waste agency or 1-800-CLEANUP for disposal instructions.

SPECKOZ™ – Trademark of SPECKOZ, Inc. EVERCIDE, MGK® - Registered trademark of McLaughlin Gormley King Company

Manufactured for SPECK07 100 North Point Center, Suite 330, Alpharetta GA 30022 Product 2602-01

EPA Reg. No. 1021-1635-72113

EPA Est. No. 47000-IA-1





Federal Regulations prohibit CFC propellants in aerosols.

# **SPECKŌZ EVERCIDE**° **Total Release Aerosol**

# **Water Base Formula**

For Use in Homes, Rooms and Food and Non-Food Areas of Food Processing Plants, Restaurants, Industrial Buildings: Schools, Warehouses, Office Buildings, Theaters, Garages, Hotels, Motels, Hospitals and Kennels.

# One Unit Treats Up To 6,000 Cubic Feet.

one one freuts of to 0,000 cub.	ic r cci
ACTIVE INGREDIENTS:	
Pyrethrins	
* Piperonyl butoxide, Technical	0.100%
** N-Octyl bicycloheptene dicarboximide	0.167%
(S)-cyano(3-phenoxyphenyl)methyl-(S)-4-chloro-	
alpha-(1-methylethyl)benzeneacetate	
OTHER INGREDIENTS	99.583%
	100 000%

- \* Equivalent to 0.080% (butylcarbityl)(6-propylpiperonyl) ether and 0.020% related compounds
- \*\* MGK® 264, Insecticide Synergist

IF IN FYES:

- **FIRST AID** IF SWALLOWED: . Immediately call a poison control center or doctor.
  - . Do not induce vomiting unless told to do so by a poison control center or doctor
  - . Do not give any liquid to the person.
  - . Do not give anything by mouth to an unconscious person
    - . Hold eye open and rinse slowly and gently with water for 15-20 minutes.
    - . Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eyes
    - . Call a poison control center for treatment advice.

# IF ON SKIN OR

- . Take off contaminated clothing. . Rinse skin immediately with plenty of water for 15-20 minutes.
- · Call a poison control center or doctor for treatment advice.
- IF INHALED:
  - If person is not breathing, call 911 or an ambulance, then give artificial respiration.
  - - preferably mouth-to-mouth if possible.
    - Call a poison control center or doctor for further treatment advice.

NOTE TO PHYICIAN: Have the product container or label with you when calling a poison control center or doctor, or going for treatment. For information regarding medical emergencies or pesticide incidents, call the International Poison Center at 1-888-740-8712.

# **KEEP OUT OF REACH OF CHILDREN** CAUTION **NET WEIGHT 6 OZ.**