



## **FLYSECT®**

### **SUPER-C REPELLENT CONCENTRATE**

**FOR USE ON HORSES OR FOALS**

*With Pyrethrins, Permethrin, Lanolin, Aloe Vera and Paba Sunscreen  
For immediate and temporary control of face flies, stable flies,  
horse flies, deer flies, mosquitoes, gnats & chiggers*

**ACTIVE INGREDIENTS:**

Permethrin*	1.00%
Pyrethrins	0.50%
Piperonyl Butoxide, Technical**	1.85%
N-Octyl bicycloheptene dicarboximide	3.10%
Di-n-propyl Isocinchomeronate	2.50%

**OTHER INGREDIENTS:** ..... 91.05%

**TOTAL** ..... 100.00%

\*[(3-phenoxy phenol) methyl (+) cis, trans -3(2,2-dichloroethenyl) 2,2-dimethyl cyclopropane carboxylate] cis/trans isomer ratio: Min 35% (+) cis Max 65% (+) trans

\*\*Equivalent to 1.48% (Butylcarbityl)(6-Propylpiperonyl) ether and 0.37% related compounds.

KEEP OUT OF REACH OF CHILDREN

**CAUTION**

SEE BACK PANEL FOR ADDITIONAL  
PRECAUTIONARY STATEMENTS

EPA Reg. No. 270-301

(A) EPA Est. No. 11715-TN-01

(B) EPA Est. No. 67572-GA-1

Circled letter before EPA Est. No. corresponds to  
the first letter of the lot number on bottom of container

Net Contents: 16 fl oz (1 pt) (473 ml)

RM # 2008956 07-1440

**READ ENTIRE LABEL BEFORE EACH USE - USE ONLY ON HORSES OR FOALS - DIRECTIONS FOR USE:** It is a violation of Federal law to use this product in a manner inconsistent with its labeling. Do not apply over cuts, wounds, or irritated skin. Do not apply near eyes and mouth. Apply sparingly around ears. **SHAKE WELL BEFORE USE.** Thoroughly brush the horse's coat, prior to application, to remove loose dirt and debris. For dirty horses, and as a preparation for show grooming, clean the coat with a quality shampoo. Use at a 1 to 4 ratio with water. Put required amount of concentrate into sprayer or mixing container and add appropriate amount of water (one pint of concentrate makes five pints of spray). Cover entire surface of animal with spray, but avoid getting product into horse's eyes or other sensitive areas such as mouth or nose. Spray horse's coat especially around shoulders, flanks, neck and legs. Brush coat against grain while spraying to insure adequate penetration of product. Make sure application has completely dried on hair coat before covering with tack. As a wipe, apply liberally with a clean cloth or sponge. For initial treatment, apply daily. As infestation subsides and protection builds, reapply every 2-3 days as needed. Also, reapply every time animal is washed or exposed to a heavy rain. Do not use on horses or foals intended for slaughter. • **PRECAUTIONARY STATEMENTS - HAZARDS TO HUMANS AND DOMESTIC ANIMALS - CAUTION HUMANS:** Causes substantial but temporary eye injury. Harmful if swallowed, inhaled or absorbed through the skin. Avoid contact with skin, eyes or clothing. Avoid breathing spray mist. Wear goggles, face shield or safety glasses. Wash thoroughly with soap and water after handling. Remove contaminated clothing and wash before reuse. This product may cause allergic reactions in some people. **HORSES:** Avoid contact with eyes or mucous membranes. Do not treat foals under 12 weeks of age. Do not use on horses or foals intended for slaughter. Consult a veterinarian before using this product on debilitated, aged, pregnant or nursing animals. Sensitivities may occur after using ANY pesticide product for pets. If signs of sensitivity occur, bathe your pet with mild soap and rinse with large amount of water. If signs continue, consult a veterinarian immediately.

**FIRST AID: IF SWALLOWED:** Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by the poison control center or doctor. Do not give anything by mouth to an unconscious person. **IF INHALED:** Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth if possible. Call a poison control center or doctor for further treatment advice. **IF ON SKIN OR CLOTHING:** If you suspect a reaction to this product: Discontinue use. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice. **IF IN EYES:** Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice. In case of medical emergencies or health and safety inquiries, or in case of fire, leaking or damaged containers or for product use information, Call 1-800-234-2269. Have the product container or label with you when calling a poison control center or doctor, or going for treatment.

**PHYSICAL OR CHEMICAL HAZARDS:** Keep away from heat and open flame. Do not apply to painted or finished wood surfaces. **ENVIRONMENTAL HAZARDS:** This pesticide is toxic to fish. Do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate water when disposing of equipment washwaters. **STORAGE & DISPOSAL: STORAGE:** Store in a cool, dry area. Do not contaminate water, food or feed by storage or disposal. **DISPOSAL: If empty:** Do not reuse this container. Place in trash or offer for recycling if available. **If partly filled:** Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

FARNAM COMPANIES, INC. Horse Products Division, P.O. Box 34820, Phoenix, AZ 85067-4820  
©2000, 2003, 2007 Farnam Companies, Inc. Product Code: 3006289 RM # 2008957 07-1440





# FLYSECT®

## SUPER-C REPELLENT CONCENTRATE

FOR USE ON HORSES OR FOALS

*With Pyrethrins, Permethrin, Lanolin, Aloe Vera and Paba Sunscreen*  
*For immediate and temporary control of face flies, stable flies,*  
*horse flies, deer flies, mosquitoes, gnats & chiggers*

### ACTIVE INGREDIENTS:

Permethrin*	1.00%
Pyrethrins	0.50%
Piperonyl Butoxide, Technical**	1.85%
N-Octyl bicycloheptene dicarboximide	3.10%
Di-n-propyl Isocinchomeronate	2.50%

OTHER INGREDIENTS: 91.05%

TOTAL 100.00%

\*[(3-phenoxy phenol) methyl (+) cis, trans -3(2,2-dichloroethenyl) 2,2-dimethyl cyclopropane carboxylate] cis/trans isomer ratio: Min 35% (+) cis Max 65% (+) trans

\*\*Equivalent to 1.48% (Butylcarbityl)(6-Propylpiperonyl) ether and 0.37% related compounds.

KEEP OUT OF REACH OF CHILDREN

**CAUTION**

SEE BACK PANEL FOR PRECAUTIONARY STATEMENTS

Net Contents: 32 fl oz (1 qt) (946 ml)

RM# 2008958  
07-1441

**READ ENTIRE LABEL BEFORE EACH USE - USE ONLY ON HORSES OR FOALS**

**DIRECTIONS FOR USE:** It is a violation of Federal law to use this product in a manner inconsistent with its labeling. Do not apply over cuts, wounds, or irritated skin. Do not apply near eyes and mouth. Apply sparingly around ears. **SHAKE WELL BEFORE USE.** Thoroughly brush the horse's coat, prior to application, to remove loose dirt and debris. For dirty horses, and as a preparation for show grooming, clean the coat with a quality shampoo. Use at a 1 to 4 ratio with water. Put required amount of concentrate into sprayer or mixing container and add appropriate amount of water (one pint of concentrate makes five pints of spray). Cover entire surface of animal with spray, but avoid getting product into horse's eyes or other sensitive areas such as mouth or nose. Spray horse's coat especially around shoulders, flanks, neck and legs. Brush coat against grain while spraying to insure adequate penetration of product. Make sure application has completely dried on hair coat before covering with tack. As a wipe, apply liberally with a clean cloth or sponge. For initial treatment, apply daily. As infestation subsides and protection builds, reapply every 2-3 days as needed. Also, reapply every time animal is washed or exposed to a heavy rain. Do not use on horses or foals intended for slaughter.

**PRECAUTIONARY STATEMENTS - HAZARDS TO HUMANS AND DOMESTIC ANIMALS - CAUTION: HUMANS:** Causes substantial but temporary eye injury. Harmful if swallowed, inhaled or absorbed through the skin. Avoid contact with skin, eyes or clothing. Avoid breathing spray mist. Wear goggles, face shield or safety glasses. Wash thoroughly with soap and water after handling. Remove contaminated clothing and wash before reuse. This product may cause allergic reactions in some people. **HORSES:** Avoid contact with eyes or mucous membranes. Do not treat foals under 12 weeks of age. Do not use on horses or foals intended for slaughter. Consult a veterinarian before using this product on debilitated, aged, pregnant or nursing animals. Sensitivities may occur after using ANY pesticide product for pets. If signs of sensitivity occur, bathe your pet with mild soap and rinse with large amount of water. If signs continue, consult a veterinarian immediately.

**FIRST AID: IF SWALLOWED:** Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by the poison control center or doctor. Do not give anything by mouth to an unconscious person. **IF INHALED:** Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth if possible. Call a poison control center or doctor for further treatment advice. **IF ON SKIN OR CLOTHING:** If you suspect a reaction to this product: Discontinue use. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice. **IF IN EYES:** Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice. **In case of medical emergencies or health and safety inquiries, or in case of fire, leaking or damaged containers or for product use information, Call 1-800-234-2269.** Have the product container or label with you when calling a poison control center or doctor, or going for treatment.

**PHYSICAL OR CHEMICAL HAZARDS:** Keep away from heat and open flame. Do not apply to painted or finished wood surfaces.

**ENVIRONMENTAL HAZARDS:** This pesticide is toxic to fish. Do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate water when disposing of equipment washwaters.

**STORAGE & DISPOSAL: STORAGE:** Do not contaminate water, food or feed by storage or disposal. Store in a cool, dry place inaccessible to children and pets. **DISPOSAL: If empty:** Do not reuse this container. Place in trash or offer for recycling if available. **If partly filled:** Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

