Hi-Yield[®] Basal Oil Blue



- Increases accuracy in basal-bark, cut stump and dormant stem brush control applications
- Bright blue dve for easy identification of where you have sprayed

FOLLOW RECOMMENDATIONS AND LABEL RATES OF HERBICIDE MANUFACTURERS.

KEEP OUT OF REACH OF CHILDREN

WARNING/ADVERTENCIA

Si usted no entiende la etiqueta, busque a alguien para que se la explique a usted en detalle. (If you do not understand this label, find someone to explain it to you in detail.)

ACTIVE INGREDIENT:

Paraffin Oil, Surface Active Compounds and Coupling Agents 100.0%

NET CONTENTS ONE QUART (32 FL. OZ. / 946 ML)

=
8
=
0
Basal
<u>8</u>
Ф
⊱
≐

e

FIRST AID Call a poison control center or doctor immediately for treatment advice • Immediately call a poison control center or doctor. Swallowed: Do not induce vomiting unless told to do so by a poison control center or doctor. . Do not give any liquid to the person. . Do not give anything by mouth to an unconscious person. If on Skin · Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Clothing: . Move person to fresh air. If person is not breathing, call 911 or If Inhaled: an ambulance, then give artificial respiration, preferably mouth to mouth if possible. If in Eyes: . Hold eye open and rinse slowly and gently with water for 15-20

Remove contact lenses if present, after the first 5 minutes, then



minutes.

continue rinsina eve



GENERAL INFORMATION

HI-YIELD® BASAL OIL BLUE is a unique, highly emulsified low viscosity non-aromatic/non-carcinogenic diluent with select surface-active compounds and coupling agents. HI-YIELD® BASAL OIL BLUE is developed specifically for basal-bark and cut-surface brush control applications.

USE RECOMMENDATIONS

HI-YIELD® BASAL OIL BLUE can be used at dilution ratios of 1:4 (20%) 32 oz. per gallon of finished product or 1:3 (25%) 25.6 oz. per gallon of finished spray when following the herbicide manufacturers' label recommendations.

Treat thoroughly to the lower 18" around the entire stem or trunk. Treat the root collar area and any exposed roots. Do not spray to run down or puddle.

NOTE: Use rates may vary dependent on environmental conditions and applications. Increase rates as necessary for additional wetting and penetration.

STORAGE AND DISPOSAL

STORAGE: Store in a cool well-ventilated place. Keep in original container tightly closed. Do not reuse empty container. Do not store with food, feed, or other material to be used or consumed by humans or animals. Do not contaminate water supplies. For optimal storage, store between 40° and 90° F.

DISPOSAL: Do not contaminate water, food or feed by storage or disposal. Dispose of contents in container to an approved waste disposal facility in accordance with all federal, state and local regulations. Triple rinse (or equivalent) adding rinse water to ap-plication tank. Offer container for recycling or dispose of in a sani-tary landfill or by other procedures approved by local regulations. The Agricultural Container Recycling Council (ACRC) operates the national recycling program. To contact your state and local ACRC recycler visit the ACRC web page at www.acrecycle.org

Inherent Risks of Use: It is impossible to eliminate all risks associated with use of this product. Plant injury, lack of performance, or other unintended consequences may result because of such fac-tors as use of the product contrary to label instructions (including conditions noted on the label, such as unfavorable temperature, soil conditions, etc.), abnormal conditions (such as excessive rain-fall, drought, tornadoes, nurricanes), presence of other materials, the manner of application, or other factors, all of which are beyond the control of Voluntary Purchasing Groups, Inc., LLC or the seller. All such risks shall be assumed by buyer.

Manufactured By:

VPG Survivary
Survivaring
Groups, Inc.
230 FM 87
BONHAM, TEXAS 75418
Product Questions?
855-270-4776

31032-0520-REG

