



BAYER
ADVANCED

3-in-1



Insect, Disease, & Mite Control

READY-TO-USE

**For use on ROSES,
FLOWERS & SHRUBS**

Para uso en rosas, flores y arbustos

- **Kills aphids, spider mites,
Japanese beetles & more**
- **Cures & prevents diseases**

Active Ingredients:
Imidacloprid 0.012%
Tau-Fluvalinate 0.014%
Tebuconazole 0.015%
Other Ingredients 99.959%
Total 100.000%

KEEP OUT OF REACH OF CHILDREN

CAUTION

See back panel booklet for additional precautionary statements
Not for sale, sale into, distribution and/or use in Nassau, Suffolk, Kings, and Queens counties of New York



**Up to 30 Days
Protection**

NET CONTENTS 24 FL OZ (709ml)





BAYER
ADVANCED

3-in-1

**Insect, Disease, &
Mite Control**

READY-TO-USE

PRECAUTIONARY STATEMENTS (cont'd)

CAUTION Hazards to Humans and Domestic Animals

- Harmful if swallowed or absorbed through skin.
- Avoid contact with skin, eyes, or clothing.
- Avoid breathing spray mist.
- Wash thoroughly with soap and water after handling.
- Remove contaminated clothing and wash clothing before reuse.

FIRST AID +

**IF
SWALLOWED**

- Call a poison control center or doctor immediately for treatment advice.
- Have person sip a glass of water if able to swallow.
- Do not induce vomiting unless told to do so by a poison control center or doctor.
- Do not give anything to an unconscious person.

**IF ON
SKIN OR
CLOTHING**

- Take off contaminated clothing.
- Rinse skin immediately with plenty of water for 15-20 minutes.
- Call a poison control center or doctor for treatment advice.

NOTE: Have the product container or label with you when calling a poison control center or doctor, or going for treatment.

For medical emergency information, you may call toll-free 1-877-229-3763.

Active Ingredients: Imidacloprid [CAS # 138261-41-3], Tau-fluvalinate [CAS #102851-06-9], Tebuconazole [CAS #107534-96-3]

NOTICE: Research and testing have determined that the "Directions For Use" are appropriate for the proper use of this product under expected conditions. To the extent consistent with applicable law the Buyer assumes responsibility for lack of performance or safety if not used according to the directions.

***Money Back Guarantee:** If you are not satisfied with this product, we will gladly refund your original purchase price.

Produced for:
Bayer Advanced,
A Business Unit of Bayer CropScience LP
P.O. Box 12014, 2 T.W. Alexander Drive
Research Triangle Park, NC 27709

EPA Reg. No. 72155-71

EPA Est. No indicated by 3rd and 4th digits
of the batch number on this package.

(65) = 432-TX-1 (39) = 58996-MO-1
(49) = 072155-AL-001 (13) = 071106-GA-001

Bayer (reg'd), Bayer Cross (reg'd) Merit®, and Bayer Advanced™
are trademarks of Bayer.

PRESS TO RESEAL

79217811c R.2

PELIGROS AMBIENTALES

• Este producto es altamente tóxico para los peces y los organismos acuáticos. • No aplicar directamente al agua o en áreas donde haya aguas superficiales o áreas entre mareas por debajo de la marca de agua media. • Para proteger el medio ambiente, no permitir que el pesticida ingrese o se escurra en las bocas de tormenta, zanjas, alcantarillas o aguas superficiales. Aplicar este producto cuando el clima esté calmo y no haya probabilidad de lluvia para las 24 horas siguientes, ayudará a garantizar que el viento o la lluvia no dispersen o escurran el pesticida del área de tratamiento. • Este pesticida es tóxico para las abejas. • No aplicar este producto cuando las abejas estén en actividad. • Aplicar este producto sólo como se especifica en esta etiqueta.

MANTENER FUERA DEL ALCANCE DE LOS NIÑOS

DECLARACIONES DE PRECAUCIÓN

PRECAUCIÓN Peligros para seres humanos y animales domésticos

• Es perjudicial si se ingiere o absorbe por la piel. • Evitar el contacto con los ojos, piel o ropa. • Evitar respirar el humo del rocío. • Lavarse bien con agua y jabón después de manipular este producto. • Quitar y lavar la ropa contaminada antes de volver a utilizar.

PRIMEROS AUXILIOS +

EN CASO DE INGESTIÓN

• Llamar inmediatamente a un médico o a un centro de control de envenenamiento para consultas sobre el tratamiento. • Hacer que la persona beba tragos de agua, si puede tragar. • No inducir el vómito a menos que lo indique un centro de control de envenenamiento o el médico. • No administrar nada por boca a una persona inconsciente.

EN CASO DE CONTACTO CON LA PIEL O ROPA

• Quitar la ropa contaminada. • Enjuagar a piel inmediatamente con abundante agua durante 15 a 20 minutos. • Llamar a un médico o a un centro de control de envenenamiento para consultas sobre el tratamiento.

NOTA: Tener a mano el contenedor o la etiqueta del producto al llamar al centro de control de envenenamiento, a un médico o al concurrir a un tratamiento. Para solicitar información médica de emergencia, llamar al número gratuito 1-877-229-3763.

Ingredientes activos: imidacloprida [CAS N° 138261-41-3], tauflualinato [CAS N° 102851-06-9], tebuconazol [CAS N° 107534-96-3]

NOTA: Investigaciones y pruebas han determinado que las "Indicaciones de uso" son las adecuadas para el uso apropiado de este producto bajo las condiciones previstas. Hasta donde lo permita la ley vigente, el Comprador asume la responsabilidad por la falta de rendimiento o seguridad si no se usa según las indicaciones.

***Garantía de devolución de dinero:** Si usted no está satisfecho con este producto, gustosamente le reembolsaremos el monto original del precio de compra.



BAYER
ADVANCED

3-in-1

**Insect, Disease,
& Mite Control**

READY-TO-USE

This product's exclusive triple protection formula provides fast, easy and efficient control against insects, mites and diseases in one easy step. Growing beautiful plants has never been easier!

READ THE LABEL FIRST!

QUICK FACTS

- Kills Insects on Contact • Keeps on Killing for Up To 30 Days
- Highly Effective Against Mites • Cures & Prevents Diseases
- Ready-to-Use ... No Mixing, No Measuring

KILLS

Aphids, caterpillars, Japanese beetles, leafminers, spider mites, whiteflies, and other listed pests.

DISEASES CONTROLLED

Anthrachnose, black spot, leaf spot, petal blight, powdery mildew, rust, and scab.

WHERE TO USE

Roses, flowers, houseplants, ground covers, vines, ornamentals, shrubs, and trees
For use on non-edible plants only

WHEN TO USE

To prevent insect, mite, or disease infestations or control them when they first appear.



For questions or comments,
call toll-free 1-877-BayerAG (1-877-229-3724)

ACTIVE INGREDIENTS:

Imidacloprid 0.012%

Tau-fluvalinate 0.014%

Tebuconazole 0.015%

OTHER INGREDIENTS 99.959%

TOTAL 100.000%

FOR RESIDENTIAL USE ONLY

Imidacloprid is the chemical name for Merit®

EPA Reg. No. 72155-71

EPA Est. No. indicated by 3rd and 4th digits of the batch number on this package.

(65) = 432-TX-1 (39) = 58996-MO-1

(49) = 072155-AL-001 (13) = 071106-GA-001

79217811C R.2



6 87073 01290 3

OPEN
Resealable Label
for Directions &
Precautions



Indicaciones
en español
después de las
de inglés

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

For best results, be sure to read and follow all label directions.

BEFORE YOU USE Read and follow these directions	• Apply the product to flowering plants during early morning or late evening, when bees are not present. • Do not spray the product into fish pools, ponds, streams, or lakes. • Remove animal feeding dishes prior to application. • Do not use in small, enclosed areas where spray may be inhaled. • For houseplants, move them outside, treat, let dry, and bring back indoors. • Do not apply to fruits or vegetables used for food.
WHEN TO USE	• When insects, mites, or disease first appear. • To avoid serious damage, eliminate pests and diseases early in the season before they multiply.
HOW TO APPLY Shake well before use	• Adjust nozzle to desired spray pattern. • Hold sprayer about 12 inches from foliage. • Spray leaves, stems and tender new shoots. • Apply until both sides of the leaves are evenly coated with spray, but not dripping. 
HOW OFTEN	• Kills insects on contact and keeps on killing for up to 30 days. • For diseases, repeat every 7 to 14 days as necessary.
HOW IT WORKS	This product provides 3 way action: kills existing pests, forms protective barrier on outside of plant and is absorbed into the plant regardless of weather conditions.
KILLS	Adelgids, Aphids, Armyworms, Bagworms, Beetles, Boxelder bugs, Budworms, Cankerworms, Caterpillars, Chinch bugs, Clover mites, Crickets, Cucumber beetles, Cutworms, Earwigs, Elm leaf beetles, Firebrats, Flea beetles, Flies, Fungus gnats, Grasshoppers, Gypsy moth larvae, Japanese beetles (adult), Lace bugs, Leaf-feeding beetles, Leaf-feeding caterpillars, Leafhoppers (including Glassy-winged sharpshooter), Leafminers (including Birch leafminers and Holly leafminers), Loopers, Mealybugs, Midges, Mites, Mosquitoes, Pillbugs, Plant bugs, Psyllids, Rose midges,

(cont'd)

DIRECTIONS FOR USE (cont'd)

KILLS (cont'd)

Rose slugs, Sawflies, Scale insects (crawler stages), Silverfish, Sowbugs, Spider mites, Spittlebugs, Stink bugs, Thrips, Two-spotted spider mites, Viburnum leaf beetle, Webworms, Weevils (including adult root weevils), Whiteflies

DISEASES CONTROLLED	PLANTS
Black Spot, Powdery Mildew, Rust	Roses
Leaf Spot, Powdery Mildew, Rust	Flowers
Anthrachnose, Leaf Spot, Powdery Mildew, Rust, Scab	Crabapples (ornamental), Dogwoods and Other Small Landscape Trees
Anthrachnose, Black Spot, Leaf Spot, Petal Blight, Powdery Mildew, Rust	Azaleas, Camellias, Rhododendrons, and Other Landscape Shrubs, Ground Covers, and Vines
Leaf Spot, Powdery Mildew	Houseplants

To treat existing disease: apply at least 3 times, every 7-14 days apart beginning at the first sign of disease.

To prevent diseases: apply at least 3 times, every 7-14 days apart during the growing season, starting when new leaves first appear.

FOR BEST RESULTS	Do not wet the foliage within one hour after applying. To avoid serious damage to plants, eliminate pests and disease early in the season before they multiply.
-------------------------	---

	Children and pets may re-enter the treated area after spray has dried.
---	--

IMPORTANT- Directions for Storage and Disposal

STORAGE CONDITIONS	Store in original container in a cool, dry place, out of the reach of children, preferably a locked storage cabinet.
---------------------------	--

DISPOSAL 	If Empty: • Non-refillable container. Do not refill or reuse container. • Place empty container in trash or offer for recycling if available. If Partly Filled: • Call your local solid waste agency or toll free 1-877-229-3724 for disposal instructions. • Never place unused product down any indoor or outdoor drain.
--	--

ENVIRONMENTAL HAZARDS

- This product is toxic to fish and aquatic organisms.
- Do not apply directly to water or to areas where surface water is present or to intertidal areas below the mean high water mark.
- To protect the environment, do not allow pesticide to enter or run off into storm drains, drainage ditches, gutters or surface waters. Applying this product in calm weather when rain is not predicted for the next 24 hours will help to ensure that wind or rain does not blow or wash pesticide off the treatment area.
- This pesticide is toxic to bees.
- Do not apply this product when bees are active.
- Apply this product only as specified on this label.

¡LEER LA ETIQUETA ANTES DE UTILIZAR EL PRODUCTO!

DATOS RÁPIDOS

- Mata los insectos por contacto
- Continúa matando durante 30 días
- Alta eficacia contra los ácaros
- Cura y previene enfermedades
- Listo para utilizar... No es necesario mezclar ni medir

MATA	Áfidos, orugas, escarabajos japoneses, minadores de las hojas, ácaros araña, mosca blanca y otras plagas de la lista.
ENFERMEDADES QUE CONTROLA	Antracnosis, mancha negra, mancha foliar, peste de los pétalos de azalea, mildiu polvoriento, roya y sarna.
DÓNDE USAR	Rosas, flores, plantas de interiores, cubiertas vegetales, enredaderas, plantas decorativas, arbustos y árboles. Para utilizar sólo en plantas no comestibles.
CUÁNDO USAR	Para prevenir infestaciones de enfermedades, insectos y ácaros o para controlar las plagas cuando recién aparecen.
	Para hacer consultas y comentarios, llamar al número gratuito 1-877-BayerAG (1-877-229-3724)

INGREDIENTES ACTIVOS

Imidacloprida	0.012%
Taufluvialinato	0.014%
Tebuconazol	0.015%

OTROS INGREDIENTES	99.959%
TOTAL	100.000%

SÓLO PARA USO RESIDENCIAL

La imidacloprida es el nombre químico de Merit®

INDICACIONES DE USO

Es una violación de la Ley Federal utilizar este producto de manera contraria a la indicada en esta etiqueta.

Para obtener mejores resultados, leer y seguir todas las indicaciones de la etiqueta.

ANTES DE USAR

Leer y seguir las indicaciones

- Aplicar el producto a las plantas con flores durante la mañana temprano o a última hora de la tarde, cuando no hay abejas.
- No aplicar cerca de peceras, estanques, lagos o arroyos.
- Quitar los platos de alimentos de las mascotas antes de aplicar.
- No utilizar en áreas pequeñas y cerradas donde se pueda inhalar el rocío.
- Para utilizar sobre plantas de interiores, trasladarlas al exterior, tratarlas, dejarlas secar y regresarlas a su lugar.
- No aplicar sobre frutas u hortalizas destinadas al consumo.

(continuación)

INDICACIONES DE USO (continuación)

CUÁNDO USAR	• Cuando aparezcan los primeros insectos, ácaros o enfermedades. • Para evitar que se produzcan daños graves, eliminar las plagas y las enfermedades a comienzos de la temporada, antes de que se multipliquen.
CÓMO USAR Agitar bien antes de usar	• Ajustar la boquilla al patrón de rocío deseado. • Sostener el rociador a una distancia aproximada de 12 pulgadas (30 cm) del follaje. • Rociar las hojas, los tallos y los delicados brotes nuevos. • Aplicar hasta que ambos lados de las hojas estén mojados en forma pareja con el rocío, pero que no goteen.
CON QUÉ FRECUENCIA	• Mata los insectos por contacto y continúa matando hasta por 30 días. • Para tratar enfermedades, repetir cada 7 a 14 días según sea necesario.
CÓMO FUNCIONA	Este producto ofrece triple acción: extermina las plagas presentes y forma una barrera protectora en la parte exterior de la planta y ésta lo absorbe sin importar las condiciones climáticas.
MATA	Adélidos, áfidos, gusanos soldado, gusanos del saco, escarabajos, chinches del arce, gusanos del abeto, gusanos medidores, orugas, chinches del maíz, ácaros del trébol, grillos, escarabajos del pepino, gusanos cortadores, tijeretas, escarabajos de la hoja del olmo, thermobias domésticas, escarabajos pulga, moscas, moscas de los hongos, saltamontes, larvas de la polilla gitana, escarabajos japoneses (adultos), chinches de encaje, escarabajos desfoliadores, orugas desfoliadoras, saltarillas (incluso la chicharrita de las alas cristalinas), minadores de las hojas (incluso los minadores del abedul y los minadores de la hoja del acebo), orugas medidoras, cocos, jejenes, ácaros, mosquitos, cochinillas, chinches de las plantas, psílidos, mosquitas de la rosa, babosas de la rosa, himenóptero diprionídeo, escamas (etapas de arrastre), pecesito de plata, lepisma, ácaros araña, salivazos, chinches hediondas, trips, ácaros araña de dos manchas, escarabajos de las hojas de Viburnum, orugas tejedoras, gorgojos (incluso los gorgojos de la raíz adultos) y moscas blancas.

(continuación)

INDICACIONES DE USO (continuación)

ENFERMEDADES QUE CONTROLA	PLANTAS
Mancha negra, mildiu polvoriento, roya	Rosas
Mancha foliar, mildiu polvoriento, roya	Flores
Antracnosis, mancha foliar, mildiu polvoriento, roya, sarna	Manzano silvestre (ornamentales), cornejo y otros árboles de jardín pequeños
Antracnosis, mancha negra, mancha foliar, peste de los pétalos de azalea, mildiu polvoriento, roya	Azaleas, camelias, rododendros y otros arbustos de jardín, cubiertas vegetales y enredaderas
Mancha foliar, mildiu polvoriento	Plantas de interiores
Para tratar enfermedades presentes: aplicar por lo menos 3 veces con un intervalo de 7 a 14 días, comenzando ante el primer signo de enfermedad. Para prevenir enfermedades: aplicar hasta 3 veces con un intervalo de 7 a 14 días durante la época de cultivo, comenzando cuando aparecen las primeras hojas nuevas.	
PARA OBTENER MEJORES RESULTADOS	No mojar el follaje dentro de la primera hora después de la aplicación. Para evitar que se produzcan daños graves a las plantas, eliminar las plagas y las enfermedades a comienzos de la temporada, antes de que se multipliquen.
	Los niños y las mascotas pueden volver a ingresar al área tratada una vez que el rocío se haya secado.
IMPORTANTE- Indicaciones para almacenamiento y eliminación	
CONDICIONES DE ALMACENAMIENTO	Almacenar en el contenedor original en un lugar fresco y seco, fuera del alcance de los niños, preferentemente en un armario bajo llave.
ELIMINACIÓN 	Si está vacío: • Contenedor no reusable. No volver a rellenar ni utilizar este contenedor. • Colocar el contenedor vacío en la basura o entregarlo para reciclar si fuera posible. Si está parcialmente lleno: • Llamar a la agencia local de residuos sólidos o al número gratuito 1-877-229-3724 para solicitar indicaciones para la eliminación. • Nunca colocar el producto sin utilizar debajo de algún desagüe interno o externo.