BAYER
BAYER ADVANCED
3-in-1
Insect, Disease, & Mite Control
READY-TO-SPRAY
For use on TREES, SHRUBS, ROSES, & FLOWERS
Para uso en árboles, arbustos, rosas y flores
• Kills Japanese beetles, aphids, spider mites & other listed pests
• Cures & prevents listed diseases
KEEP OUT OF REACH OF CHILDREN
CAUTION See back panel booklet for additional precautionary statements
Not for sale, sale into, distribution and or use in Nassau, Suffolk, Kings, or Queens counties of New York
Active Ingredients:
Imidacloprid 0.47%
Tau-Fluvalinate 0.61%
Tebuconazole 0.65%
Other Ingredients ... 98.27%
Total 100.00%
79306377c R.2
100% SATISFACTION GUARANTEED
¿HABLA ESPAÑOL? VER EL PANEL TRASERO
Up to 30 Days Protection
Treats up to 192 Rose Bushes
NET CONTENTS 32 FL OZ (946ml)

BAYER ADVANCED

3-in-1 Insect, Disease, & Mite Control

READY-TO-SPRAY

PRECAUTIONARY STATEMENTS

CAUTION **Hazards to Humans and Domestic Animals**

• Harmful if swallowed or absorbed through skin. • Avoid contact with skin, eyes, or clothing. • Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, or using tobacco. • Remove and wash contaminated clothing before reuse.

FIRST AID ✚

IF SWALLOWED	• Call a poison control center or doctor immediately for treatment advice. • Have person sip a glass of water if able to swallow. • Do not induce vomiting unless told to do so by a poison control center or doctor. • Do not give anything to an unconscious person.
IF ON SKIN OR CLOTHING	• Take off contaminated clothing. • Rinse skin immediately with plenty of water for 15-20 minutes. • Call a poison control center or doctor for treatment advice.

NOTE: Have the product container or label with you when calling a poison control center or doctor, or going for treatment. For medical emergency information, you may call toll-free 1-877-229-3763.
Active Ingredients: Imidacloprid [CAS #138261-41-3], Tau-fluvalinate [CAS #102851-06-9], Tebuconazole [CAS #107534-96-3]

ENVIRONMENTAL HAZARDS

• This product is toxic to fish and aquatic organisms. • Do not apply directly to water or to areas where surface water is present or to intertidal areas below the mean high water mark. • To protect the environment, do not allow pesticide to enter or run off into storm drains, drainage ditches, gutters or surface waters. Applying this product in calm weather when rain is not predicted for the next 24 hours will help to ensure that wind or rain does not blow or wash pesticide off the treatment area. • This pesticide is toxic to bees. • Do not apply this product when bees are active. • Apply this product only as specified on this label. • Rinsing application equipment over the treated area will help avoid run off to water bodies or drainage systems.

NOTICE : Research and testing have determined that the "Directions For Use" are appropriate for the proper use of this product under expected conditions. To the extent consistent with applicable law, the Buyer assumes responsibility for lack of performance or safety if not used according to the directions.

***Money Back Guarantee:** If you are not satisfied with this product, we will gladly refund your original purchase price.

Produced for: Bayer Advanced
A Business Unit of Bayer CropScience LP
P.O. Box 12014, 2 T.W. Alexander Drive
Research Triangle Park, NC 27709

EPA Reg. No. 72155-73
EPA Est. No. indicated by 3rd and 4th digits of the batch number on this package. (65) = 432-TX-1 (39) = 58996-MO-1 (68) = 67572-GA-1 (57) = 071106-GA-003

Bayer (reg'd), Bayer Cross (reg'd), Merit®, and Bayer Advanced™ are trademarks of Bayer.

PRESS TO RESEAL

79522657d R3

IMPORTANTE - Indicaciones de almacenamiento y eliminación

CONDICIONES DE ALMACENAMIENTO	Almacenar en el contenedor original en un lugar fresco y seco, fuera del alcance de los niños, preferentemente en un armario bajo llave. No contamine los alimentos, el agua o el forraje al almacenar y desechar.
ELIMINACIÓN	**Si está vacío:** • Contenedor no reusable. No rellenar ni volver a utilizar este contenedor. • Colocar el contenedor vacío en la basura o entregarlo para reciclar o si fuera posible. **Si está parcialmente lleno:** • Llamar a la agencia local de residuos sólidos o al número gratuito 1-877-229-3724 para solicitar indicaciones para la eliminaciónn. • Nunca colocar el producto sin utilizar debajo de algún desagüe interno o externo.

MANTENER FUERA DEL ALCANCE DE LOS NIÑOS

DECLARACIONES DE PRECAUCIÓN

PRECAUCIÓN **Riesgos para seres humanos y animales domésticos**

• Es perjudicial si se ingiere o absorbe por la piel. • Evitar el contacto con los ojos, la piel o la ropa. • Lavar prolijamente con agua y jabón después de manipular este producto y antes de comer, beber, mascar goma de mascar o fumar. • Quitar y lavarse la ropa contaminada antes de volver a utilizar.

PRIMEROS AUXILIOS ✚

EN CASO DE INGESTION	• Llamar a un médico o a un centro de control de envenenamiento para consultas sobre el tratamiento. • Hacer que la persona beba tragos de agua, si puede tragar. • No inducir el vómito a menos que lo indique un centro de control de envenenamiento o el médico. • No administrar nada a una persona inconsciente.
EN CASO DE CONTACTO CON LA PIEL O LA ROPA	• Quitar la ropa contaminada. • Enjuagar la piel inmediatamente con abundante agua durante 15 a 20 minuto. • Llamar a un médico o a un centro de control de envenenamiento para consultas sobre el tratamiento.

NOTA: Tener a mano el contenedor o la etiqueta del producto al llamar al centro de control de envenenamiento, a un médico o al concurrir a un tratamiento. Para solicitar información médica de emergencia, llamar al número gratuito 1-877-229-3763. Ingredientes activos: imidacloprida [CAS Nº 138261-41-3], taufluvalinato [CAS Nº 102851-06-9], tebuconazol [CAS Nº 107534-96-3]

RIESGOS AMBIENTALES

• Este producto es altamente tóxico para los peces y los organismos acuáticos. • No aplicar directamente al agua o en áreas donde haya aguas superficiales o áreas entre mareas por debajo de la marca de agua media. • Para proteger el medio ambiente, no permitir que el pesticida ingrese o se escurra en las bocas de tormenta, zanjas, alcantarillas o aguas superficiales. Aplicar este producto cuando el clima esté calmo y no haya probabilidad de lluvia para las 24 horas siguientes, ayudará a garantizar que el viento o la lluvia no dispersen o escurran el pesticida del área de tratamiento. • Este pesticida es tóxico para las abejas. • No aplicar este producto cuando las abejas estén en actividad. • Aplicar este producto sólo como se especifica en esta etiqueta. • Secar los equipos de aplicación sobre el área tratada ayudará a evitar el escurrimiento de las masas de agua o los sistemas de desagüe.

NOTA: Investigaciones y pruebas han determinado que las "Indicaciones de uso" son las adecuadas para el uso apropiado de este producto bajo las condiciones previstas. En la medida en que sea acorde con la ley vigente, el Comprador asume la responsabilidad por la falta de rendimiento o seguridad si no se usa según las indicaciones.

***Garantía de devolución de dinero:** si usted no se está satisfecho con este producto, gustosamente le reembolsaremos el monto original del precio de compra.

BAYER ADVANCED

3-in-1

Insect, Disease, & Mite Control

READY-TO-SPRAY

OPEN Resealable Label for Directions & Precautions

This product's exclusive triple protection formula provides long lasting control against insects, diseases & mites in one easy step. Growing beautiful trees, shrubs, flowers and roses has never been easier.

READ THE LABEL FIRST!

READ LABEL FIRST

Indicaciones en español después de las de inglés

QUICK FACTS

- **Kills Insects on Contact and Keeps on Killing for Up To 30 Days**
- **Highly Effective Against Mites**
- **Cures & Prevents Listed Diseases**
- **Ready-to-Spray Formula ... No Mixing, No Measuring**
- **One Quart Covers Up To 192 Roses**

INSECTS and MITES CONTROLLED	Aphids, caterpillars, Japanese beetles, leafminers, spider mites, whiteflies, and other listed pests.
DISEASES CONTROLLED	Anthracnose, black spot, leaf spot, petal blight, powdery mildew, rust, and scab.
COVERAGE	Treats up to 192 roses
WHERE TO USE	Roses, flowers, houseplants, ground covers, vines, ornamentals, shrubs, and trees For use on non-edible plants only
WHEN TO USE	To prevent insect, mite, or disease infestations or control them when they first appear.
☎	For questions or comments, call toll-free **1-877-BayerAG** (1-877-229-3724)

ACTIVE INGREDIENTS:

Imidacloprid	0.47%
Tau-fluvalinate	0.61%
Tebuconazole	0.65%
OTHER INGREDIENTS	98.27%
TOTAL	100.00%

FOR OUTDOOR RESIDENTIAL USE ONLY

EPA Reg. No. 72155-73

EPA Est. No. indicated by 3rd and 4th digits of the batch number on this package. (65) = 432-TX-1 (39) = 58996-MO-1 (68) = 67572-GA-1 (57) = 071106-GA-003

6 87073 01287 3

79522657d R.3

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. For best results, read and follow all label directions.

BEFORE YOU USE Read and follow these directions when using:	• Apply the product to flowering plants during early morning or late evening, when bees are not present. • Do not spray the product into fish pools, ponds, streams, or lakes. • Remove animal feeding dishes prior to application. • Do not use in small, enclosed areas where spray may be inhaled. • For houseplants, move them outside, treat, let dry, and bring back indoors. • Do not apply to fruits or vegetables used for food. • Shake well before using.
WHEN TO USE	• When insects, mites, or disease first appear. • To avoid serious damage, eliminate pests and diseases early in the season before they multiply.
HOW TO USE Shake Well Before Use	This product is ready to spray. Just attach this bottle to your hose according to directions. Water automatically mixes with the concentrate as you spray.
HOW TO ATTACH AND SPRAY	1. Connect your garden hose to the bottle. Be sure the blue water control valve on top of the spray nozzle is in the OFF position. 2. To begin spraying, turn on water at faucet. Point nozzle towards the area to be treated and Press lock tab while using other hand to turn sprayer valve to on position. 3. To stop spraying, turn the water control valve on top of the spray nozzle to OFF. Turn off faucet. 4. Relieve water pressure by turning water control valve to the ON position until water slows to a drip. Turn water control valve back to OFF. Disconnect garden hose from bottle. 5. The unused portion can be saved and used at a later date. **Tips for Applying** 1. Extend hose to the farthest plants to be treated and work back toward the faucet to avoid contacting wet, treated plants. 2. Use an even sweeping motion, ensuring thorough coverage of both the top and bottom leaf surfaces.
HOW OFTEN	Kills insects on contact and keeps on killing for up to 30 days. For diseases and severe infestations, repeat every 7 to 14 days as necessary.
HOW IT WORKS	This product provides 3 way action: kills existing pests, forms protective barrier on outside of plant and is absorbed into the plant regardless of weather conditions.

(continued)

DIRECTIONS FOR USE *(cont'd)*

INSECTS and MITES CONTROLLED

Adelgids
Aphids
Armyworms
Bagworms
Beetles
Boxelder bugs
Budworms
Cankerworms
Caterpillars
Chinch bugs
Clover mites
Crickets
Cucumber beetles
Cutworms
Earwigs
Elm leaf beetles
Firebrats
Flea beetles
Fungus gnats
Grasshoppers
Gypsy moth larvae
Japanese beetles (adult)
Lace bugs
Leaf-feeding beetles
Leaf-feeding caterpillars
Leafhoppers (including Glassy-Winged Sharpshooter)
Leafminers (including Birch Leafminers and Holly Leafminers)
Loopers
Mealybugs
Midges
Mites
Pillbugs
Plant bugs
Psyllids
Rose Midges
Rose Slugs
Sawflies
Scale insects (crawler stages)
Silverfish
Sowbugs
Spider Mites
Spittlebugs
Stink Bugs
Thrips
Two-Spotted Spider Mites
Viburnum leaf beetle
Webworms
Weevils (including adult root weevils)
Whiteflies

DISEASES CONTROLLED

CONTROLS	PLANTS
Black Spot Powdery Mildew Rust	Roses
Leaf Spot Powdery Mildew Rust	Flowers
Anthracnose Leaf Spot Powdery Mildew Rust Scab	Crabapples (Ornamental), Dogwoods and Other Small Landscape Trees
Anthracnose Black Spot Leaf Spot Petal Blight Powdery Mildew Rust	Azaleas, Camellias, Rhododendrons, and Other Landscape (Ornamental) Shrubs, Ground Covers, and Vines

(continued)

DIRECTIONS FOR USE *(cont'd)*

DISEASES CONTROLLED *(cont'd)*

CONTROLS	PLANTS
Leaf Spot Powdery Mildew	Houseplants

To treat existing disease: apply at least 3 times, every 7-14 days beginning at the first sign of disease.
To prevent diseases: apply at least 3 times, every 7-14 days during the growing season, starting when new leaves first appear.

FOR BEST RESULTS Do not wet the foliage within one hour after applying. To avoid serious damage to plants, eliminate pests early in the season before they multiply.

Children and pets may re-enter after spray has dried.

RESTRICTIONS

- Do not water the treated area to the point of run-off
- Do not make applications during rain.
- All outdoor applications must be limited to spot or crack-and-crevice treatment only, except for the following permitted uses:
  (1) Treatment to soil or vegetation around structures;
  (2) Applications to lawns, turf, and other vegetation;
- Application is prohibited directly into sewers or drains, or to any area like a gutter where drainage to sewers, storm drains, water bodies, or aquatic habitat can occur. Do not allow the product to enter any drain during or after application.

IMPORTANT-Directions for Storage and Disposal

STORAGE CONDITIONS Store in original container in a cool, dry place, out of the reach of children, preferably a locked storage cabinet. Do not contaminate food, water, or feed by storage and disposal.

DISPOSAL

If empty:
- Non-refillable container. Do not refill or reuse container.
- Place empty container in trash or offer for recycling if available.

If partly filled:
- Call your local solid waste agency or toll free 1-877-229-3724 for disposal instructions.
- Never place unused product down any indoor or outdoor drain.

¡LEER LA ETIQUETA ANTES DE UTILIZAR EL PRODUCTO!

DATOS RÁPIDOS

- **Extermina los insectos al contacto y continúa matando por 30 días.**
- **Alta eficacia contra los ácaros.**
- **Cura y previene las enfermedades enumeradas.**
- **Fórmula lista para rociar... No es necesario mezclar ni medir.**
- **Un cuarto rinde hasta 192 rosas.**

INSECTOS y ÁCAROS QUE CONTROLA	Áfidos, orugas, escarabajos japoneses, minadores de las hojas, ácaros araña, moscas blancas y otras plagas indicadas.
ENFERMEDADES QUE CONTROLA	Antracnosis, mancha negra, mancha foliar, peste de los pétalos de azalea, mildiu polvoriento, roya y sarna.
COBERTURA	Trata hasta 192 rosas
DÓNDE USAR	Rosas, flores, plantas de interiores, cubiertas vegetales, enredaderas, plantas decorativas, arbustos y árboles Para utilizar sólo en plantas no comestibles
CUÁNDO USAR	Para prevenir las plagas de insectos, ácaros y enfermedad o para controlarlos cuando aparecen los primeros.
	Para hacer preguntas o comentarios, llamar al número gratuito 1-877 BayerAG (1-877-229-3724)

INGREDIENTES ACTIVOS:

Imidacloprida	0.47%
Taufluvalinato	0.61%
Tebuconazol	0.65%
OTROS INGREDIENTES	98.27%
TOTAL	100.00%

SÓLO PARA USO RESIDENCIAL EN EXTERIORES

INDICACIONES DE USO

Es una violación de la Ley Federal utilizar este producto de manera contraria a la indicada en esta etiqueta. Para obtener mejores resultados, leer y seguir todas las indicaciones de la etiqueta.

ANTES DE USAR
Leer y seguir las indicaciones de uso:

- Aplicar el producto a las plantas con flores durante la mañana temprano o a última hora de la tarde, cuando no hay abejas.
- No aplicar cerca de peceras, estanques, lagos o arroyos.
- Quitar los platos de alimentos de las mascotas antes de aplicar.
- No utilizar en áreas pequeñas y cerradas donde se pueda inhalar el rocío.
- Para utilizar sobre plantas de interiores, trasladarlas al exterior, tratarlas, dejarlas secar y regresarlas a su lugar.
- No aplicar sobre frutas u hortalizas destinadas al consumo.
- Agitar bien antes de utilizar.

(continuación)

INDICACIONES DE USO *(continuación)*

CUÁNDO USAR

- Cuando aparezcan los primeros insectos, ácaros o enfermedades.
- Para evitar que se produzcan daños graves, eliminar las plagas y las enfermedades a comienzos de la temporada, antes de que se multipliquen.

CÓMO USAR
Agitar bien antes de usar

Este producto está preparado para rociar. Sólo una esta botella a la manguera según las indicaciones. A medida que se rocía, el agua se mezcla automáticamente con el concentrado.

CÓMO UNIR Y ROCIAR

1. Conectar la manguera del jardín a la botella. Asegurarse de que la válvula de control azul de agua que se encuentra en la parte superior de la boquilla del rociador esté en la posición OFF (cerrado).
2. Para comenzar a rociar, abrir el grifo de agua. Apuntar la boquilla hacia el área a tratar y presionar la lengüeta de cierre utilizando la mano libre para girar la válvula del rociador a la posición ON (abierto).
3. Para detener el rociado, girar a la posición OFF la válvula de control de agua que se encuentra en la parte superior de la boquilla del rociador. Cerrar el grifo de agua.
4. Reducir la presión de agua girando la válvula de control de agua a la posición ON hasta que el agua lentamente gotee.
   Girar la válvula de control de agua a la posición OFF. Desconectar la manguera de la botella.
5. La porción no utilizada se puede guardar y usar en otra ocasión.

CONSEJOS PARA LA APLICACIÓN

1. Extender la manguera hasta la planta a tratar más alejada y trabajar hacia el grifo para evitar el contacto con las plantas tratadas, mojadas.
2. Emplear un movimiento de barrido parejo para garantizar una completa cobertura tanto de las superficies superiores como inferiores de las hojas.

CON QUÉ FRECUENCIA

Mata los insectos al contacto y continúa matando por 30 días.
Para tratar enfermedades y plagas graves, repetir cada 7 a 14 días según sea necesario.

CÓMO FUNCIONA

Este producto ofrece triple acción: extermina las plagas presentes, forma una barrera protectora en la parte exterior de la planta y ésta lo absorbe sin importar las condiciones climáticas.

INSECTOS y ÁCAROS QUE CONTROLA

- Adélgidos
- Áfidos
- Gusanos soldado
- Gusanos del saco
- Escarabajos
- Chinches del arce
- Gusanos del abeto
- Gusanos medidores
- Orugas
- Chinches del maíz
- Ácaros del trébol
- Grillos
- Escarabajos del pepino
- Gusanos cortadores
- Tijeretas
- Escarabajos de la hoja del olmo
- Thermobia doméstica
- Escarabajos pulga
- Moscas de los hongos
- Saltamontes
- Larva de polilla gitana
- Escarabajos japoneses (adultos)
- Chinches de encaje
- Escarabajos desfoliadores
- Orugas desfoliadoras
- Saltarillas (incluida la cigarrilla de las alas cristalinas)
- Minadores de la hoja del acebo (incluidos los minadores del abedul y los minadores de la hoja del acebo)
- Orugas medidoras
- Cocos
- Jejenes
- Ácaros
- Cochinilla
- Chinches de las plantas
- Psílidos
- Mosquitas de la rosa
- Babosa de la rosa
- Himenóptero dipriónido
- Escama (etapas de arrastre)
- Pececito de plata
- Lepismas
- Ácaros araña
- Babosas
- Chinches hediondas
- Trips
- Ácaros araña de dos manchas
- Escarabajos de la hoja de viburnum
- Orugas tejedoras
- Gorgojos (incluidos los gorgojos de raíz adultos)
- Mosca blanca

(continuación)

INDICACIONES DE USO *(continuación)*

ENFERMEDADES QUE CONTROLA

CONTROLA	PLANTAS
Mancha negra Mildiu polvoriento Roya	Rosas
Mancha foliar Mildiu polvoriento Roya	Flores
Antracnosis Mancha foliar Mildiu polvoriento Roya Sarna	Manzanos silvestres (ornamentales), cornejo y demás árboles de jardín pequeños
Antracnosis Mancha negra Mancha foliar Peste de los pétalos de azalea Mildiu polvoriento Roya	Azaleas, camelias, rododendros y demás arbustos de jardín (decorativos), cubiertas vegetales y viñedos.
Mancha foliar Mildiu polvoriento	Plantas de interiores

Para tratar enfermedades presentes: aplicar por lo menos 3 veces con un intervalo de 7 a 14 días, comenzando ante el primer signo de enfermedad.

Para prevenir enfermedades: aplicar por lo menos 3 veces con un intervalo de 7 a 14 días durante la época de cultivo, comenzando cuando aparecen las primeras hojas nuevas.

PARA OBTENER MEJORES RESULTADOS

No mojar el follaje dentro de la primera hora después de la aplicación. Para evitar que se produzcan daños graves a las plantas, eliminar las plagas a comienzos de la temporada, antes de que se multipliquen.

Los niños y las mascotas pueden volver a ingresar al área tratada una vez que el producto se haya secado.

RESTRICTIONS

- No riegue el área tratada hasta el punto de escurrimiento.
- No aplique cuando llueve.
- Todas las aplicaciones en áreas exteriores deben limitarse solamente a descubrir o tratar grietas y hendiduras, a excepción de los siguientes usos permitidos:
  (1) Tratamiento del suelo o vegetación que rodea estructuras;
  (2) Aplicaciones a céspedes, tepes, y otro tipo de vegetación.
- Se prohíbe la aplicación directa a sumideros o tuberías, o cualquier otra área como una alcantarilla donde haya desagüe de sumideros, bocas de tormenta, masas acuáticas o hábitat acuático. No permita que el producto ingrese a ningún desagüe durante o después de la aplicación.