

# SAFETY DATA SHEET

An Employee-Owned Company

Issue Date 25-Nov-2014 Revision Date 12-Sep-2016 Version 1

# 1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

**Product identifier** 

Product Name ORNAMEC® 170 Grass Herbicide

Other means of identification

Product Code PBI FP 677-6 EPA Pesticide Registration Number 2217-751

Recommended use of the chemical and restrictions on use

Recommended Use Herbicide.

**Uses advised against**No information available.

Details of the supplier of the safety data sheet

Supplier Manufacturer Company Name

PBI Gordon Corporation
1217 West 12th Street
1217 West 12th Street
Kansas City, MO 64101
Kansas City, MO 64101
Kansas City, MO 64101

Emergency telephone number

Emergency Telephone Chemtrec 1-800-424-9300

# 2. HAZARDS IDENTIFICATION

### Classification

### **OSHA Regulatory Status**

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Acute Inhalation Toxicity - Gases	Category 3
Acute Inhalation Toxicity - Dusts and Mists	Category 4
Skin Corrosion/Irritation Category	Category 2
Serious eye damage/eye irritation	Category 2
Germ cell mutagenicity	Category 1A
Carcinogenicity	Category 1A
Aspiration Toxicity	Category 1
Flammable liquids	Category 3

### Label elements

# **Emergency Overview**

### Danger

#### Hazard statements

Causes skin irritation. Causes serious eye irritation. May cause genetic defects. May cause cancer. May be fatal if swallowed and enters airways. Harmful if inhaled.

Flammable liquid and vapor.



Appearance Liquid Physical state Liquid Odor Solvent

### **Precautionary Statements - Prevention**

- · Obtain special instructions before use
- Do not handle until all safety precautions have been read and understood
- Use personal protective equipment as required
- Avoid breathing dust/fume/gas/mist/vapors/spray
- Use only outdoors or in a well-ventilated area
- · Wash face, hands and any exposed skin thoroughly after handling
- Wear eve/face protection
- Keep away from heat/sparks/open flames/hot surfaces. No smoking
- Keep container tightly closed
- · Ground/bond container and receiving equipment
- Use only non-sparking tools
- · Take precautionary measures against static discharge
- Keep cool

#### **Precautionary Statements - Response**

- IF exposed or concerned: Get medical advice/attention
- IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing
- If eye irritation persists: Get medical advice/attention
- If skin irritation occurs: Get medical advice/attention
- IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower
- · Wash contaminated clothing before reuse
- Call a POISON CENTER or doctor/physician
- IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing
- IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician
- Do NOT induce vomiting
- In case of fire: Use CO2, dry chemical, or foam for extinction

### **Precautionary Statements - Storage**

- Store locked up
- Store in a well-ventilated place. Keep container tightly closed

### **Precautionary Statements - Disposal**

· Dispose of contents/container to an approved waste disposal plant

# Hazards not otherwise classified (HNOC)

Have the product label with you when calling a poison control center or doctor or going in for treatment. You may also contact 1-877-800-5556 for emergency medical treatment advice.

#### Other Information

# 3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS No	Weight-%
Trade Secret	Proprietary	30-40*
Trade Secret	Proprietary	20-30*
Trade Secret	Proprietary	10-20*
Fluazifop-p-butyl	79241-46-6	1.7
Trade Secret	Proprietary	0-10*
Trade Secret	Proprietary	0-10*

<sup>\*</sup> The exact percentage (concentration) of composition has been withheld as a trade secret

### 4. FIRST AID MEASURES

#### First aid measures

**General advice** 

In case of accident or unwellness, seek medical advice immediately (show directions for

Revision Date 12-Sep-2016

use or safety data sheet if possible).

Eye contact Immediately flush with plenty of water. After initial flushing, remove any contact lenses and

continue flushing for at least 15 minutes. Keep eye wide open while rinsing. If symptoms

persist, call a physician.

**Skin Contact** Wash off immediately with plenty of water.

**Inhalation** Remove to fresh air. Call a physician. If breathing is irregular or stopped, administer

artificial respiration. Avoid direct contact with skin. Use barrier to give mouth-to-mouth

resuscitation.

Ingestion Do NOT induce vomiting. Rinse mouth. Drink plenty of water. If symptoms persist, call a

physician.

**Self-protection of the first aider** Remove all sources of ignition.

Most important symptoms and effects, both acute and delayed

**Symptoms** No information available.

Indication of any immediate medical attention and special treatment needed

### 5. FIRE-FIGHTING MEASURES

#### Suitable extinguishing media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

### Specific hazards arising from the chemical

Flammable.

### **Explosion data**

Sensitivity to Mechanical Impact None. Sensitivity to Static Discharge None.

#### Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

### 6. ACCIDENTAL RELEASE MEASURES

### Personal precautions, protective equipment and emergency procedures

**Personal precautions** Remove all sources of ignition. Evacuate personnel to safe areas. Ensure adequate

ventilation, especially in confined areas. Use personal protective equipment as required.

Environmental precautions

**Environmental precautions** Prevent further leakage or spillage if safe to do so. Prevent product from entering drains. Do

not flush into surface water or sanitary sewer system. See Section 12 for additional

ecological information.

# Methods and material for containment and cleaning up

**Methods for containment** Prevent further leakage or spillage if safe to do so.

Methods for cleaning up Pick up and transfer to properly labeled containers. Dam up. Soak up with inert absorbent

material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Soak up with inert

absorbent material.

# 7. HANDLING AND STORAGE

#### Precautions for safe handling

Advice on safe handling Ensure adequate ventilation, especially in confined areas. Keep away from heat, sparks,

flame and other sources of ignition (i.e., pilot lights, electric motors and static electricity). Take precautionary measures against static discharges. Use spark-proof tools and explosion-proof equipment. All equipment used when handling the product must be

grounded.

### Conditions for safe storage, including any incompatibilities

Storage Conditions Keep tightly closed in a dry and cool place. Keep in properly labeled containers. Keep away

from heat, sparks, flame and other sources of ignition (i.e., pilot lights, electric motors and

static electricity).

**Incompatible materials** Strong oxidizing agents.

# 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Control parameters

**Exposure Guidelines** 

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Trade Secret	-	-	TWA: 25 ppm TWA: 125 mg/m <sup>3</sup>
Trade Secret	STEL: 150 ppm TWA: 100 ppm	TWA: 100 ppm TWA: 435 mg/m³ (vacated) TWA: 100 ppm (vacated) TWA: 435 mg/m³ (vacated) STEL: 150 ppm (vacated) STEL: 655 mg/m³	-
Trade Secret	TWA: 50 ppm	TWA: 50 ppm TWA: 245 mg/m³ (vacated) TWA: 50 ppm (vacated) TWA: 245 mg/m³ (vacated) S* S*	IDLH: 900 ppm TWA: 50 ppm TWA: 245 mg/m³

NIOSH IDLH Immediately Dangerous to Life or Health

Other Information Vacated limits revoked by the Court of Appeals decision in AFL-CIO v. OSHA, 965 F.2d 962

(11th Cir., 1992).

**Appropriate engineering controls** 

**Engineering Controls** Local and General Ventilation.

Individual protection measures, such as personal protective equipment

**Eye/face protection** Tight sealing safety goggles.

**Skin and body protection** Wear protective gloves and protective clothing.

Respiratory protection If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved

respiratory protection should be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be

provided in accordance with current local regulations.

General Hygiene Considerations When using do not eat, drink or smoke. Regular cleaning of equipment, work area and

clothing is recommended.

# 9. PHYSICAL AND CHEMICAL PROPERTIES

Solvent

#### PBI FP 677-6 ORNAMEC® 170 Grass Herbicide

### Information on basic physical and chemical properties

Physical stateLiquidAppearanceLiquid

Color Amber Odor threshold No information available

Odor

Remarks • Method

Property
pH Values
Not Available

pH Not Availabl
Melting point/freezing point <35 °F

Boiling point / boiling range  $> 110 \, ^{\circ}\text{C} \, / \, 230 \, ^{\circ}\text{F}$ Flash point  $> 110 \, ^{\circ}\text{C} \, / \, 230 \, ^{\circ}\text{F}$ 

Evaporation rate < 1

Flammability (solid, gas) No information available

Flammability Limit in Air

Upper flammability limit: 7.0 Lower flammability limit: 1.1

Vapor pressure<2 mm Hg</th>Vapor density3.6Specific Gravity0.89037Water solubilityEmulsifier

Solubility in other solvents
Partition coefficient
Autoignition temperature
Decomposition temperature
Oxidizing properties

No information available
No information available
No information available
No information available

**Other Information** 

**Density** 7.44 pounds/gallon

### 10. STABILITY AND REACTIVITY

#### Reactivity

No data available

### **Chemical stability**

Stable.

### **Possibility of Hazardous Reactions**

None under normal processing.

### **Hazardous polymerization**

Will not occur.

# **Conditions to avoid**

Heat, flames and sparks.

### **Incompatible materials**

Strong oxidizing agents.

# **Hazardous Decomposition Products**

May emit toxic fumes under fire conditions. Carbon dioxide (CO2). Carbon monoxide. Nitrogen oxides (NOx). Halogens.

# 11. TOXICOLOGICAL INFORMATION

# Information on likely routes of exposure

**Product Information** 

**Inhalation** Irritant, moderate respiratory.

**Eye contact** Severely irritating to eyes.

Revision Date 12-Sep-2016

**Skin Contact** May cause irritation.

**Ingestion** May be harmful if swallowed.

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Trade Secret	-	-	= 3900 mg/m <sup>3</sup> ( Rat ) 4 h
Trade Secret	= 8400 mg/kg (Rat)	> 2000 mg/kg ( Rabbit )	= 3400 ppm ( Rat ) 4 h
Trade Secret	= 3280 mg/kg (Rat)	> 3160 mg/kg ( Rabbit )	= 18 g/m³ ( Rat ) 4 h
Fluazifop-p-butyl 79241-46-6	= 2712 mg/kg ( Rat )	> 2 g/kg (Rabbit)	-
Trade Secret	= 3500 mg/kg (Rat)	> 4350 mg/kg (Rabbit) > 1700 mg/kg (Rabbit)	= 29.08 mg/L (Rat) 4 h = 5000 ppm (Rat) 4 h
Trade Secret	= 1400 mg/kg (Rat)	= 12300 µL/kg(Rabbit)	= 39000 mg/m <sup>3</sup> (Rat) 4 h > 3577 ppm (Rat) 6 h

#### Information on toxicological effects

**Symptoms** No information available.

# Delayed and immediate effects as well as chronic effects from short and long-term exposure

**Sensitization Germ cell mutagenicity**No information available.
No information available.

**Carcinogenicity** The table below indicates whether each agency has listed any ingredient as a carcinogen.

our our ogornorry		The table below materials from a general and noted any migrounem as a sare.				
Chemical Name	ACGIH	IARC	NTP	OSHA		
Trade Secret	A2	Group 1		X		
Trade Secret		Group 3				
Trade Secret		Group 2B	Reasonably Anticipated	Х		

ACGIH (American Conference of Governmental Industrial Hygienists)

A2 - Suspected Human Carcinogen

IARC (International Agency for Research on Cancer)

Group 1 - Carcinogenic to Humans

Group 2B - Possibly Carcinogenic to Humans

Not classifiable as a human carcinogen

OSHA (Occupational Safety and Health Administration of the US Department of Labor)

X - Present

Reproductive toxicity
STOT - single exposure
STOT - repeated exposure
No information available.
No information available.

**Chronic toxicity** May cause adverse effects on the bone marrow and blood-forming system.

Target Organ Effects blood, Central nervous system, Eyes, Respiratory system, Skin.

**Aspiration hazard** No information available.

# Numerical measures of toxicity - Product Information

Unknown Toxicity 18 % of the mixture consists of ingredient(s) of unknown toxicity

#### The following values are calculated based on chapter 3.1 of the GHS document

ATEmix (oral) 21086 mg/kg
ATEmix (dermal) 4454 mg/kg
ATEmix (inhalation-gas) 862 mg/L
ATEmix (inhalation-dust/mist) 2.2 mg/L

# 12. ECOLOGICAL INFORMATION

### **Ecotoxicity**

\_\_\_\_\_

Toxic to aquatic life with long lasting effects

18% of the mixture consists of components(s) of unknown hazards to the aquatic environment

Chemical Name	Algae/aquatic plants	Fish	Toxicity to microorganisms	Crustacea
Trade Secret		5000: 96 h Oncorhynchus		1000: 48 h Daphnia magna
		mykiss mg/L LC50		mg/L EC50
Trade Secret		9.22: 96 h Oncorhynchus		6.14: 48 h Daphnia magna
		mykiss mg/L LC50		mg/L EC50
Trade Secret		7.19 - 8.28: 96 h Pimephales		6.14: 48 h Daphnia magna
		promelas mg/L LC50		mg/L EC50
		flow-through		
Trade Secret		2.661 - 4.093: 96 h	EC50 = 0.0084 mg/L 24 h	0.6: 48 h Gammarus
		Oncorhynchus mykiss mg/L	_	lacustris mg/L LC50 3.82: 48
		LC50 static 30.26 - 40.75: 96		h water flea mg/L EC50
		h Poecilia reticulata mg/L		_
		LC50 static 780: 96 h		
		Cyprinus carpio mg/L LC50		
		780: 96 h Cyprinus carpio		
		mg/L LC50 semi-static 13.1 -		
		16.5: 96 h Lepomis		
		macrochirus mg/L LC50		
		flow-through 7.711 - 9.591:		
		96 h Lepomis macrochirus		
		mg/L LC50 static 23.53 -		
		29.97: 96 h Pimephales		
		promelas mg/L LC50 static		
		13.5 - 17.3: 96 h		
		Oncorhynchus mykiss mg/L		
		LC50 19: 96 h Lepomis		
		macrochirus mg/L LC50		
		13.4: 96 h Pimephales		
		promelas mg/L LC50		
		flow-through		
Trade Secret	2.6: 72 h	4.8: 96 h Oncorhynchus	EC50 = 0.89 mg/L 5 min	0.6: 48 h Daphnia magna
	Pseudokirchneriella	mykiss mg/L LC50	EC50 = 1.10 mg/L 15 min	mg/L EC50 7.9 - 14.1: 48 h
	subcapitata mg/L EC50	flow-through 6.04 - 6.61: 96	EC50 = 1.48 mg/L 30 min	Daphnia magna mg/L EC50
		h Pimephales promelas	EC50 = 172 mg/L 24 h	Static
		mg/L LC50 flow-through 2.7:		
		96 h Oncorhynchus mykiss		
		mg/L LC50 semi-static 5.1:		
		96 h Poecilia reticulata mg/L		
		LC50 semi-static		

# Persistence and degradability

No information available.

#### **Bioaccumulation**

No information available.

### Other adverse effects

No information available

# 13. DISPOSAL CONSIDERATIONS

#### Waste treatment methods

Disposal of wastes Disposal should be in accordance with applicable regional, national and local laws and

regulations.

Contaminated packaging Do not reuse container, unless specified by the manufacturer.

US EPA Waste Number D001

This product contains one or more substances that are listed with the State of California as a hazardous waste.

Chemical Name	California Hazardous Waste Status
Trade Secret	Toxic
	Ignitable
Trade Secret	Toxic
	Ignitable

# 14. TRANSPORT INFORMATION

#### DOT

Description

The following guidelines apply for domestic ground transport. If shipping by air or ocean, please contact our Transportation Dept.

PESTICIDES, NOI, INCLUDING DEFOLIANTS, FUNGICIDES, HERBICIDES, OR INSECTICIDES NMFC 155050-6

In our current available sizes, this product does not qualify as a Hazardous Material.

# 15. REGULATORY INFORMATION

#### **U.S. EPA Label Information**

**EPA Pesticide Registration Number** 2217-751

### Federal Insecticide, Fungicide, Rodenticide Act Regulations

This chemical is a pesticide product registered by the Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets, and for workplace labels of non-pesticide chemicals. Following is the hazard information as required on the pesticide label:

#### **EPA Pesticide Label**

Caution. Keep out of the reach of children. Causes moderate eye irritation. Avoid contact with skin, eyes, or clothing. Wear long-sleeved shirt, long pants, shoes, socks, and chemical-resistant gloves made of barrier laminate or Viton. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco, or using the toilet.

# **International Inventories**

**TSCA** Not Listed **DSL/NDSL** Not Listed **EINECS/ELINCS** Not Listed **ENCS** Not Listed **IECSC** Not Listed Not Listed KECL **PICCS** Not Listed **AICS** Not Listed

#### Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

**ENCS** - Japan Existing and New Chemical Substances

**IECSC** - China Inventory of Existing Chemical Substances

**KECL** - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

Chemical Name	TSCA	DSL	NDSL	EINECS	ELINCS	ENCS	IECSC	KECL	PICCS	AICS
Trade Secret	X	X		X			X	X	X	Х
Trade Secret	Х	Х		Х			Х	Х	Х	Х
Trade Secret	Х	Х		Х		Х	Х	Х	Х	Х
Fluazifop-p-butyl								Х		
Trade Secret	Х	Х		Х		Х	Х	Х	Х	Х
Trade Secret	Х	Х		Х		Х	Х	Х	Х	Х

### **US Federal Regulations**

#### **SARA 313**

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

Chemical Name	SARA 313 - Threshold Values %
Trade Secret -	1.0
Trade Secret -	1.0
Trade Secret -	1.0

### SARA 311/312 Hazard Categories

Acute health hazardYesChronic Health HazardNoFire hazardYesSudden release of pressure hazardNoReactive HazardNo

#### **CWA (Clean Water Act)**

This product contains the following substances which are regulated pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

Chemical Name	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
Trade Secret	100 lb			Х

# CERCLA

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302)

	Chemical Name	Hazardous Substances RQs	CERCLA/SARA RQ	Reportable Quantity (RQ)
Γ	Trade Secret	100 lb		RQ 100 lb final RQ
١				RQ 45.4 kg final RQ
Γ	Trade Secret	5000 lb		RQ 5000 lb final RQ
1				RQ 2270 kg final RQ

# **US State Regulations**

#### **California Proposition 65**

This product contains the following Proposition 65 chemicals.

Chemical Name	California Proposition 65
Trade Secret -	Carcinogen

# U.S. State Right-to-Know Regulations

Chemical Name	New Jersey	Massachusetts	Pennsylvania
Trade Secret		X	
Trade Secret	X	X	X
Trade Secret	X	X	Х
Trade Secret	X	Х	Х

# International Regulations

### Mexico - Grade Moderate risk, Grade 2

Chemical Name	Carcinogenicity	Exposure Limits
Trade Secret		Mexico: TWA 100 ppm
		Mexico: TWA 435 mg/m <sup>3</sup>
		Mexico: STEL 150 ppm

	Mexico: STEL 655 mg/m <sup>3</sup>
Trade Secret	Mexico: TWA 50 ppm
	Mexico: TWA 245 mg/m <sup>3</sup>
	Mexico: STEL 75 ppm
	Mexico: STEL 365 mg/m <sup>3</sup>

# **16. OTHER INFORMATION**

NFPA Health hazards 2 Flammability 2 Instability 0 Physical and Chemical Properties 
HMIS Health hazards 2 Flammability 2 Physical hazards 0 Personal protection X

#### Disclaimer

The information provided in this Material Safety Data Sheet is correct to the best of PBI Gordon Corporation's knowledge, information and belief at the date of this publication. The information given is designed only as guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any other process, unless specified in the text. PBI GORDON CORPORATION MAKES NO WARRANTIES, EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, ANY IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE OR COURSE OF PERFORMANCE OR USAGE OF TRADE. Given the variety of factors that can affect the use and application of this product, some of which are uniquely within the user's knowledge and control, it is essential that the user evaluate the product to determine whether it is fit for a particular purpose and suitable for user's method of use or application. Each user is also responsible for evaluating the conditions of use and designing the appropriate protective mechanisms to prevent employee exposures, property damage, or release to the environment. PBI Gordon Corporation assumes no responsibility for injury to the recipient or third persons, or for any damage to any property resulting from misuse of the product.

**End of Safety Data Sheet**