



WEEDCLEAR™
LAWN WEED KILLER
 CONCENTRATE

FAST-ACTING | **KILLS ALL TYPES OF WEEDS***



DANDELION **CRABGRASS** **CLOVER**

WON'T HARM THE LAWN, GUARANTEED**

*See back label for a complete list of weeds controlled.
 **When used as directed.
KEEP OUT OF REACH OF CHILDREN
CAUTION Read the entire label first. Observe all precautions and follow directions carefully. See back panel label for additional Precautionary Statements and First Aid.

NET CONTENTS 32 fl oz (1 qt) / 946 ml

Active Ingredients:

2,4-D, dimethylamine salt	6.25%
Quinclorac	2.50%
Fluroxypyr, dimethylamine salt	0.25%
Other Ingredients	90.99%
TOTAL	100.00%

Net Product Content:
 6.00% 2,4-D dimethylamine salt equivalent per gallon of 3.00%
 0.125% 2,4-D dimethylamine salt equivalent per gallon of 2.50%
 0.0025% 2,4-D dimethylamine salt equivalent per gallon of 0.0025%
 based on weight by AOC Method.



LD15001

***KILLS WEEDS
DOWN TO THE
ROOT***

LB13863

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION: Causes moderate eye irritation. Avoid contact with eyes, skin or clothing. Harmful if swallowed. When using this product, wear long-sleeved shirt, long pants, socks, shoes and rubber gloves. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum or using tobacco. After using this product, rinse gloves before removing, remove clothing and launder separately before reuse, and promptly and thoroughly wash hands and exposed skin with soap and water. Remove saturated clothing as soon as possible and shower.

User Safety Recommendations

- Users should wash hands before eating, drinking, chewing gum, using tobacco or using the toilet.
- Users should remove clothing/PPE immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing. If pesticide gets on skin, wash immediately with soap and water.
- Users should remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing.

FIRST AID

IF IN EYES	Hold eye open and rinse slowly and gently with water for 15 to 20 minutes. Remove contact lenses, if present, after the first five minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.
IF SWALLOWED	Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to by a poison control center or doctor. Do not give anything to an unconscious person.

Have the product container or label with you when calling a poison control center or doctor, or going for treatment. You may also contact 1-877-465-5161 for emergency medical treatment advice.

ENVIRONMENTAL HAZARDS

This pesticide is toxic to fish and aquatic invertebrates. To protect the environment, do not allow pesticide to enter or run off into storm drains, drainage ditches, gutters or surface waters. Applying this product in calm weather when rain is not predicted for the next 24 hours will help to ensure that wind or rain does not blow or wash pesticide off the treatment area. Rinsing application equipment over the treated area will help avoid run off to water bodies or drainage systems.

This chemical has properties and characteristics associated with chemicals detected in groundwater. The use of this chemical in areas where soils are permeable, particularly where the water table is shallow, may result in groundwater contamination. Application around a cistern or well may result in contamination of drinking water or groundwater.

STORAGE AND DISPOSAL

PESTICIDE STORAGE	Keep from freezing. Store in original container in a locked storage area inaccessible to children and pets.
PESTICIDE DISPOSAL & CONTAINER HANDLING	Nonrefillable container. Do not reuse or refill this container. If empty: Place in trash or offer for recycling if available. If partly filled: Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

NOTICE: To the extent consistent with applicable law, buyer assumes all risks of use, storage or handling of this product not in accordance with label directions.



If for any reason you, the consumer, are not satisfied with this product, mail us proof of purchase to obtain a full refund of your purchase price.

© 2019 The ORTHO Group. World rights reserved.
Sold by **The ORTHO Group**
P.O. Box 150, Mansville, OH 43040
EPA Reg. No. 2217-896-239
EPA Est. No. 239-JA-3



Questions & Comments
Call 1-800-225-2883
or visit our website
at ortho.com



LB13862

OPEN RESEALABLE LABEL FOR DIRECTIONS & PRECAUTIONS
(ABRÁ LA ETIQUETA RESEALABLE PARA VER LAS INSTRUCCIONES)

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. **READ ENTIRE LABEL BEFORE USE.**
SHAKE WELL BEFORE USING.

USE RESTRICTIONS:

• For residential lawn use only. • Do not apply this product in a way that will contact any person or pet, either directly or through drift. Keep people and pets out of the area during application. • Do not allow people or pets to enter the treated area until sprays have dried. • Do not use on Bahiagrass, Bentgrass (colonial and creeping), Carpetgrass, Centipede grass, Dichondra, Gardens (including vegetables, fruit trees, vines and berries), Ornamental plants (flowers, trees, groundcovers, landscape beds and shrubs), Seashore Paspalum, St. Augustine grass, and turfgrass species that are not listed on this label. • Do not use clippings from the treated areas as mulch or compost around flowers, ornamentals, trees, or in vegetable gardens. • Do not spray exposed roots of ornamentals and trees.



• Do not allow people or pets to enter the treated area until sprays have dried. • Do not use on Bahiagrass, Bentgrass (colonial and creeping), Carpetgrass, Centipede grass, Dichondra, Gardens (including vegetables, fruit trees, vines and berries), Ornamental plants (flowers, trees, groundcovers, landscape beds and shrubs), Seashore Paspalum, St. Augustine grass, and turfgrass species that are not listed on this label. • Do not use clippings from the treated areas as mulch or compost around flowers, ornamentals, trees, or in vegetable gardens. • Do not spray exposed roots of ornamentals and trees.

SPRAY DRIFT MANAGEMENT:

It is the responsibility of the applicator to avoid spray drift at the application site. Do not allow the herbicide solution to mist, drip, drift, or splash onto desirable broadleaf plants, as small amounts of this product can damage sensitive plants near the treated area. If desirable plants are accidentally sprayed, immediately rinsing leaves with water may reduce or eliminate plant damage.

USE PRECAUTIONS:

• Apply when weeds are young and actively growing. • Delay mowing 2 days before and until 2 days after the application of this product. • If the lawn is dry, water 24 hours before using this product. • Do not water lawn within 24 hours of treatment. • Certain hard-to-kill weeds may need to be spot treated in 21 days. • For new lawns, apply only when grass has reached a height of at least 2 inches. • Bare spots may be seeded 4 weeks after application. • Spray when air temperatures are cooler than 90°F. • Avoid applications during the spring transition of the warm season grasses and during periods of extremely high temperatures. • Avoid applications to bermudagrass when daytime temperatures exceed 85°F. • Application to bermudagrass may cause temporary yellowing or discoloration but full recovery can be expected. • Use on established lawns.

HOW IT WORKS

Ortho® WeedClear™ Lawn Weed Killer Concentrate contains three proven weed killers that target lawn weeds and crabgrass. This herbicide enters the lawn weeds through their leaves and moves throughout the plant to provide control. And lawns listed on this label will not be harmed when used as directed.

WHERE TO USE

This product can be applied to residential lawns with the following turfgrass types:

LAWNS TO BE TREATED:

Cool Season Turfgrass (Northern Lawns)

Kentucky bluegrass; Ryegrass, perennial and annual; Tall fescue; Fine fescues.

Warm Season Turfgrass (Southern Lawns)

Bermudagrass¹, common and hybrid; Zoysiagrass; Buffalograss.

¹Application to Bermudagrass may cause temporary yellowing or discoloration but full recovery can be expected. Do not apply to Bermudagrass when daytime temperatures exceed 85 °F.

DO NOT apply Ortho® WeedClear™ Lawn Weed Killer Concentrate to the following:

Bahiagrass; Bentgrass; Carpetgrass; Centipede grass; Dichondra; Gardens including vegetables, fruit trees, vines and berries; Ornamental plants (flowers, trees, groundcovers, landscape beds and shrubs); Seashore paspalum; St. Augustine grass; Turfgrass species that are not listed on this label.

HOW MUCH TO USE

Use 2.5 fl oz per gallon of water for every 400 sq ft.

Limitations: The maximum application rate is 6.4 fl oz of product per 1,000 sq ft per application (1.0 lb 2,4-D acid equivalent per acre per application). Do not apply more than 2 applications per year. The second application may be made no sooner than 21 days after first application. The maximum seasonal rate is 12.8 fl oz of product per 1,000 sq ft (2.0 lb 2,4-D acid equivalent per acre).

WHEN TO USE

Apply this product when weeds are small and actively growing in the spring or fall. Crabgrass, large & smooth – Apply in the spring before crabgrass is 4 inches tall or when crabgrass is first noticeable in the lawn. Make a second application after 3 weeks for dense weed populations.

HOW TO USE

Ortho® Dial N Spray® with Direct Connect Directions

SET	<ul style="list-style-type: none"> • Turn dial to 2.5 oz.
FILL	<ul style="list-style-type: none"> • Pour desired amount of concentrate into sprayer jar. • Turn sprayer nozzle to preferred spray. • Do NOT add water.
SPRAY	<ul style="list-style-type: none"> • Connect hose to sprayer. • Turn on water. • Press and hold trigger for continuous spray. Apply evenly.
FINISH	<ul style="list-style-type: none"> • Pour unused concentrate back into its original container. • To clean: refer to the Ortho® Dial N Spray® cleaning instructions.

Refer to the Ortho® Dial N Spray® instructions for additional information.

Important: Over-application or rates above those recommended on this label can cause grass injury. To prevent sprayer from dogging, always clean after use, as directed.

Tank Sprayer Directions

How To Use: Add 2.5 fl oz per gallon of water for every 400 sq ft.

Important: Over-application or rates above those recommended on this label can cause grass injury.

GRASS AND BROADLEAF WEEDS CONTROLLED

GRASS WEEDS: Crabgrass, large and smooth; Foxtail, green, yellow and giant; Signalgrass, broadleaf.

BROADLEAF WEEDS: Annual yellow sweetclover; Aster; Austrian fieldcress; Bedstraw; Beggarticks; Betony, Florida; Bindweed, field; Bird vetch; Bitter wintercress; Bittercress, hairy; Bitterweed; Black-eyed Susan; Black medic; Black mustard; Blackseed plantain; Blessed thistle; Bloodflower milkweed; Blue lettuce; Blue vervain; Bracted plantain; Brassbuttons; Bristly oxtongue; Broadleaf dock; Broadleaf plantain; Broomweed; Buckhorn; Buckhorn plantain; Bulbous buttercup; Bull thistle; Bullnettle; Burdock; Burdock; Burning nettle; Burweed; Buttercup; Buttonweed; Canada thistle; Carolina geranium; Carpetweed; Catchweed bedstraw; Catnip; Catsear; Chickweed, common; Chickweed, mouseear; Chicory; Cinquefoil; Clover, crimson; Clover, hop; Clover, red; Clover, strawberry; Clover, sweet; Clover, white; Cockle; Cocklebur; Common mullein; Creeping Jenny (Creeping Charlie); Cudweed; Curly dock; Daisy, English; Daisy fleabane; Daisy, oxeye; Dandelion; Dichondra; Dogbane; Dogfennel; Dollarweed; False dandelion; False flax; False sunflower; Fiddleneck; Florida pusley; Frenchweed; Galinsoga; Goathead; Goldenrod; Ground ivy; Gumweed; Hairy fleabane; Hawkweed; Heartleaf drymary; Heathaster; Hedge bindweed; Hedge mustard; Hemp; Henbit; Hoary cress; Hoary plantain; Hoary vervain; Horsenettle; Jimsonweed; Knave; Knotweed; Kochia; Lambsquarters; Lespedeza; Malow; Matchweed; Mexicanweed; Milk vetch; Morningglory; Mouseear hawkweed; Mugwort; Musk thistle; Mustard; Narrowleaf plantain; Narrowleaf vetch; Nettle; Orange hawkweed; Oriental cocklebur; Oxalis; Parsley-piert; Parsnip; Pearlwort; Pennygrass; Pennywort; Peppergrass; Pepperweed; Pigweed; Pineywoods bedstraw; Plains coreopsis (tickseed); Plantain; Poison ivy; Poison oak; Pokeweed; Poorjoe; Prairie sunflower; Prickly lettuce; Prickly sida; Prostrate knotweed; Prostrate pigweed; Prostrate spurge; Prostrate vervain; Puncturevine; Purslane, common; Ragweed; Red sorrel; Redroot pigweed; Redstem flaree; Rough cinquefoil; Rough fleabane; Russian pigweed; Russian thistle; Scarlet pimpernel; Scotch thistle; Sheep sorrel; Shepherd's purse; Slender plantain;

(Continued) 3

GRASS AND BROADLEAF WEEDS CONTROLLED (continued)

Smallflower galinsoga; Smooth dock; Smooth pigweed; Sorrel; Sowthistle; Spanishneedles; Speedwell; Spiny amaranth; Spiny cocklebur; Spiny sowthistle; Spotted catsear; Spotted spurge; Spurweed; Stinging nettle; Strawberry; India mock; Tall nettle; Tall vervain; Tansy ragwort; Tansy mustard; Tanweed; Thistle; Trailing crownvetch; Tumble mustard; Tumble pigweed; Velvetleaf; Venice mallow; Virginia buttonweed; Virginia creeper; Virginia pepperweed; Wavyleaf bullthistle; Western clematis; Western salsify; White mustard; Wild aster; Wild buckwheat; Wild carrot; Wild four-o'clock; Wild garlic; Wild geranium; Wild lettuce; Wild marigold; Wild mustard; Wild onion; Wild parsnip; Wild radish; Wild rape; Wild strawberry; Wild sweet potato; Wild vetch; Wild violet; Woodsorrel; Woolly croton; Woolly morningglory; Woolly plantain; Wormseed; Yarrow; Yellow rocket; Yellowflower pepperweed.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION: Causes moderate eye irritation. Avoid contact with eyes, skin or clothing. Harmful if swallowed. When using this product, wear long-sleeved shirt, long pants, socks, shoes and rubber gloves. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum or using tobacco. After using this product, rinse gloves before removing, remove clothing and launder separately before reuse, and promptly and thoroughly wash hands and exposed skin with soap and water. Remove saturated clothing as soon as possible and shower.

User Safety Recommendations

- Users should wash hands before eating, drinking, chewing gum, using tobacco or using the toilet.
- Users should remove clothing/PPE immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing. If pesticide gets on skin, wash immediately with soap and water.
- Users should remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing.

FIRST AID

IF IN EYES	Hold eye open and rinse slowly and gently with water for 15 to 20 minutes. Remove contact lenses, if present, after the first five minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.
IF SWALLOWED	Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to by a poison control center or doctor. Do not give anything to an unconscious person.
Have the product container or label with you when calling a poison control center or doctor, or going for treatment. You may also contact 1-877-465-5161 for emergency medical treatment advice.	

ENVIRONMENTAL HAZARDS

This pesticide is toxic to fish and aquatic invertebrates. To protect the environment, do not allow pesticide to enter or run off into storm drains, drainage ditches, gutters or surface waters. Applying this product in calm weather when rain is not predicted for the next 24 hours will help to ensure that wind or rain does not blow or wash pesticide off the treatment area. Rinsing application equipment over the treated area will help avoid run off to water bodies or drainage systems.

This chemical has properties and characteristics associated with chemicals detected in groundwater. The use of this chemical in areas where soils are permeable, particularly where the water table is shallow, may result in groundwater contamination. Application around a cistern or well may result in contamination of drinking water or groundwater.

STORAGE AND DISPOSAL

PESTICIDE STORAGE	Keep from freezing. Store in original container in a locked storage area inaccessible to children and pets.
PESTICIDE DISPOSAL & CONTAINER HANDLING	Nonrefillable container. Do not reuse or refill this container. If empty: Place in trash or offer for recycling if available. If partly filled: Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

NOTICE: To the extent consistent with applicable law, buyer assumes all risks of use, storage or handling of this product not in accordance with label directions.



If for any reason you, the consumer, are not satisfied with this product, mail us proof of purchase to obtain a full refund of your purchase price.

MODO DE EMPLEO

Se considera una violación a la ley federal usar este producto con otros fines que los indicados en la etiqueta. **LEA TODA LA ETIQUETA ANTES DE USAR EL PRODUCTO.**

AGITE BIEN ANTES DE USAR.

RESTRICCIONES DE USO:

• Para uso en céspedes domésticos, únicamente. • No aplique este producto de forma que entre en contacto con ninguna persona o mascota, ya sea directamente o al ser arrastrado por el viento. Durante la aplicación, mantenga alejadas del área a las personas y a las mascotas. • No permita que las personas ni las mascotas entren a las áreas tratadas sino hasta que el rociado se haya secado. • No use este producto en céspedes de grama bahía, Bentgrass (colonial y rastrojero), alfombra, ciempiés, oreja de ratón, huertos (incluidos de hortalizas, árboles frutales, enredaderas y bayas), plantas ornamentales (flores, árboles, cubiertas vegetales, macizos de jardín y arbustos), césped del mar, San Agustín y otras especies de césped que no están enumeradas en esta etiqueta. • No utilice las brizas de las áreas tratadas como mantillo o composta alrededor de flores, plantas ornamentales, árboles o en huertos de hortalizas. • No rocíe las raíces expuestas de árboles y plantas ornamentales.

CONTROL DEL ROCIADO PARA EVITAR SU DISPERSIÓN

La persona encargada de aplicar el producto es responsable de evitar su dispersión en el lugar de aplicación. No permita que la solución herbicida se disperse al ser nebulizada, ni que gotee, sea arrastrada o salpique a otras plantas de hoja ancha, ya que pequeñas cantidades de este producto pueden dañar las plantas delicadas que se encuentran cerca de la zona tratada. Si rocía accidentalmente las plantas que desea conservar, lavar las hojas inmediatamente con agua puede reducir o evitar el daño a las plantas.

PRECAUCIONES DE USO:

Aplique este producto cuando las malezas sean pequeñas y estén en crecimiento activo. • Postergue el corte de césped para 2 días antes y hasta 2 días después de la aplicación de este producto. • Si el césped está seco, riegue 24 horas antes de usar este producto. • No riegue el césped en las 24 horas luego del tratamiento. • Es posible que haya que tratar de manera localizada ciertas malezas difíciles de eliminar en 21 días. • Para los céspedes nuevos, aplique el producto únicamente cuando hayan alcanzado una altura de por lo menos 2 pulgadas (5 cm). • Pueden sembrarse semillas en las áreas descubiertas 4 semanas después de la aplicación. • Rocíe cuando la temperatura del aire no pase de los 90 °F (32 °C). • Evite llevar a cabo aplicaciones durante la transición de los céspedes para climas cálidos hacia la primavera y durante los periodos de temperaturas extremadamente altas. • Evite aplicar al césped Bermuda cuando las temperaturas diurnas superen los 85 °F (29 °C). • La aplicación en el césped Bermuda puede causar amarillamiento o decoloración temporal, pero se puede esperar la recuperación completa. • Aplique a céspedes establecidos.

CÓMO FUNCIONA

El Concentrado herbicida para césped WeedClear™ de Ortho® contiene tres herbicidas comprobados dirigidos a las malezas de céspedes y el zacate mano de cangrejo. Este herbicida entra en la maleza del césped a través de sus hojas y se mueve a lo largo de la planta para proporcionar control. Y los céspedes indicados en esta etiqueta no se verán perjudicados cuando se use según las indicaciones.

DÓNDE USARLO

Este producto puede aplicarse en jardines residenciales con los siguientes tipos de céspedes:

CÉSPEDES A TRATAR:

Césped para climas fríos (céspedes del norte)

Césped azul de Kentucky; raigrás, tanto anual como perenne; cañuela alta; cañuelas finas.

Césped para climas cálidos (céspedes del sur)

Bermuda, común e híbrido; zoysia; bufalo.

La aplicación en el césped Bermuda puede causar amarillamiento o decoloración temporal, pero se puede esperar la recuperación completa. No aplique el producto a césped Bermuda cuando las temperaturas diurnas superen los 85 °F (29 °C).

NO aplique El Concentrado herbicida para césped WeedClear™ de Ortho® a lo siguiente: céspedes bahía; agrostis; alfombra; ciempiés; dicandra; jardines que incluyen vegetales, árboles frutales, parras y bayas; plantas ornamentales (flores, árboles, cubiertas vegetales, macizos de jardín y arbustos); césped del mar; San Agustín; especies de césped que no están enumeradas en esta etiqueta.

CUÁNTO USAR

Agregue 2.5 onzas líquidas (74 ml) por cada galón de agua, por cada 400 pies² (37 m²).

Límites: La cantidad máxima de aplicación es de 6.4 onzas líquidas (189 ml) de producto por cada 1,000 pies² (93 m²), por aplicación (el equivalente de 1.0 lb [0.45 kg] de ácido 2,4-D por acre, por aplicación). No exceda 2 aplicaciones por año. La segunda aplicación puede hacerse no antes de 21 días después de la primera. La cantidad máxima de aplicación por temporada es de 12.8 onzas líquidas (379 ml) de producto por cada 1,000 pies² (93 m²) (el equivalente de 2.0 lb [0.91 kg] de ácido 2,4-D por acre).

CUÁNDO USARLO

Aplique este producto cuando las malezas son pequeñas y están en crecimiento activo en la primavera o el otoño.

Zacate mano de cangrejo, tanto ancho como liso: Aplique el producto en la primavera, antes de que el zacate mano de cangrejo alcance las 4 pulgadas (10 cm) de altura o en cuanto sea visible en el césped. Aplique de nuevo a las tres semanas para las poblaciones densas de maleza.

CÓMO USARLO

Instrucciones para Ortho® Dial N Spray® con conexión directa

AJUSTE:	<ul style="list-style-type: none">• Gire el selector a la posición de 2.5 oz (74 ml).
CONECTE	<ul style="list-style-type: none">• Retire el depósito del Ortho® Dial N Spray®.• Quite la tapa de la botella de concentrado y guárdela para almacenar el producto.• Enrosque el rociador Ortho® Dial N Spray® en la botella de concentrado.• Conecte la manguera de jardín al rociador y abra el agua.
ROCÍE	<ul style="list-style-type: none">• Apriete el gatillo del rociador sin soltarlo para un rociado continuo. Aplique uniformemente.• Rocíe solo hasta humedecer la superficie del césped.
TERMINE	<ul style="list-style-type: none">• Desenrosque la botella de concentrado del rociador Ortho® Dial N Spray®.• Vuelva a cerrar la botella de concentrado con la tapa.• Para limpiar: consulte las instrucciones de limpieza de Ortho® Dial N Spray®.

Consulte las instrucciones de Ortho® Dial N Spray® para obtener información adicional.

Importante: La aplicación excesiva o en cantidades superiores a las recomendadas en esta etiqueta puede causar daños al césped. Para evitar que el rociador se obstruya, límpielo siempre después de usarlo, tal y como se indica.

Instrucciones de uso del rociador con depósito

Cómo Usarlo: Agregue 2.5 onzas líquidas (74 ml) por cada galón de agua, por cada 400 pies² (37 m²).

Importante: La aplicación excesiva o en cantidades superiores a las recomendadas en esta etiqueta puede causar daños al césped.

AVISOS DE PRECAUCIÓN

RIESGOS PARA LOS HUMANOS Y LOS ANIMALES DOMÉSTICOS

PRECAUCIÓN: Causa irritación moderada en los ojos. Evite el contacto con los ojos, la piel o la ropa. Dañino si se ingiere. Vista una camisa de manga larga, pantalones largos, medias o calcetines, zapatos y guantes de hule al usar este producto. Lávese con abundante agua y jabón después de manipular el producto y antes de comer, beber, mascar chicle o consumir tabaco. Al terminar de usar este producto, enjuague los guantes antes de quitárselos, quítese la ropa y lávela por separado antes de volver a usarla, y de inmediato lávese bien las manos y la piel expuesta con agua y jabón. Quítese la ropa empapada de producto lo antes posible y dúchese o báñese.

Recomendaciones de seguridad para el usuario

- El usuario debe lavarse las manos antes de comer, beber, masticar chicle, consumir tabaco o usar el inodoro.
- El usuario debe quitarse la ropa o el EPI de inmediato si le cae dentro pesticida, para luego lavarse bien y ponerse ropa limpia. Si el pesticida entra en contacto con la piel, lávese de inmediato con agua y jabón.
- El usuario debe quitarse el EPI de inmediato después de manipular este producto. Lave los guantes por fuera antes de quitárselos. Tan pronto como pueda, lávese bien y póngase ropa limpia.

PRIMEROS AUXILIOS

SI ENTRA EN LOS OJOS	Mantenga el ojo abierto y enjuáguelo lentamente y con cuidado con agua por 15 a 20 minutos. Retire los lentes de contacto, de haberlos, después de transcurridos los primeros 5 minutos, y continúe enjuagando el ojo. Llame a un centro de control de envenenamientos o a un médico para recibir instrucciones de tratamiento.
SI SE INGIERE	Llame a un centro de control de envenenamientos o a un médico inmediatamente para recibir instrucciones de tratamiento. Que la persona beba un vaso de agua si puede tragar. No induzca el vómito, a menos que así lo indique el centro de control de envenenamientos o el médico. No le dé nada a una persona inconsciente.
Tenga el envase o la etiqueta del producto con usted cuando llame al centro de control de envenenamientos o al médico, o al acudir a recibir tratamiento. También puede llamar al 1-877-465-5161 para información sobre el tratamiento médico de emergencia.	

RIESGOS MEDIOAMBIENTALES

Este pesticida es tóxico para los peces y los invertebrados acuáticos. Para proteger el medio ambiente, no permita que el pesticida caiga o se escurra hacia drenajes pluviales, cunetas de desagüe, canaletas o aguas superficiales. Aplicar este producto con un clima tranquilo, cuando no se pronostiquen lluvias durante las próximas 24 horas, ayudará a asegurar que ni el viento ni la lluvia soplen o arrastren el pesticida lejos del área tratada. Enjuagar el equipo usado para la aplicación sobre el área tratada ayudará a evitar escurrimientos hacia cuerpos de agua o sistemas de drenaje.

Este producto químico tiene propiedades y características que se asocian con los detectados en aguas del subsuelo. El uso de este producto químico en áreas donde la tierra es permeable, en particular donde el manto freático está cerca de la superficie, puede acarrear la contaminación del agua del subsuelo. La aplicación alrededor de una cisterna o pozo puede ocasionar la contaminación del agua para beber o de la del subsuelo.

ALMACENAMIENTO Y ELIMINACIÓN

ALMACENAMIENTO DEL PESTICIDA	Evite que se congele. Almacene en su envase original, en un área de almacenamiento cerrada bajo llave a la que no tengan acceso los niños ni las mascotas.
ELIMINACIÓN Y MANEJO DEL ENVASE DEL PESTICIDA	Este envase no se puede rellenar. No vuelva a usar ni llenar este envase. Si está vacío: Tirelo a la basura o recíclalo, de ser posible. Si está parcialmente lleno: Llame a la agencia de control de desechos sólidos local para solicitar instrucciones sobre cómo eliminarlo. Nunca elimine el producto no utilizado en drenajes internos o externos.

AVISO: En la medida contemplada por las leyes correspondientes, el comprador asume todo el riesgo por el uso, el almacenamiento o el manejo de este producto si no se siguen las instrucciones de la etiqueta.

La
**Garantía
ORTHO**

Si por alguna razón usted, el consumidor, no está satisfecho con este producto, envíenos por correo el comprobante de compra para obtener un reembolso completo de su precio de compra.

ORTHO[®]

WEEDCLEAR[™]

LAWN WEED KILLER
CONCENTRATE

FAST-ACTING FORMULA

- ⚡ Kills 200+ weeds*
- 🏠 Treats up to 5,000 sq ft
- 🌿 Kills weeds to the roots
- ☔ Rainproof in 1 hour
- 🕒 Results with 1 application



WHAT IT DOES:



Kills major broadleaf and troublesome grass weeds including dandelion, chickweed, clover as well as crabgrass and foxtail. (See inside for complete list.)

WHERE TO USE:



Kills the weeds not the lawn when used as directed. For use on grasses including: Bermudagrass, Buffalograss, Fescues, Kentucky Bluegrass, Ryegrass, Zoysiagrass.

WHEN TO USE:

← 90 °F

Apply when daytime temperatures are below 90 °F. Do not apply above 85 °F for Bermudagrass.



Questions & Comments Call 1-800-225-2883 or visit our website at ortho.com



The **ORTHO[®]** Guarantee

If for any reason you, the consumer, are not satisfied with this product, mail us proof of purchase to obtain a full refund of your purchase price.

FPO

0 71549 04479 4
0505

©2019 The ORTHO Group.
World rights reserved.
Sold by The ORTHO Group,
PO Box 190, Marysville, OH 43040
EPA Reg. No. 2217-896-239
EPA Est. No. 239-IA-3

*see inside booklet for a complete list of weeds controlled.



LB1386Z