APPROVED

By haley at 8:54 am, Feb 22, 2021







BASE LAYER



PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND DOMESTIC ANIMALS
CAUTION: Harmful if absorbed through skin. Avoid contact with skin, eyes or clothing. Wash hands throughly with soap and water after handling and before eating, drinking, chewing gum, or using tobacco.

FIRST AID

Take off contaminated clothing.
 Rinse skin immediately with plenty of water for 15-20 minutes.
 Call a poison control center or doctor for treatment advice.

Have the product container or label with you when calling a Poison Control Center or doctor for treatment advice.

ENVIRONMENTAL HAZARDS
This product is extremely toxic to fish and other aquatic organisms. Do not apply directly to water.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

Storage and Spill Procedures: Store upright at room temperature. Avoid exposure to extreme temperatures. Store in a locked area out of reach of children and domestic animals. In case of spillage or leakages, soak up with an absorbent material such as sand, sawdust, earth, Fuller's

earth, etc. Dispose of with chemical waste.

Pesticide Disposal: Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spilled bait, or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, by use accounting to lace instructions, contact your caster restructor in the interactions whate representative at the nearest EPA Regional Office for Guidance.

Container Disposal: If empty - Nonrefillable container. Do not reuse or refill this container.

Offer for recycling if available. If recycling is not available: then dispose of container in a sanitary landfill or, if allowed by State and local authorities, by burning. If burned, stay out of smoke.

If partly filled: Call your local solid waste agency for disposal instructions. Unless otherwise instructed, place in trash. Never pour unused product down the drain or on the ground.

Distributed by: TechPac, L.L.C. 1000 Parkwood Circle, Suite 700 Atlanta, GA 30339

EPA Reg. No. 53883-196-71004 EPA Est. 67572-GA-1_A, 67572-GA-2_B Subscript used is first letter of run code on container.

GardenTech is a registered trademark of Gulfstream Home & Garden, Inc. Sevin is a registered trademark of Tessenderlo Kerley, Inc.



PRECAUTIONARY
STATEMENTS
TATEMENTS
TO HUMANS AND DOMESTIC ANIMALS
CAUTION: Hamful if aboved through skin. Avoid contact with skin, eyes
or clothing. Wash hands thoroughly with soap and water after handling and
before eating, drinking, chewing gum, or using tobacco.

FIRST AID

If on skin or clothing:

Take off contaminated clothing.
 Rinse skin immediately with plenty of water for 15-20 minutes.
 Call a poison control center or doctor for treatment advice.

ENVIRONMENTAL HAZARDSThis product is extremely toxic to fish and other aquatic organisms. Do not apply directly to water.

DIRECTIONS FOR USEIt is a violation of Federal law to use this product in a manner inconsistent with its labeling.

STOP-READ ENTIRE LABEL BEFORE USE.

Do not allow children or pets into the treated area until dry. In New York State, this product may not be applied to lawns within 100 ft of coastal marsh or stream that drains directly into a coastal marsh.

APPLICATION INSTRUCTIONS

Shake well before each use.

To avoid extreme wetting and waste of product, adjust nozzle to narrow fan spray. Hold sprayer about 1 foot from plant and spray just enough to cover the area that is to be treated.

NOTE: This product will not stain most home siding. However, before using, it is recommended to test on the siding (vinyl in particular) in an area that is not readily visible. Recheck after a few hours. If any staining is observed, Do NOT use.

AWNS

LAMINO	
SURFACE INSECTS	APPLICATION INSTRUCTIONS
Ants" Armyworms Cockroaches (German & American) Crickets Cutworms Earwigs European crane flies Fleas Fruit flies Green June beetles Lawn moths (sod webworms) Millipedes Palmetto bugs Sowbugs Mites Spirtlebugs Spiringtails Deer ticks (which may transmit Lyme Disease) Water bugs	A few hours prior to application, completely wet the grass, and apply as a thorough coverage spray. One quart will treat 62.5 sq.ft. For ideal control of surface insects, postpone additional watering or mowing for 24 hours. Treat ants and other insects when they begin to appear or when you notice lawn damage. Do not apply more than 10 times per location, per year.
+ Alle observed Assessing Diselve	competer Comfield Field Florida competer

*Allegheny mound, Argentine, Black carpenter, Comfield, Field, Florida carpenter, Harvester, Honey, Pavement, Southern, Sugar, Nuisance.

OUTDOOR PESTS

INSECT	APPLICATION INSTRUCTIONS	
Ants* Centipedes Cockroaches Crickets Fleas Flies Gnats Millipedes Mosquitoes Pillbugs Scorpions Sowbugs Spiders Deer ticks	To significantly reduce the potential for entry by crawling pests, apply a constant band of insecticide around building foundation and around windows, doors, eaves, vents, and other areas. For more effective treatments, remove debris, leaf litter and other matter that is adjacent to the foundation that could possibly harbor pests. Apply a 3 ft band around the structure and upwards along the foundation to 3 feet and around windows, doors, and roof overhangs. For the insecticide to reach the soil or thatch layer where pests may be active, apply as a coarse spray to completely wet the foundation and/or band area. 1 quart will treat 62.5 sq.ft. of surface area.	

*Allegheny mound, Argentine, Black carpenter, Cornfield, Field, Florida carpenter, Harvester, Honey, Pavement, Southern, Sugar, Nuisance.

OUTDOOR SURFACES

O I DOOK OOK ACED				
INSECT	APPLICATION INSTRUCTIONS			
Ants* Centipedes Cockroaches Crickets Fleas Flies Gnats Millipedes Mosquitoes Pillbugs Scorpions Sowbugs Spiders Deer ticks	Make a residual application to ornamental plants adjacent to foundations of buildings and to surfaces such as, but not limited to porches, screens, window frames, eaves, patios and garages where these pests are active. Works for up to 8 weeks on vinyl siding.			

* Allegheny mound, Argentine, Black carpenter, Cornfield, Field, Florida carpenter, Harvester, Honey, Pavement, Southern, Sugar, Nuisance.

ORNAMENTAL TREES, SHRUBS, AND FLOWERS

APPLICATION INSTRUCTIONS: Apply thoroughly as a foliar spray to both sides of plant leaves and all plant surfaces where insects are present. For optimum results, apply early prior to high insect populations.

NOTE: • For Scale control, treat the whole plant, including the stem, trunks, and twigs.
• For Bagworm control, apply when bagworm larvae start to hatch.

USE SITES	INSECTS CONTROLLED
For use on ornamental trees, shrubs and flowers, such as, but not limited to: Ageratum, Ash, Aster, Arborvitae, Arizona Cypress, Azaleas, Begonia, Birch, Boxwood, Box Elder, Camellias, Cherry (ornamental), Non-bearing Citrus, Chrysanthemums, Carnations, Coleus, Common Ninebark, Conifers, Douglas Fir, Elm, English Ivy, Euonymus, Exacum, Weeping Fig, Fir, Gladioli, Gold Bells, Hawthom, Holly, Honeysuckle, Hypoestes, tvy, Juniper, Lilac, Locust, Maple, Marigold, Mimosa, Mock Orange, Nannyberry, Oak, Orchid, Palm, Pansy, Pea Shrub, Petunia, Philodendron, Pine, Ornamental Plum, Poinsettia, Poplar, Tulip Poplar, Rhododendron, Roses, Snapdragon, Snowberry, Spruce, Taxus, Willow, Zinnia.	Ants*, Armyworms, Aphids, Azalea caterpillar, Bagworms, Black vine weewil (Adult), Boxelder bugs, Broadmites, Brown softscale, Budworms, California oakworm, California redscale (crawlers), Cankerworms, Clovermites, Cockroaches, Crickets, Cutworms, Eastern tent caterpillar, Elm leaf beetles, European sawfly, Fal webworm, Flea beetles, Forest tent caterpillar, Gypsy moth larvae, Japanese beetles (Adults), June beetles (Adults), Lace bugs, Leaf feeding caterpillars, Leafinoppers, Leafminers (Adults), Leaf rollers, Leaf skeletonizers, Mealybugs, Midges, Oleander moth larvae, Pillbug, Pineneedle scale (crawler), Pine sawfly, Pine shot beetles, Pinetip moths, Plant bugs, Root weevil, Sawfly, Scale insects (crawlers), Spider mites, Spidter mites, Spittlebugs, Striped beetles, Stripec oakworm, Thrips, Tip moth, Tussock moth larvae, Whiteflies

*Allegheny mound, Argentine, Black carpenter, Cornfield, Field, Florida carpenter, Harvester, Honey, Pavement, Southem, Sugar, Nuisance.

VEGETABLES

APPLICATION INSTRUCTIONS: Apply for complete coverage, trying to hit the underside of leaves.

NOTE: Do not apply more than 5 times per growing season to corn. For all other crops do not apply more than 9 times per growing season.

VEGETABLES	INSECTS CONTROLLED	PHI*
Broccoli Brussels Sprouts Cabbage Cavalo Broccoli Cauliflower Chinese Broccoli Chinese Cabbage Chinese Mustard Kohlrabi	Alfalfa Looper, Aphid, Armyworm, Beet Armyworm, Cabbage Looper, Cabbage Webworm, Corn Earworm, Cutworm, Diamondback Moth, Fall Armyworm, Flea Beetle, Grasshopper, Imported Cabbageworm, Japanese Beetle (Adult), Leafhopper, Lygus Bug, Meadow Spittlebug, Plant Bug, Southern Cabbageworm, Spider Mite, Stink Bug, Thrips, Yellow-striped Armyworm, Whitefly	1
Com (sweet and pop)	Armyworm, Bean Leaf Beetle, Beet Armyworm, Cereal Leaf Beetle, Chinch Bug, Corn Earworm, Corn Leaf Aphid, Cutworm, English Grain Aphid, European Corn Borer, Grasshopper, Green Bug, Green Clovenworm, Hop Vine Borer, Japanese Beetle (Adult), Meadow Spittlebug, Mexican Corn Rootworm Beetle (Adult), Northern Corn Rootworm Beetle (Adult), So Beetle (Adult), Southern Corn Rootworm Beetle (Adult), Southwestern Corn Borer, Stalk Borer, Stink Bug, Tobacco Budworm, Western Bean Cutworm, Western Corn Rootworm Beetle (Adult)	21
Corn (sweet only)	Aphid, Aster Leafhopper, Com Silkfly (Adult), Southern Armyworm, Spider Mite, Tarnished Plant Bug, Western Bean Cutworm	21

VEGETABLES	INSECTS CONTROLLED	PHI*
Lettuce (head and leaf)	Aphid, Alfalfa Looper, Armyworm, Beet Armyworm, Cabbage Looper, Corn Earworm, Cutworm, Diamondback Moth, European Com Borer, Fall Armyworm, Flea Beetle, Grasshopper, Green Cloverworm, Imported Cabbageworm, Japanese Beetle (Adult), Leafhopper, Meadow Spittlebug, Plant Bug, Saltmarsh Caterpillar, Southern Armyworm, Spider Mite, Stink Bug, Tobacco Budworm, Vegetable Beetle (Adult), Whitefly	1
Onion (bulb) and Garlic	Aphid, Armyworm, Cutworm, Flower Thrips, Leafminer (Adult), Onion Maggot (Adult), Onion Thrips, Plant Bug, Seedcorm Maggot (Adult), Stink Bug, Tobacco Thrips, Western Flower Thrips	14
Tomato and Tomatillo	Aphid, Beet Armyworm, Cabbage Looper, Colorado Potato Beetle, Cutworm spp., European Corn Borer, Fall Armyworm, Flea Beetle, Grasshopper, Hormworm, Leafhopper, Leafminer, Meadow Spittlebug, Plant Bug, Southern Armyworm, Stink Bug, Tobacco Budworm, Tomato Fruitworm, Tomato Pinworm, Yellow-striped Armyworm, Whitefly	5

* PHI = Pre-Harvest Interval. Number of days to wait between the last application and harvest.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

Storage and Spill Procedures: Store upright at room temperature.

Avoid exposure to extreme temperatures. Store in a locked area out of reach of children and domestic animals. In case of spillage or leakages, soak up with an absorbent material such as sand, sawdust, earth, Fuller's earth, etc.

Dispose of with chemical waste.

Pesticide Disposal: Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spilled bait, or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for Guidance.

Container Disposal: If empty - Nonrefillable container. Do not reuse or refill this container. Offer for recycling if available. If recycling is not available: then dispose of container in a sanitary landfill or, if allowed by State and local authorities, by burning, If burned, stay out of smoke. If partly filled: Call your local solid waste agency for disposal instructions. Unless otherwise instructed, place in trash. Never pour unused product down the drain or on the ground.

NOTICE: Buyer assumes all responsibility for safety and use not in accordance with directions.

GardenTech is a registered trademark of Gulfstream Home & Garden, Inc.

Sevin is a registered trademark of Tessenderlo Kerley, Inc.

If you have a medical emergency, need consultation on diagnosis, therapy and analysis please pall (800) 420-9347.

If you have questions relating to product use or application, please call (866) 945-5033. If you have a product spill or transportation emergency call (800) 424-9300.

Distributed by: TechPac, L.L.C. 1000 Parkwood Circle, Suite 700 Atlanta, GA 30339