TERRAZOLE® 35W

VersionRevision Date:MSDS Number:Country: US1.1210/15/2015400000003983Language: EN

SECTION 1. IDENTIFICATION

Product name : TERRAZOLE® 35W

Product code : 40000003983

Manufacturer or supplier's details

Company: MacDermid Agricultural Solutions, Inc

245 Freight St Waterbury, CT

United States of America

06702

Telephone: +1 800 423 8569

Prepared by sds.request@arysta.com

Further information for the safety data sheet:

sds.request@arysta.com

1.4 Emergency telephone number

Emergency telephone number: Agriphar Crop Solutions: +1 800 423 8569(24 hours) 800-424-9300

For additional emergency telephone numbers see section 16 of the

Safety Data Sheet.

Recommended use of the chemical and restrictions on use

Recommended use : Fungicide

SECTION 2. HAZARDS IDENTIFICATION

GHS Classification

Carcinogenicity : Category 2

Acute aquatic toxicity : Category 1

Chronic aquatic toxicity : Category 1

GHS Label element

TERRAZOLE® 35W

VersionRevision Date:MSDS Number:Country: US1.1210/15/2015400000003983Language: EN

Hazard pictograms





Signal word : Warning

Hazard statements : H351 Suspected of causing cancer.

H410 Very toxic to aquatic life with long lasting effects.

Precautionary statements : Prevention:

P201 Obtain special instructions before use.

P202 Do not handle until all safety precautions have been read

and understood.

P273 Avoid release to the environment.

P281 Use personal protective equipment as required.

Response:

P308 + P313 IF exposed or concerned: Get medical advice/

attention.

P391 Collect spillage.

Storage:

P405 Store locked up.

Disposal:

P501 Dispose of contents/ container to an approved waste dis-

posal plant.

Other hazards

Avoid generating dust; fine dust dispersed in air in sufficient concentrations, and in the presence of an ignition source is a potential dust explosion hazard.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Chemical nature : organic

inorganic

Hazardous components

| Chemical Name | CAS-No. | Concentration (% w/w) |
|--|-------------|-----------------------|
| 5-ethoxy-3-trichloromethyl-1,2,4-thiadiazole | 2593-15-9 | >= 30 - < 50 |
| silica gel | 112926-00-8 | >= 10 - < 20 |
| quartz (SiO2) | 14808-60-7 | >= 1 - < 5 |
| sodium 2-[methyloleoylamino]ethane-1- | 137-20-2 | >= 1 - < 5 |
| sulphonate | | |

SECTION 4. FIRST AID MEASURES

If inhaled : Remove to fresh air.

Give oxygen or artificial respiration if needed. Call a POISON CENTER or doctor/ physician.

TERRAZOLE® 35W

Version **Revision Date:** MSDS Number: Country: US 10/15/2015 40000003983 1.12 Language: EN

In case of skin contact Remove contaminated clothing and shoes.

Wash off immediately with plenty of water for at least 15 min-

Call a POISON CENTER or doctor/ physician.

In case of eye contact : Rinse immediately with plenty of water, also under the eyelids,

for at least 15 minutes.

Remove contact lenses, if present, after the first 5 minutes, then

continue rinsing eye.

Call a POISON CENTER or doctor/ physician.

If swallowed : Call a physician or poison control centre immediately.

If swallowed, DO NOT induce vomiting unless directed to do so by

medical personnel.

Never give anything by mouth to an unconscious person.

Most important symptoms and effects, both acute and delayed : Symptoms may be delayed.

Harmful if swallowed.

May be harmful in contact with skin. Suspected of causing cancer.

Notes to physician The first aid procedure should be established in consultation

with the doctor responsible for industrial medicine.

SECTION 5. FIREFIGHTING MEASURES

Suitable extinguishing media : Extinguishing media - large fires

Alcohol-resistant foam

(on small fires) Carbon dioxide (CO2)

Dry chemical Water spray

Unsuitable extinguishing media : Water spray jet

Specific hazards during fire-

fighting

: Burning produces noxious and toxic fumes.

Specific extinguishing methods : Use extinguishing measures that are appropriate to local circum-

stances and the surrounding environment.

Further information : Collect contaminated fire extinguishing water separately. This must

not be discharged into drains.

Fire residues and contaminated fire extinguishing water must be

disposed of in accordance with local regulations.

firefighters

Special protective equipment for : In the event of fire, wear self-contained breathing apparatus.

SECTION 6. ACCIDENTAL RELEASE MEASURES

TERRAZOLE® 35W

Version **Revision Date:** MSDS Number: Country: US 1.12 10/15/2015 40000003983 Language: EN

Personal precautions, protective equipment and emergency pro-

cedures

Evacuate personnel to safe areas.

Wear suitable protective clothing, gloves and eye/face protection.

: Prevent leaks and prevent soil / water pollution caused by leaks. Environmental precautions

Methods and materials for containment and cleaning up

: Sweep up and shovel into suitable containers for disposal.

Avoid dust formation.

In accordance with local and national regulations.

SECTION 7. HANDLING AND STORAGE

Advice on safe handling : Wear suitable protective equipment.

Keep container tightly closed.

Avoid formation of dust and aerosols.

Conditions for safe storage : Keep in a dry, cool place.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

| Components | CAS-No. | Value type (Form of exposure) | Control parameters / Permissible con- centration | Basis |
|---------------|-------------|----------------------------------|--|-----------|
| silica gel | 112926-00-8 | TWA | 6 mg/m3 | OSHA P0 |
| | | TWA (Dust) | 20 Million particles per cubic foot (Silica) | OSHA Z-3 |
| | | TWA (Dust) | 20 Million particles per cubic foot (Silica) | OSHA Z-3 |
| | | TWA (Dust) | 80 mg/m3 / %SiO2 (Silica) | OSHA Z-3 |
| | | TWA (Dust) | 80 mg/m3 / %SiO2 (Silica) | OSHA Z-3 |
| | | TWA | 6 mg/m3 (Silica) | NIOSH REL |
| | | TWA | 6 mg/m3 (Silica) | NIOSH REL |
| quartz (SiO2) | 14808-60-7 | TWA (Respirable fraction) | 0.025 mg/m3 | ACGIH |
| | | TWA (total dust) | 30 mg/m3 / %SiO2+2 | OSHA Z-3 |
| | | TWA (respirable) | 250 mppcf / %SiO2+5 | OSHA Z-3 |
| | | TWA (respirable) | 10 mg/m3 / %SiO2+2 | OSHA Z-3 |
| | | TWA (Respirable fraction) | 0.1 mg/m3 | OSHA P0 |
| | | TWA (respir- | 0.1 mg/m3 | OSHA P0 |

TERRAZOLE® 35W

VersionRevision Date:MSDS Number:Country: US1.1210/15/2015400000003983Language: EN

| able dust fraction) | | |
|---------------------|-------------|-----------|
| TWA (Respir- | 0.025 mg/m3 | ACGIH |
| able fraction) | (Silica) | |
| TWA (respir- | 0.05 mg/m3 | NIOSH REL |
| able dust) | (Silica) | |

Hazardous components without workplace control parameters

| Components | CAS-No. |
|---|-----------|
| 5-ethoxy-3-trichloromethyl- | 2593-15-9 |
| 1,2,4-thiadiazole | |
| | |
| sodium 2- | 137-20-2 |
| sodium 2- [methyloleoylamino]ethane-1- | 137-20-2 |

Personal protective equipment

Respiratory protection : Respirator with a dust filter

Hand protection

Remarks : Impervious butyl rubber gloves Replace when worn.

Eye protection : Safety glasses

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : powder

Colour : grey

Odour : sweet, musty

Odour Threshold : No data available

pH : 7-9

Melting point/freezing point : 155 °C

Boiling point/boiling range : Not applicable

Flash point : $> 110 \, ^{\circ}\text{C}$

Evaporation rate : Not applicable

Upper explosion limit : No data available

Lower explosion limit : No data available

Vapour pressure : Not applicable

Relative vapour density : Not applicable

Relative density : No data available

TERRAZOLE® 35W

VersionRevision Date:MSDS Number:Country: US1.1210/15/2015400000003983Language: EN

Density : 1.9 - 2.1 g/cm3

Bulk density : No data available

Solubility(ies)

Water solubility : dispersible

Solubility in other solvents : No data available

Partition coefficient: n-

octanol/water

: No data available

Auto-ignition temperature : No data available

Decomposition temperature : No data available

Viscosity

Viscosity, dynamic : Not applicable

Viscosity, kinematic : Not applicable

Self-Accelerating decomposition

temperature (SADT)

: Method: No information available.

Oxidizing potential : The substance or mixture is not classified as oxidizing.

SECTION 10. STABILITY AND REACTIVITY

Reactivity : No dangerous reaction known under conditions of normal use.

Chemical stability : Stable under normal conditions.

Possibility of hazardous reac-

tions

: None known.

Conditions to avoid : Contamination

Incompatible materials : Oxidizing agents

Hazardous decomposition prod-

ucts

: Burning produces noxious and toxic fumes.

SECTION 11. TOXICOLOGICAL INFORMATION

Acute toxicity

Product:

Acute oral toxicity : LD50 (Rat, male and female): 3,266 mg/kg

GLP: yes

Acute inhalation toxicity : LC50 (Rat, male and female): > 2.8 mg/l

TERRAZOLE® 35W

VersionRevision Date:MSDS Number:Country: US1.1210/15/2015400000003983Language: EN

Exposure time: 4 h

GLP: yes

Assessment: The substance or mixture has no acute inhala-

tion toxicity

Remarks: An LC50/inhalation/4h/rat could not be determined because no mortality of rats was observed at the maximum

achievable concentration.

Acute dermal toxicity : LD50 (Rabbit, male and female): > 2,000 mg/kg

GLP: yes

Components:

5-ethoxy-3-trichloromethyl-1,2,4-thiadiazole:

Acute oral toxicity : LD50 (Rat): > 945 mg/kg

Method: OECD Test Guideline 401

Acute inhalation toxicity : LC50 (Rat): > 5.7 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist

Acute dermal toxicity : LD50 (Rabbit): > 5,000 mg/kg

Method: OECD Test Guideline 402

silica gel:

Acute oral toxicity : LD50 (Rat): > 22,500 mg/kg

Skin corrosion/irritation

Product:

Species: Rabbit

Result: No skin irritation

Components:

5-ethoxy-3-trichloromethyl-1,2,4-thiadiazole:

Species: Rabbit

Method: OECD Test Guideline 404

Result: No skin irritation

silica gel:

Result: No skin irritation

Serious eye damage/eye irritation

Product:

Species: Rabbit

Result: No eye irritation

Components:

5-ethoxy-3-trichloromethyl-1,2,4-thiadiazole:

Species: Rabbit

Result: No eye irritation

TERRAZOLE® 35W

VersionRevision Date:MSDS Number:Country: US1.1210/15/2015400000003983Language: EN

Method: OECD Test Guideline 405

silica gel:

Result: No eye irritation

Respiratory or skin sensitisation

Product:

Species: Guinea pig

Result: Did not cause sensitisation on laboratory animals.

Components:

5-ethoxy-3-trichloromethyl-1,2,4-thiadiazole:

Species: Guinea pig

Assessment: May cause sensitisation by skin contact.

Method: OECD Test Guideline 406

Result: May cause sensitisation by skin contact.

Germ cell mutagenicity

Components:

5-ethoxy-3-trichloromethyl-1,2,4-thiadiazole:

Germ cell mutagenicity - : Based on available data, the classification criteria are not met.

Assessment

quartz (SiO2):

Genotoxicity in vitro : Test Type: Ames test

Metabolic activation: with and without metabolic activation

Result: negative

Genotoxicity in vivo : Test Type: in vivo assay

Result: negative

Germ cell mutagenicity -

Assessment

: Animal testing did not show any mutagenic effects.

Carcinogenicity

Components:

5-ethoxy-3-trichloromethyl-1,2,4-thiadiazole:

Carcinogenicity - Assess- : Suspected of causing cancer.

ment

silica gel:

Carcinogenicity - Assess-

: IARC Class 3, not classifiable as to carcinogenicity to humans

ment

quartz (SiO2):

Carcinogenicity - Assess-

: Human carcinogen.

ment

TERRAZOLE® 35W

VersionRevision Date:MSDS Number:Country: US1.1210/15/2015400000003983Language: EN

IARC Group 1: Carcinogenic to humans

quartz (SiO2) 14808-60-7

OSHA No component of this product present at levels greater than or

equal to 0.1% is identified as a carcinogen or potential carcino-

gen by OSHA.

NTP Known to be human carcinogen

quartz (SiO2) 14808-60-7

Reproductive toxicity

Components:

5-ethoxy-3-trichloromethyl-1,2,4-thiadiazole:

Reproductive toxicity - As- : Based on available data, the classification criteria are not met.

sessment

STOT - single exposure

Product:

Assessment: Based on available data, the classification criteria are not met.

Components:

5-ethoxy-3-trichloromethyl-1,2,4-thiadiazole:

Assessment: Based on available data, the classification criteria are not met.

STOT - repeated exposure

Product:

Assessment: Based on available data, the classification criteria are not met.

Components:

quartz (SiO2):

Exposure routes: Inhalation

Assessment: The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

Repeated dose toxicity

Components:

5-ethoxy-3-trichloromethyl-1,2,4-thiadiazole:

Species: Rat NOAEL: 2.7 mg/kg Application Route: Oral Exposure time: 91 d Target Organs: Liver

Species: Rat NOAEL: 20 mg/kg

TERRAZOLE® 35W

VersionRevision Date:MSDS Number:Country: US1.1210/15/2015400000003983Language: EN

Application Route: Dermal Exposure time: 28 d

Species: Rat NOAEL: 0.015 mg/l LOAEL: 0.015 mg/l

Application Route: inhalation (dust/mist/fume)

Exposure time: 28 d

Further information

Product:

Remarks: No information available.

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

Product:

Toxicity to fish

Remarks: No data available

Toxicity to daphnia and other

aquatic invertebrates

Remarks: No data available

Toxicity to algae

Remarks: No data available

Components:

5-ethoxy-3-trichloromethyl-1,2,4-thiadiazole:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 2.4 mg/l

Exposure time: 96 h
Test Type: flow-through test
Method: OECD Test Guideline 203

Toxicity to daphnia and other

aquatic invertebrates

: EC50 (Daphnia magna (Water flea)): 3.1 mg/l

Exposure time: 48 h

Test Type: flow-through test Method: OECD Test Guideline 202

Toxicity to algae : EC50 (Selenastrum capricornutum (green algae)): 0.8 mg/l

Exposure time: 48 h

Toxicity to fish (Chronic toxic-

ity)

: NOEC: 0.12 mg/l Exposure time: 28 d

Test Type: flow-through test

Toxicity to daphnia and other aquatic invertebrates (Chron-

ic toxicity)

: NOEC: 0.37 mg/l Exposure time: 21 d

Test Type: flow-through test

TERRAZOLE® 35W

VersionRevision Date:MSDS Number:Country: US1.1210/15/2015400000003983Language: EN

silica gel:

Toxicity to fish : LC50 (Fish): > 10,000 mg/l

Exposure time: 96 h Test Type: static test

Persistence and degradability

Product:

Biodegradability : Remarks: No data available

Components:

5-ethoxy-3-trichloromethyl-1,2,4-thiadiazole:

Biodegradability : Result: Not readily biodegradable.

Stability in water : Degradation half life (DT50): 92 d pH: 5

Hydrolysis: at25 °C

Degradation half life (DT50): 98 d pH: 7

Hydrolysis: at25 °C

Degradation half life (DT50): 88 d pH: 9

Hydrolysis: at25 °C

Bioaccumulative potential

Product:

Bioaccumulation : Remarks: No data available

Components:

5-ethoxy-3-trichloromethyl-1,2,4-thiadiazole:

Bioaccumulation : Bioconcentration factor (BCF): 165

Partition coefficient: n-

octanol/water

: Pow: 289

Mobility in soil

Components:

5-ethoxy-3-trichloromethyl-1,2,4-thiadiazole:

Distribution among environ-

: Remarks: Moderately mobile in soils

mental compartments

Other adverse effects

Product:

Ozone-Depletion Potential : Regulation: 40 CFR Protection of Environment; Part 82 Pro-

tection of Stratospheric Ozone - CAA Section 602 Class I

Substances

Remarks: This product neither contains, nor was manufactured with a Class I or Class II ODS as defined by the U.S. Clean Air Act Sec-

TERRAZOLE® 35W

VersionRevision Date:MSDS Number:Country: US1.1210/15/2015400000003983Language: EN

tion 602 (40 CFR 82, Subpt. A, App.A + B).

Additional ecological informa-

tion

: An environmental hazard cannot be excluded in the event of

unprofessional handling or disposal.

Very toxic to aquatic life with long lasting effects.

Components:

5-ethoxy-3-trichloromethyl-1,2,4-thiadiazole:

Results of PBT and vPvB

assessment

: This substance is not considered to be persistent, bioaccumu-

lating and toxic (PBT).

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues : The product should not be allowed to enter drains, water courses or

the soil.

Do not contaminate ponds, waterways or ditches with chemical or

used container.

Offer surplus and non-recyclable solutions to a licensed disposal

company.

Contaminated packaging : Empty remaining contents.

Dispose of as unused product. Do not re-use empty containers.

SECTION 14. TRANSPORT INFORMATION

International Regulation

UNRTDG

UN number : UN 3077

Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID,

N.O.S.

(etridiazole)

Class : 9
Packing group : III
Labels : 9

IATA-DGR

UN/ID No. : UN 3077

Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID,

N.O.S., Environmentally hazardous substance, solid, n.o.s.

(etridiazole)

956

Class : 9 Packing group : III

Labels : Miscellaneous

Packing instruction (cargo

aircraft)

Packing instruction (passen: 956

12 / 17

TERRAZOLE® 35W

Version **Revision Date:** MSDS Number: Country: US 10/15/2015 40000003983 Language: EN 1.12

ger aircraft)

IMDG-Code

UN number : UN 3077

Proper shipping name ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID,

N.O.S.

(etridiazole)

Class : 9 : 111 Packing group : 9 Labels : F-A, S-F EmS Code Marine pollutant : ves

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

National Regulations

49 CFR

UN/ID/NA number : UN 3077

Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID,

N.O.S., ENVIRONMENTALLY HAZARDOUS SUBSTANCES,

SOLID, N.O.S.

(etridiazole)

Class : 9 Ш Packing group

: CLASS 9 Labels **ERG Code** : 171

Marine pollutant : yes(etridiazole) Remarks : RQ may apply

Not regulated by DOT and TDG if shipped or transported in

packaging less than 400KG by road and/or rail. Please refer

to 49 CFR for any details.

SECTION 15. REGULATORY INFORMATION

EPCRA - Emergency Planning and Community Right-to-Know Act

CERCLA Reportable Quantity

This material does not contain any components with a CERCLA RQ.

SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SSARA 311/312 Hazards : Chronic Health Hazard

SARA 302 : No chemicals in this material are subject to the reporting require-

ments of SARA Title III, Section 302.

SARA 313 This material does not contain any chemical components with

known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

TERRAZOLE® 35W

VersionRevision Date:MSDS Number:Country: US1.1210/15/2015400000003983Language: EN

Clean Air Act

This product neither contains, nor was manufactured with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A + B).

This product does not contain any hazardous air pollutants (HAP), as defined by the U.S. Clean Air Act Section 12 (40 CFR 61).

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 112(r) for Accidental Release Prevention (40 CFR 68.130, Subpart F).

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 111 SOCMI Intermediate or Final VOC's (40 CFR 60.489).

Clean Water Act

This product does not contain any Hazardous Substances listed under the U.S. CleanWater Act, Section 311, Table 116.4A.

This product does not contain any Hazardous Chemicals listed under the U.S. CleanWater Act, Section 311, Table 117.3.

This product does not contain any toxic pollutants listed under the U.S. Clean Water Act Section 307

California Prop. 65 WARNING! This product contains a chemical known to the State of California to cause cancer.

5-ethoxy-3-trichloromethyl-1,2,4-thiadiazole 2593-15-9

quartz (SiO2) 14808-60-7

TSCA list

No substances are subject to a Significant New Use Rule.

No substances are subject to TSCA 12(b) export notification requirements.

FIFRA Hazard Information:

This chemical is a pesticide product registered by the United States Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets (SDS), and for workplace labels of non-pesticide chemicals. The pesticide label also includes other important information, including directions for use.

The hazard information required on the pesticide label is reproduced below.

CAUTION

Causes moderate eye irritation. Harmful if swallowed or absorbed through skin. Avoid contact with skin, eyes or clothing.

Do not apply directly to water, to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate water when cleaning equipment disposing of equipment washwaters.

Etridiazole can contaminate surface water through spray drift. Under some conditions, etridiazole may have a high potential for runoff into surface water for several weeks post application. These conditions include poorly draining or wet soils with readily visible slopes toward adjacent surface waters, frequently flooded areas, areas overlaying extremely shallow ground water, areas with infield canals or

TERRAZOLE® 35W

VersionRevision Date:MSDS Number:Country: US1.1210/15/2015400000003983Language: EN

ditches that drain to surface water, areas not separated from adjacent surface waters with vegetated filter strips, and areas overlaying tile drainage systems that drain surface water.

Do not use or store near heat or open flame.

SECTION 16. OTHER INFORMATION

Full text of other abbreviations


(Q)SAR - (Quantitative) Structure Activity Relationship; ASTM - American Society for the Testing of Materials; bw - Body weight; DIN - Standard of the German Institute for Standardisation; ECx -Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; IARC - International Agency for Research on Cancer; IATA -International Air Transport Association: IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISO - International Organisation for Standardization; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative; DSL - Domestic Substances List (Canada); KECI - Korea Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); AICS - Australian Inventory of Chemical Substances; IECSC - Inventory of Existing Chemical Substances in China; ENCS - Existing and New Chemical Substances (Japan); ISHL - Industrial Safety and Health Law (Japan); PICCS - Philippines Inventory of Chemicals and Chemical Substances; NZIoC - New Zealand Inventory of Chemicals; TCSI - Taiwan Chemical Substance Inventory; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; DOT - Department of Transportation; EHS - Extremely Hazardous Substance; HMIS - Hazardous Materials Identification System; MSHA - Mine Safety and Health Administration; NFPA - National Fire Protection Association; RCRA - Resource Conservation and Recovery Act; RQ - Reportable Quantity; SARA - Superfund Amendments and Reauthorization Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; GLP - Good Laboratory Practice; ERG - Emergency Response Guide; NTP - National Toxicology Program; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods

TERRAZOLE® 35W

VersionRevision Date:MSDS Number:Country: US1.1210/15/2015400000003983Language: EN

Further information

NFPA:



HMIS III:

| HEALTH | 2* |
|-----------------|----|
| FLAMMABILITY | 1 |
| PHYSICAL HAZARD | 0 |

0 = not significant, 1 = Slight,

2 = Moderate, 3 = High

4 = Extreme, * = Chronic

Revision Date : 10/15/2015

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

US / EN

Carechem24 International Worldwide Coverage

Emergency Phone Number

| Europe: | All European Countries | +44 (0) 1235 239 670 (NCEC) |
|---------------|--|-------------------------------------|
| Asia Pacific: | East / South East Asia – Regional Number | +65 3158 1074 |
| | Australia | +61 2801 44558 |
| | New Zealand | +64 9929 1483 |
| | China | +86 532 8388 9090 |
| | China Taiwan | +86 10 5100 3039 |
| | Japan | +81 345 789 341 |
| | Indonesia | 00780 3011 0293 |
| | Malaysia | +60 3 6207 4347 |
| | Thailand | 001800 1 2066 6751 |
| | Korea | +65 3158 1285 +82 (0)234 798 401 |
| | Vietnam | +65 3158 1255 |
| | India | +65 3158 1198 0800 100 7479 |

TERRAZOLE® 35W

VersionRevision Date:MSDS Number:Country: US1.1210/15/2015400000003983Language: EN

Pakistan +65 3158 1329 Philippines +65 31581203 Sri Lanka +65 3158 1195 **Emergency Phone Number** +65 3158 1200 Middle East / Africa: Arabic speaking countries +44 (0) 1235 239 671 South Africa +27 21 300 2732 All other countries +44 (0) 1235 239 670 United States of America and Canada **America** +1866 928 0789 +1 215 207 0061 Brazil Latin America: +55 113 711 9144 Mexico +52 555 004 8763 Chile +56 225 829 336 All other countries +44 (0) 1235 239 670