

Stays Active For Up to



Stays Active For Up to

ONE-SIZE FITS ALL



ONE-SIZE FITS ALL



ABSORBINE

Flea & Tick Collar



DO NOT USE On Cats

ACTIVE INGREDIENT:

DeltamethrinOTHER INGREDIENTS:

DO NOT ALLOW CHILDREN TO PLAY WITH COLLAR CAUTION
SEE BACK PANEL LABEL FOR ADDITIONAL PRECATIONARY STATEMENTS

NET WT: 0.97 oz. (27.5 g)

1 Collar - One Size Fits All FOR DOGS





Stays Active For Up to **ONE-SIZE FITS ALL** **ONE-SIZE FITS ALL**









It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

READ ENTIRE LABEL BEFORE EACH USE • USE ONLY ON DOGS 12 WEEKS AND OLDER DIRECTIONS: Do not open package until ready to use. Dust forms on collar during storage. Do not get dust in mouth or eyes. Remove collar from package and stretch to full length. The tabs that held the collar in place will fall off when stretching; pull on any remaining tabs to remove them. Wipe collar with a damp paper towel or disposable cloth prior to applying, to remove dust on collar. Place collar around dog's neck, adjust for fit by sliding the collar through the buckle and restraining loops. Cut off and dispose of any excess length by wrapping in newspaper and placing in trash. Wash hands after placing collar on dog. The collar must be worn loosely to allow for growth of the dog and to permit the collar to move about the neck. Generally, a properly fitted collar is one that when fastened, will snugly slide over the dog's head. Maximum effectiveness may not occur for 2-3 weeks after collar placement. Water does not affect the collar's effectiveness or the pet's protection. If the dog goes swimming or is out in the rain, it is not necessary to remove the collar. Absorbine

UltraShield Flea & Tick Collar may be used in addition to a lead or constraint collar. Use only one Absorbine UltraShield Flea & Tick Collar at a time. Collar

STORAGE AND DISPOSAL

Pesticide Storage: Store this product in a cool, dry place away from children and pets.

Pesticide Disposal and Container Handling: Do not reuse container or used collar. Dispose of in trash.

FIRST AID	
If swallowed	Call poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by the poison control center or doctor. Do not give anything by mouth to an unconscious person.
If on skin or clothing	Take off contaminated clothing. Rinse skin immediately with plenty of water for 15 - 20 minutes. Call a polson control center or doctor for treatment advice.
If in eyes	Hold eye open and rinse slowly and gently with water for 15 - 20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.
HOT LINE NUMBER	

Have the product container or label with you when calling a poison control center or doctor, or going for treatment. For additional information on this product or information regarding human or animal medical emergencies call 1-800-628-9653, Call 1-800-628-9653 for additional product information.

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS CAUTION

Harmful if swallowed or absorbed through skin. Causes moderate eye irritation. Avoid contact with skin, eyes, or clothing. Wash thoroughly with soap and water after handling

USE RESTRICTIONS

Do not open package containing collar until ready to use. Do not use on puppies under 12 weeks. Do not use on cats. Consult a veterinarian before using this product on debilitated, aged, pregnant, medicated, or nursing animals. Sensitivities may occur after using ANY pesticide products for pets. If signs of sensitivity occur, remove collar and bathe your dog with mild soap and rinse with large amounts of water. If signs continue, consult a veterinarian immediately

Absorbine UltraShield Flea & Tick Collar provides full season, up to 6 months protection against fleas and ticks. Use Absorbine UltraShield

Flea & Tick Collar year round for optimum control. Replace every 6 months or sooner if needed. • For Large Dogs, Medium Dogs, Small Breeds & Puppies 12 weeks & older.

should be worn continuously. Apply a new collar every 6 months.

- . Sustained release formula.
- . Long lasting protection for up to 6 months.
- . Kills adult fleas. Prevents new flea infestations.
- . Kills fleas that may transmit anemia, bartonellosis, tapeworms, and Flea Allergy Dermatitis.
- . Kills ticks that may transmit Rocky Mountain Spotted Fever, babesiosis, anaplasmosis, and Lyme disease.
- . Slide and stay design. Fits dogs of all sizes.
- . Fits neck up to 26". Fits right over existing lead collar
- . Reliable alternative to flea and tick spot on treatment.
- . Water does not affect collar or dog's protection.
- . Consider bathing your dog with an EPA registered flea and tick shampoo if your dog is infested to provide immediate relief from itching and biting before applying Absorbine UltraShield Flea & Tick Collar.
- Absorbine UltraShield Flea & Tick Collar contains deltamethrin insecticide and has been specially formulated in a polymer matrix to provide effective control of fleas and ticks for up to 6 months

Distributed by: W. F. Young, Inc. 302 Benton Drive E. Longmeadow, MA 01028 USA @WFY Made in the U.S.A. RM 315121 EPA Reg. No. 1543-3 EPA Est No. 87823-MO-001



0