

**BON-NEEM<sub>II</sub>**  
**FUNGICIDE·MITICIDE·INSECTICIDE**  
**READY TO USE**

**CONTROLS      APHIDS,      MITES,  
WHITEFLIES & POWDERY MILDEW  
ON ROSES**

EPA Est. No. 4-NY-1

EPA Reg. No. 70051-74-4

Buyers Guarantee Limited to Label Claims.

©Bonide Products, Inc. All Rights Reserved

Distributed by  
Bonide Products, Inc.  
6301 Sutliff Road  
Oriskany, NY 13424

## DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

## GENERAL INFORMATION

### SHAKE WELL BEFORE AND DURING USE.

Multi-purpose insecticide/fungicide/miticide. Kills eggs, larval and adult stages of insects. Prevents fungal attack of plants tissues. Not for use in food handling areas. Do not apply to wilted or otherwise stressed plants, or to newly transplanted material prior to root establishment. When using in conjunction with beneficial insects, conduct a small trial to assure compatibility before using on a large scale. As with other products that contain oils, take care in timing applications to early morning/late afternoon/early evening to minimize the potential for leaf burn. Use with care on plants with tender tissue. Do not apply to known spray sensitive plant species such as impatiens flowers, fuchsia flowers, hibiscus flowers, some rose flowers, ornamental olive trees, red maples, some carnation varieties or similar plants without prior testing. Keep unprotected persons out of treated areas until sprays have dried.

## FUNGICIDE USE

For use on FRUITS, NUTS, VEGETABLES, HERBS, SPICES, ROSES, HOUSEPLANTS, FLOWERS AND SHRUBS

**Application Instructions:** This product is an effective fungicide for the prevention and control of various fungal diseases including powdery mildew, black spot, downy mildew, anthracnose, rust, leaf spot, botrytis, needle rust, scab and flower, twig and tip blight. As a preventative, apply this product on a 7 to 14 day schedule until the potential for disease development is no longer present. To control disease already present, apply this product on a 7 day schedule until disease pressure is eliminated. Then continue spraying on a 14 day schedule to prevent the disease from recurring. To prevent rust leaf spot diseases, anthracnose and scab, begin applications at the first sign of spring budding. To prevent powdery mildew, apply in mid-summer or when disease is first detected. Continue applications until disease pressure no longer exists. Thoroughly spray all plant leaf surfaces (including undersides of leaves) until foliage is uniformly wet, but not dripping. Excessive application is unnecessary and to be avoided.

## INSECTICIDE USE

For use on FRUITS, NUTS, VEGETABLES, HERBS, SPICES, ROSES, HOUSEPLANTS, FLOWERS AND SHRUBS

## INSECTICIDE USE Cont.

**Application Instructions:** Apply this product at the first sign of insects/mites. For control of the following: aphids, spider mites, scales, mealybugs, whiteflies, beetles (including Japanese), loopers, leafminers, leafrollers, armyworms, webworms, weevils, tent caterpillars, fungus gnats, leafhoppers, cabbageworms, squash bugs, squash vine borer, stink bugs, thrips, tomato hornworm, lace bugs, boxelder bugs, grasshoppers, crickets, ants, fleas, ticks, earwigs, cockroaches, mosquitoes, chinch bugs, chiggers and many other insect pests. This product is most effective when applied on a 7 to 14 day schedule. For heavy insect populations, spray on a 7 day schedule. Thoroughly spray all plant surfaces (including undersides of leaves) until foliage is uniformly wet, but not dripping. Excessive application is unnecessary and to be avoided.

### STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal.

**Pesticide Storage:** Store upright at room temperature. Avoid exposure to extreme temperatures. **Pesticide Disposal and Container Handling:** *If empty-* Nonrefillable container. Do not reuse or refill this container. Place in trash or offer for recycling if available. *If partly filled-* Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

### FIRST AID

<b>If on skin or clothing:</b>	<ul style="list-style-type: none"><li>• Take off contaminated clothing.</li><li>• Rinse skin immediately with plenty of water for 15-20 minutes.</li><li>• Call a poison control center or doctor for treatment advice.</li></ul>
<b>If in eyes:</b>	<ul style="list-style-type: none"><li>• Hold eye open and rinse slowly and gently with water for 15-20 minutes.</li><li>• Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.</li><li>• Call a poison control center or doctor for treatment advice.</li></ul>
<b>If swallowed:</b>	<ul style="list-style-type: none"><li>• Call a poison control center or doctor immediately for treatment advice.</li><li>• Have person sip a glass of water if able to swallow.</li><li>• Do not induce vomiting unless told to do so by a poison control center or doctor.</li><li>• Do not give anything by mouth to an unconscious person.</li></ul>

## FIRST AID Cont.

- If inhaled:**
- Move the person to fresh air.
  - If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth.
  - Call a poison control center or doctor for treatment advice.

Have the product container or label with you when calling a poison control center or doctor, or going for treatment. Hot Line Number 1-800-858-7378

## PRECAUTIONARY STATEMENTS

### Hazards to humans and domestic animals

**CAUTION** - Harmful if absorbed through skin. Causes moderate eye irritation. Harmful if inhaled. Avoid breathing spray mist. Avoid contact with skin, eyes, or clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, or using tobacco. Remove and wash contaminated clothing before reuse. Wear: long-sleeved shirt and long pants, socks shoes, gloves. Prolonged or frequently repeated skin contact may cause reactions in some individuals.

### ENVIRONMENTAL HAZARDS

To protect the environment, do not allow pesticide to enter or run off into storm drains, drainage ditches, gutters or surface waters. Applying this product in calm weather when rain is not predicted for the next 24 hours will help to ensure that wind or rain does not blow or wash pesticide off the treatment area.

### BEE HAZARD

This product is toxic to bees exposed to direct treatment. Do not apply this product while bees are actively visiting the treatment area.

### PHYSICAL AND CHEMICAL HAZARDS

Do not use or store near heat or open flame.

Seller warrants that this product complies with the specifications expressed in this label. To the extent consistent with applicable law, Seller makes no other warranties, and disclaims all other warranties, express or implied, including but not limited to warranties of merchantability and fitness for the intended purpose. To the extent consistent with applicable law, Seller's liability or default, breach or failure under this label shall be limited to the amount of the purchase price. To the extent consistent with applicable law, Seller shall have no liability for consequential damages.