

SAFETY DATA SHEET



Milestone®

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	06/29/2022	800080004418	Date of first issue: 06/29/2022

Corteva Agriscience™ encourages you and expects you to read and understand the entire SDS as there is important information throughout the document. This SDS provides users with information relating to the protection of human health and safety at the workplace, protection of the environment and supports emergency response. Product users and applicators should primarily refer to the product label attached to or accompanying the product container. This Safety Data Sheet adheres to the standards and regulatory requirements of the United States and may not meet the regulatory requirements in other countries.

SECTION 1. IDENTIFICATION

Product name : Milestone®

Manufacturer or supplier's details

COMPANY IDENTIFICATION

Manufacturer/importer : CORTEVA AGRISCIENCE LLC
9330 ZIONSVILLE RD
INDIANAPOLIS, IN, 46268-1053
UNITED STATES

Customer Information Number : 800-992-5994

E-mail address : customerinformation@corteva.com

Emergency telephone : INFOTRAC (CONTRACT 84224).
800-992-5994 or 317-337-6009

Recommended use of the chemical and restrictions on use

Recommended use : End use herbicide product

SECTION 2. HAZARDS IDENTIFICATION

GHS classification in accordance with the OSHA Hazard Communication Standard (29 CFR 1910.1200)

Not a hazardous substance or mixture.

GHS label elements

Not a hazardous substance or mixture.

Other hazards

None known.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

SAFETY DATA SHEET



Milestone®

Version 1.0 Revision Date: 06/29/2022 SDS Number: 800080004418 Date of last issue: -
Date of first issue: 06/29/2022

Components

Chemical name	CAS-No.	Concentration (% w/w)
Aminopyralid Triisopropanolamine Salt	566191-89-7	40.6
1,1',1'-nitrilotripropan-2-ol	122-20-3	>= 1 - < 3
Balance	Not Assigned	> 50

Actual concentration is withheld as a trade secret

SECTION 4. FIRST AID MEASURES

- If inhaled : Move person to fresh air. If person is not breathing, call an emergency responder or ambulance, then give artificial respiration; if by mouth to mouth use rescuer protection (pocket mask etc). Call a poison control center or doctor for treatment advice.
- In case of skin contact : Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.
- In case of eye contact : Hold eyes open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eyes. Call a poison control center or doctor for treatment advice.
- If swallowed : No emergency medical treatment necessary.
- Most important symptoms and effects, both acute and delayed : None known.
- Protection of first-aiders : If potential for exposure exists refer to Section 8 for specific personal protective equipment.
- Notes to physician : No specific antidote.
Treatment of exposure should be directed at the control of symptoms and the clinical condition of the patient.
Have the Safety Data Sheet, and if available, the product container or label with you when calling a poison control center or doctor, or going for treatment.

SECTION 5. FIRE-FIGHTING MEASURES

- Suitable extinguishing media : Water spray
Alcohol-resistant foam
- Unsuitable extinguishing media : None known.
- Specific hazards during fire fighting : Exposure to combustion products may be a hazard to health.
- Hazardous combustion products : During a fire, smoke may contain the original material in addition to combustion products of varying composition which may be toxic and/or irritating.
- Combustion products may include and are not limited to:
Carbon oxides
Nitrogen oxides (NOx)
Hydrogen chloride gas
- Specific extinguishing methods : Remove undamaged containers from fire area if it is safe to do so.

Milestone®

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	06/29/2022	800080004418	Date of first issue: 06/29/2022

Further information : Evacuate area.
Use water spray to cool unopened containers.
Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Special protective equipment for fire-fighters : Wear self-contained breathing apparatus for firefighting if necessary.
Use personal protective equipment.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures : Use appropriate safety equipment. For additional information, refer to Section 8, Exposure Controls and Personal Protection.

Environmental precautions : Discharge into the environment must be avoided.
Prevent further leakage or spillage if safe to do so.
Prevent spreading over a wide area (e.g., by containment or oil barriers).
Retain and dispose of contaminated wash water.
Local authorities should be advised if significant spillages cannot be contained.

Methods and materials for containment and cleaning up : Clean up remaining materials from spill with suitable absorbent.
Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in.
For large spills, provide dyking or other appropriate containment to keep material from spreading. If dyked material can be pumped,
Recovered material should be stored in a vented container.
The vent must prevent the ingress of water as further reaction with spilled materials can take place which could lead to over-pressurization of the container.
Keep in suitable, closed containers for disposal.
Wipe up with absorbent material (e.g. cloth, fleece).
See Section 13, Disposal Considerations, for additional information.

SECTION 7. HANDLING AND STORAGE

Advice on safe handling : Do not breathe vapors/dust.
Handle in accordance with good industrial hygiene and safety practice.
Smoking, eating and drinking should be prohibited in the application area.
Take care to prevent spills, waste and minimize release to the environment.
Use appropriate safety equipment. For additional information, refer to Section 8, Exposure Controls and Personal Protection.

Conditions for safe storage : Store in a closed container.
Keep in properly labeled containers.
Store in accordance with the particular national regulations.

SAFETY DATA SHEET



Milestone®

Version 1.0 Revision Date: 06/29/2022 SDS Number: 800080004418 Date of last issue: -
Date of first issue: 06/29/2022

Materials to avoid : Strong oxidizing agents
Packaging material : Unsuitable material: None known.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
1,1',1'-nitritotripropan-2-ol	122-20-3	TWA	10 mg/m3	Dow IHG

Engineering measures : Use local exhaust ventilation, or other engineering controls to maintain airborne levels below exposure limit requirements or guidelines. If there are no applicable exposure limit requirements or guidelines, general ventilation should be sufficient for most operations. Local exhaust ventilation may be necessary for some operations.

Personal protective equipment

Respiratory protection : Respiratory protection should be worn when there is a potential to exceed the exposure limit requirements or guidelines. If there are no applicable exposure limit requirements or guidelines, wear respiratory protection when adverse effects, such as respiratory irritation or discomfort have been experienced, or where indicated by your risk assessment process. For most conditions no respiratory protection should be needed; however, if discomfort is experienced, use an approved air-purifying respirator.

Hand protection

Remarks : Chemical protective gloves should not be needed when handling this material. Consistent with general hygienic practice for any material, skin contact should be minimized.

Eye protection : Use safety glasses (with side shields).

Skin and body protection : No precautions other than clean body-covering clothing should be needed.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : Liquid.
Color : Brown
Odor : Mild
Odor Threshold : No data available
pH : 7.3 (67.6 °F / 19.8 °C)
Method: pH Electrode
Melting point/range : Not applicable

SAFETY DATA SHEET



Milestone®

Version 1.0 Revision Date: 06/29/2022 SDS Number: 800080004418 Date of last issue: -
Date of first issue: 06/29/2022

Freezing point : < 14 °F / < -10 °C

Boiling point/boiling range : No data available

Flash point : > 212 °F / > 100 °C
Method: Pensky-Martens Closed Cup ASTM D 93

Evaporation rate : No data available

Flammability (solid, gas) : Not applicable

Upper explosion limit / Upper flammability limit : No data available

Lower explosion limit / Lower flammability limit : No data available

Vapor pressure : No data available

Relative vapor density : No data available

Relative density : No data available

Density : 1.1401 g/cm³ (68 °F / 20 °C)
Method: Digital density meter

Solubility(ies)
Water solubility : Soluble

Autoignition temperature : none below 400 degC

Viscosity
Viscosity, dynamic : 12.2 cP (68 °F / 20 °C)
Method: EPA OPPTS 830.7100 (Viscosity)

Explosive properties : No

Oxidizing properties : No

Surface tension : 54.4 mN/m, 68 °F / 20 °C

SECTION 10. STABILITY AND REACTIVITY

Reactivity : Not classified as a reactivity hazard.

Chemical stability : No decomposition if stored and applied as directed.
Stable under normal conditions.

Possibility of hazardous reactions : Stable under recommended storage conditions.
No hazards to be specially mentioned.
None known.

Conditions to avoid : None known.

Milestone®

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	06/29/2022	800080004418	Date of first issue: 06/29/2022

Incompatible materials	:	Strong acids Strong bases
Hazardous decomposition products	:	Decomposition products depend upon temperature, air supply and the presence of other materials. Decomposition products can include and are not limited to: Carbon oxides Nitrogen oxides (NOx) Hydrogen chloride gas

SECTION 11. TOXICOLOGICAL INFORMATION

Acute toxicity**Product:**

Acute oral toxicity	:	LD50 (Rat, male and female): > 5,000 mg/kg
Acute inhalation toxicity	:	LC50 (Rat, male and female): > 5.79 mg/l Exposure time: 4 h Test atmosphere: dust/mist Assessment: The substance or mixture has no acute inhalation toxicity
Acute dermal toxicity	:	LD50 (Rat, male and female): > 5,000 mg/kg

Components:**Aminopyralid Triisopropanolamine Salt:**

Acute oral toxicity	:	LD50 (Rat): > 5,000 mg/kg Remarks: For similar material(s):
Acute inhalation toxicity	:	LC50 (Rat): > 5.79 mg/l Exposure time: 4 h Test atmosphere: dust/mist Assessment: The substance or mixture has no acute inhalation toxicity Remarks: For similar material(s):
Acute dermal toxicity	:	LD50 (Rat): > 5,000 mg/kg Remarks: For similar material(s):

1,1',1'-nitrilotripropan-2-ol:

Acute oral toxicity	:	LD50 (Rat): 4,000 mg/kg
Acute inhalation toxicity	:	(Rat): Exposure time: 8 h Symptoms: No deaths occurred following exposure to a saturated atmosphere. Assessment: The substance or mixture has no acute inhalation toxicity
Acute dermal toxicity	:	LD50 (Rabbit): > 5,000 mg/kg

Milestone®

Version 1.0 Revision Date: 06/29/2022 SDS Number: 800080004418 Date of last issue: -
Date of first issue: 06/29/2022

Skin corrosion/irritation**Product:**

Result : No skin irritation

Components:**Aminopyralid Triisopropanolamine Salt:**

Result : No skin irritation

1,1',1'-nitrilotripropan-2-ol:

Result : No skin irritation

Serious eye damage/eye irritation**Product:**

Result : No eye irritation

Components:**Aminopyralid Triisopropanolamine Salt:**

Result : No eye irritation

1,1',1'-nitrilotripropan-2-ol:

Result : Eye irritation

Respiratory or skin sensitization**Product:**

Species : Guinea pig
Assessment : Does not cause skin sensitization.

Components:**Aminopyralid Triisopropanolamine Salt:**

Assessment : Does not cause skin sensitization.
Remarks : For similar active ingredient(s).
Did not cause allergic skin reactions when tested in guinea pigs.

Remarks : For respiratory sensitization:
No relevant data found.

1,1',1'-nitrilotripropan-2-ol:

Assessment : Does not cause skin sensitization.
Remarks : Did not cause allergic skin reactions when tested in guinea pigs.
Did not cause allergic skin reactions when tested in humans.

Remarks : For respiratory sensitization:

Milestone®

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	06/29/2022	800080004418	Date of first issue: 06/29/2022

No relevant data found.

Germ cell mutagenicity**Components:****Aminopyralid Triisopropanolamine Salt:**

Germ cell mutagenicity - Assessment : For similar active ingredient(s), Aminopyralid., In vitro genetic toxicity studies were predominantly negative., Animal genetic toxicity studies were negative.

1,1',1'-nitrilotripropan-2-ol:

Germ cell mutagenicity - Assessment : In vitro genetic toxicity studies were negative., Animal genetic toxicity studies were negative.

Carcinogenicity**Components:****Aminopyralid Triisopropanolamine Salt:**

Carcinogenicity - Assessment : For similar active ingredient(s), Aminopyralid., Did not cause cancer in laboratory animals.

1,1',1'-nitrilotripropan-2-ol:

Carcinogenicity – Assessment : Did not cause cancer in laboratory animals.

IARC No ingredient of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

OSHA No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.

NTP No ingredient of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

Reproductive toxicity**Components:****Aminopyralid Triisopropanolamine Salt:**

Reproductive toxicity - Assessment : For similar active ingredient(s), Aminopyralid., In animal studies, did not interfere with reproduction.
For similar active ingredient(s), Aminopyralid., Did not cause birth defects or other effects in the fetus even at doses which caused toxic effects in the mother.

1,1',1'-nitrilotripropan-2-ol:

Reproductive toxicity - Assessment : In animal studies, did not interfere with reproduction.

Did not cause birth defects or any other fetal effects in laboratory animals.

Milestone®

Version 1.0 Revision Date: 06/29/2022 SDS Number: 800080004418 Date of last issue: -
Date of first issue: 06/29/2022

STOT-single exposure**Product:**

Assessment : Evaluation of available data suggests that this material is not an STOT-SE toxicant.

Components:**Aminopyralid Triisopropanolamine Salt:**

Assessment : Evaluation of available data suggests that this material is not an STOT-SE toxicant.

1,1',1'-nitrilotripropan-2-ol:

Assessment : Evaluation of available data suggests that this material is not an STOT-SE toxicant.

STOT-repeated exposure**Product:**

Assessment : Evaluation of available data suggests that this material is not an STOT-RE toxicant.

Repeated dose toxicity**Components:****Aminopyralid Triisopropanolamine Salt:**

Remarks : For similar active ingredient(s).
Aminopyralid.
In animals, effects have been reported on the following organs:
Gastrointestinal tract.

1,1',1'-nitrilotripropan-2-ol:

Remarks : Based on available data, repeated exposures are not anticipated to cause significant adverse effects.

Aspiration toxicity**Product:**

Based on physical properties, not likely to be an aspiration hazard.

Components:**Aminopyralid Triisopropanolamine Salt:**

Based on physical properties, not likely to be an aspiration hazard.

1,1',1'-nitrilotripropan-2-ol:

Based on physical properties, not likely to be an aspiration hazard.

Milestone®

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	06/29/2022	800080004418	Date of first issue: 06/29/2022

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

Product:

- Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 360 mg/l
 Exposure time: 96 h
 Test Type: static test
 Method: OECD Test Guideline 203 or Equivalent
- LC50 (Cyprinodon variegatus (sheepshead minnow)): > 100 mg/l
 Exposure time: 96 h
 Test Type: static test
- Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): > 460 mg/l
 Exposure time: 48 h
 Test Type: static test
- LC50 (saltwater mysid Mysidopsis bahia): > 104 mg/l
 Exposure time: 96 h
 Test Type: static test
- Toxicity to algae/aquatic plants :
 Remarks: For similar material(s):
 Material is very highly toxic to aquatic organisms on an acute basis (LC50/EC50 <0.1 mg/L in the most sensitive species).
- ErC50 (Myriophyllum spicatum): 0.363 mg/l
 Exposure time: 14 d
 Remarks: For similar material(s):
- NOEC (Myriophyllum spicatum): 0.0639 mg/l
 Exposure time: 14 d
 Remarks: For similar material(s):
- ErC50 (Pseudokirchneriella subcapitata (green algae)): > 1,000 mg/l
 Exposure time: 72 h
 Remarks: For similar material(s):
- Toxicity to soil dwelling organisms : LC50 (Eisenia fetida (earthworms)): > 10,000 mg/kg
 Exposure time: 14 d
 End point: survival
- Toxicity to terrestrial organisms : Remarks: Material is practically non-toxic to birds on an acute basis (LD50 > 2000 mg/kg).
 Material is practically non-toxic to birds on a dietary basis (LC50 > 5000 ppm).
- dietary LC50 (Colinus virginianus (Bobwhite quail)): > 21422 mg/kg diet.

Milestone®

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	06/29/2022	800080004418	Date of first issue: 06/29/2022

oral LD50 (*Colinus virginianus* (Bobwhite quail)): > 10,000 ppm

oral LD50 (*Apis mellifera* (bees)): > 460 micrograms/bee

contact LD50 (*Apis mellifera* (bees)): > 460 micrograms/bee

Ecotoxicology Assessment

Acute aquatic toxicity : Very toxic to aquatic life.

Chronic aquatic toxicity : Very toxic to aquatic life with long lasting effects.

Components:**Aminopyralid Triisopropanolamine Salt:**

Toxicity to fish : LC50 (*Oncorhynchus mykiss* (rainbow trout)): 360 mg/l
Exposure time: 96 h
Remarks: For similar material(s):

Toxicity to daphnia and other aquatic invertebrates : EC50 (*Daphnia magna* (Water flea)): > 460 mg/l
Exposure time: 48 h
Remarks: For similar material(s):

Toxicity to algae/aquatic plants : ErC50 (*Myriophyllum spicatum*): 0.363 mg/l
Exposure time: 14 d
Remarks: For similar material(s):

NOEC (*Myriophyllum spicatum*): 0.0639 mg/l
Exposure time: 14 d
Remarks: For similar material(s):

ErC50 (*Pseudokirchneriella subcapitata* (green algae)): > 1,000 mg/l
Exposure time: 72 h
Remarks: For similar material(s):

Toxicity to terrestrial organisms : Remarks: Based on information for a similar material, Material is practically non-toxic to birds on an acute basis (LD50 > 2000 mg/kg), Material is practically non-toxic to birds on a dietary basis (LC50 > 5000 ppm).

Ecotoxicology Assessment

Acute aquatic toxicity : Very toxic to aquatic life.

Chronic aquatic toxicity : Very toxic to aquatic life with long lasting effects.

1,1',1'-nitriolotripropan-2-ol:

Toxicity to fish : Remarks: Material is practically non-toxic to aquatic organisms on an acute basis (LC50/EC50/EL50/LL50 >100 mg/L in the most sensitive species tested).

LC50 (*Leuciscus idus* (Golden orfe)): 3,158.4 mg/l

Milestone®

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	06/29/2022	800080004418	Date of first issue: 06/29/2022

	Exposure time: 96 h
	Test Type: static test
	Method: DIN 38412
Toxicity to daphnia and other aquatic invertebrates	: EC50 (Daphnia magna (Water flea)): > 500 mg/l Exposure time: 48 h Test Type: static test Method: OECD Test Guideline 202 or Equivalent
Toxicity to algae/aquatic plants	: EC50 (alga Scenedesmus sp.): 710 mg/l End point: Growth rate inhibition Exposure time: 72 h Test Type: static test Method: EU Method C.3 (Algal Inhibition test)
Toxicity to microorganisms	: EC10 (activated sludge): > 1,195 mg/l Exposure time: 30 min

Persistence and degradability**Components:****Aminopyralid Triisopropanolamine Salt:**

Biodegradability	: Remarks: For similar material(s): Aminopyralid. Material is not readily biodegradable according to OECD/EEC guidelines.
------------------	---

1,1',1'-nitrilotripropan-2-ol:

Biodegradability	: Remarks: Biodegradation under aerobic static laboratory conditions is high (BOD20 or BOD28/ThOD > 40%). Biodegradation rate may increase in soil and/or water with acclimation. Material is not readily biodegradable according to OECD/EEC guidelines.
------------------	---

aerobic	
Result: Not biodegradable	
Biodegradation: 0 %	
Exposure time: 28 d	
Method: OECD Test Guideline 301F or Equivalent	
Remarks: 10-day Window: Fail	

ThOD	: 2.35 kg/kg
------	--------------

Photodegradation	: Test Type: Half-life (indirect photolysis) Sensitizer: OH radicals Rate constant: 1.2E-10 cm ³ /s Method: Estimated.
------------------	--

Milestone®

Version 1.0 Revision Date: 06/29/2022 SDS Number: 800080004418 Date of last issue: -
Date of first issue: 06/29/2022

Bioaccumulative potential**Components:****Aminopyralid Triisopropanolamine Salt:**

Partition coefficient: n-octanol/water :

Remarks: For similar active ingredient(s).
Aminopyralid.
Bioconcentration potential is low (BCF < 100 or Log Pow < 3).

1,1',1'-nitrilotripropan-2-ol:

Bioaccumulation : Species: Fish
Bioconcentration factor (BCF): < 0.57
Exposure time: 42 d
Method: Measured

Partition coefficient: n-octanol/water :

log Pow: -0.015 (73 °F / 23 °C)
Method: Measured
Remarks: Bioconcentration potential is low (BCF < 100 or Log Pow < 3).

Balance:

Partition coefficient: n-octanol/water :

Remarks: No relevant data found.

Mobility in soil**Components:****Aminopyralid Triisopropanolamine Salt:**

Distribution among environmental compartments :

Remarks: For similar active ingredient(s).
Aminopyralid.
Potential for mobility in soil is very high (Koc between 0 and 50).

1,1',1'-nitrilotripropan-2-ol:

Distribution among environmental compartments :

Koc: 10
Method: Estimated.
Remarks: Potential for mobility in soil is very high (Koc between 0 and 50).

Balance:

Distribution among environmental compartments :

Remarks: No relevant data found.

Other adverse effects**Components:****Aminopyralid Triisopropanolamine Salt:**

Results of PBT and vPvB assessment :

This substance is not considered to be persistent, bioaccumulating and toxic (PBT). This substance is not considered to be very persistent and very bioaccumulating (vPvB).

Milestone®

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	06/29/2022	800080004418	Date of first issue: 06/29/2022

Ozone-Depletion Potential : Remarks: This substance is not on the Montreal Protocol list of substances that deplete the ozone layer.

1,1',1'-nitriiotripropan-2-ol:

Results of PBT and vPvB assessment : This substance is not considered to be persistent, bioaccumulating and toxic (PBT). This substance is not considered to be very persistent and very bioaccumulating (vPvB).

Ozone-Depletion Potential : Remarks: This substance is not on the Montreal Protocol list of substances that deplete the ozone layer.

Balance:

Results of PBT and vPvB assessment : This substance has not been assessed for persistence, bioaccumulation and toxicity (PBT).

Ozone-Depletion Potential : Remarks: This substance is not on the Montreal Protocol list of substances that deplete the ozone layer.

SECTION 13. DISPOSAL CONSIDERATIONS
Disposal methods

Waste from residues : If wastes and/or containers cannot be disposed of according to the product label directions, disposal of this material must be in accordance with your local or area regulatory authorities. This information presented below only applies to the material as supplied. The identification based on characteristic(s) or listing may not apply if the material has been used or otherwise contaminated. It is the responsibility of the waste generator to determine the toxicity and physical properties of the material generated to determine the proper waste identification and disposal methods in compliance with applicable regulations.
If the material as supplied becomes a waste, follow all applicable regional, national and local laws.

SECTION 14. TRANSPORT INFORMATION
International Regulations**UNRTDG**

UN number	: UN 3082
Proper shipping name	: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Aminopyralid Triisopropanolamine Salt)
Class	: 9
Packing group	: III
Labels	: 9

SAFETY DATA SHEET



Milestone®

Version 1.0 Revision Date: 06/29/2022 SDS Number: 800080004418 Date of last issue: -
Date of first issue: 06/29/2022

IATA-DGR

UN/ID No. : UN 3082
Proper shipping name : Environmentally hazardous substance, liquid, n.o.s.
(Aminopyralid Triisopropanolamine Salt)
Class : 9
Packing group : III
Labels : Miscellaneous
Packing instruction (cargo : 964
aircraft)
Packing instruction (passen- : 964
ger aircraft)

IMDG-Code

UN number : UN 3082
Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,
N.O.S.
(Aminopyralid Triisopropanolamine Salt)
Class : 9
Packing group : III
Labels : 9
EmS Code : F-A, S-F
Marine pollutant : yes
Remarks : Stowage category A

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

Domestic regulation

49 CFR

Not regulated as a dangerous good

Further information

Marine Pollutants assigned UN number 3077 and 3082 in single or combination packaging containing a net quantity per single or inner packaging of 5L or less for liquids or having a net mass per single or inner packaging of 5 KG or less for solids may be transported as non-dangerous goods as provided in section 2.10.2.7 of IMDG code, IATA Special provision A197, and ADR/RID special provision 375.

Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

SECTION 15. REGULATORY INFORMATION

SARA 311/312 Hazards : No SARA Hazards

SARA 313 : This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

Milestone®

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	06/29/2022	800080004418	Date of first issue: 06/29/2022

US State Regulations

Pennsylvania Right To Know

1,1',1'-nitritotripropan-2-ol

122-20-3

The ingredients of this product are reported in the following inventories:

TSCA : Product contains substance(s) not listed on TSCA inventory.

TSCA list

No substances are subject to a Significant New Use Rule.

No substances are subject to TSCA 12(b) export notification requirements.

Federal Insecticide, Fungicide and Rodenticide Act

EPA Registration Number : 62719-519

This chemical is a pesticide product registered by the Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets, and for workplace labels of non-pesticide chemicals. Following is the hazard information as required on the pesticide label:

CAUTION

Causes moderate eye irritation

SECTION 16. OTHER INFORMATION

Information Source and References

This SDS is prepared by Product Regulatory Services and Hazard Communications Groups from information supplied by internal references within our company.

Full text of other abbreviations

Dow IHG : Dow Industrial Hygiene Guideline
 Dow IHG / TWA : Time weighted average

AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DOT - Department of Transportation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS - Extremely Hazardous Substance; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI -

SAFETY DATA SHEET



Milestone®

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	06/29/2022	800080004418	Date of first issue: 06/29/2022

Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RQ - Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

Revision Date : 06/29/2022

Product code: GF-871

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

US / EN