

**PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS & DOMESTIC ANIMALS**

CAUTION: Harmful if swallowed, inhaled or absorbed through skin. Causes moderate eye irritation. Avoid breathing vapors or spray mist. Avoid contact with skin, eyes or clothing. Wash thoroughly with soap and water after handling. Remove contaminated clothing and wash clothing before reuse.

ENVIRONMENTAL HAZARDS
This product is toxic to fish. Drift or runoff may adversely affect fish. To protect the environment, do not allow pesticide to enter or run off into storm drains, drainage ditches, gutters or surface waters. Applying this product in calm weather when rain is not predicted for the next 24 hours will help ensure that wind or rain does not blow or wash pesticide off the treatment area. Rinsing application equipment over the treated area will help avoid run off to water bodies or drainage systems. This product is highly toxic to bees exposed to direct treatment on blooming crops or weeds. Do not apply this product or allow it to drift to blooming crops or weeds while bees are actively visiting the treatment area.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.
Storage: Keep in a cool dry area preferably locked and away from children and pets. Do not store below 32° F (0° C). In case of spill or leakage, soak up with an absorbent material such as sand, sawdust, earth, fuller's earth, etc. Dispose of with chemical waste.
Pesticide Disposal: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.
Container Disposal: Non-refillable container. Do not reuse or refill this container. Offer for recycling if available. Clean container promptly after emptying. Triple rinse as follows: Empty the remaining contents into application equipment or a mix tank and drain for 10 seconds after the flow begins to drip. Fill the container 1/4 full with water and recap. Shake for 10 seconds. Pour rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Drain for 10 seconds after the flow begins to drip. Repeat this procedure two more times. Offer for recycling if available, or reconditioning if appropriate, or puncture and dispose of in a sanitary landfill or by other procedures as approved by state and local authorities.

MANUFACTURED EXCLUSIVELY FOR
PYRANHA INCORPORATED
6602 CUNNINGHAM ROAD
HOUSTON, TX 77041
832-467-3840 800-231-2966
EPA REGISTRATION NO. 21165-32
EPA ESTABLISHMENT NO. 44446-TX-1



**SPACE SPRAY
1-10 HP™
CONCENTRATE**

Effectively Kills and Repels

**House Flies - Stable Flies - Horse Flies - Fruit Flies
Black Flies - Deer Flies - Horn Flies - Mosquitoes - Gnats
Biting and Non-biting Midges - Bott Flies - Face Flies
and Fleas**

Quick Knockdown & Effective Control

Recommended For Commercial/Industrial Use Only

ACTIVE INGREDIENTS:

Pyrethrins.....	0.55%
*Piperonyl Butoxide, Technical.....	5.50%
**Permethrin: (3-phenoxyphenyl) methyl (+/-) cis/trans 3-(2,2-dichloroethenyl) 2,2-dimethylcyclopropanecarboxylate.....	1.10%
OTHER INGREDIENTS:	92.85%
TOTAL:	100.00%

*Equivalent to 4.4% (butylcarbityl)(6-propylpiperonyl) ether and 1.1% related compounds.
**Cis/trans ratio: Max. 65% (+/-) trans and min. 35% (+/-) cis

**KEEP OUT OF REACH OF CHILDREN
CAUTION**
SEE SIDE PANELS FOR ADDITIONAL PRECAUTIONARY STATEMENTS

NET CONTENTS 2 1/2 GALLONS

FIRST AID	
Have the product container or label with you when calling a poison control center or doctor, or going for treatment. You may also contact 1-800-231-2966 for emergency medical treatment information.	
If swallowed	<ul style="list-style-type: none"> ● Call a poison control center or doctor immediately for treatment advice. ● Have person sip a glass of water if able to swallow. ● Do not induce vomiting unless told to do so by the poison control center or doctor. ● Do not give anything by mouth to an unconscious person.
If in eyes	<ul style="list-style-type: none"> ● Hold eye open and rinse slowly and gently with water for 15-20 minutes. ● Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. ● Call a poison control center or doctor for treatment advice.
If inhaled	<ul style="list-style-type: none"> ● Move person to fresh air. ● If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. ● Call a poison control center or doctor for further treatment advice.
If on skin or clothing	<ul style="list-style-type: none"> ● Take off contaminated clothing. ● Rinse skin immediately with plenty of water for 15-20 minutes. ● Call a poison control center or doctor for treatment advice.



DIRECTIONS FOR USE
It is a violation of Federal law to use this product in a manner inconsistent with its labeling.
DILUTION / USE RATE (Indoor Space and Outdoor Sprays):
Dilute before using. Add 1 part of this product to 21 parts of clean water. Mix thoroughly prior to application. Repeat treatments only as necessary to maintain control.

INDOOR SPACE SPRAYS
Where to use: Use as an indoor space spray in horse barns*, dog kennels, and zoo animal quarters to kill and repel listed insects.
Personnel should vacate containment treatment areas (horse barns, dog kennels & zoo animal quarters) while treatment is in progress. Treated areas should be thoroughly ventilated prior to re-entry by personnel. Do not use in commercial food/feed handling establishments, restaurants, or other areas where food is commercially prepared or processed.

Apply as a space spray using an automatic spray system. Refer to the system user manual for specific instructions. Adjust spray nozzles to deliver a fine mist or fog to entire treatment area at a rate of 1 fluid ounce diluted product per 1000 cubic feet of area. Automatic spraying systems must not be programmed to release pesticide where food or feed is directly exposed.

***Do not apply this product to horses intended for slaughter or human consumption. Do not apply this product in horse barns (stables) where horses intended for slaughter or human consumption will be maintained.**

OUTDOOR SPRAYS
Where to Use: Use as an outdoor area spray for temporary reduction of listed insects on and around homes, patios, tennis courts, pool areas, beach houses, and lawn areas.

Directions for Use in Outdoor Residential Misting Systems:
NOTE: Not registered for use in Residential Automatic Mosquito Misting Systems in the State of New York.

Apply as an area spray using an automatic spray system. Refer to the system user manual for specific instructions. Adjust spray nozzles to deliver a fine mist or fog at a delivery rate not to exceed 1.25 fluid ounces of diluted product per minute with each nozzle covering 100 square feet (approximately 1000 cubic feet). This product may only be used in systems that have been calibrated to apply no more than the maximum application rate of 0.25 grams of Permethrin per 1,000 cubic feet per day. This represents 0.13 gallons of Pyranha Space Spray 1-10 HP Concentrate (diluted 1 part concentrate with 21 parts water) per 1000 cubic feet per day.

If used in a system with a reservoir tank for the end dilution, the system reservoir tank must be locked. Securely attach the end use pesticide Pyranha Space Spray 1-10 HP Concentrate label and a dilution statement ("The container holds 1 part Pyranha Space Spray 1-10 HP Concentrate to 21 parts water") to the system reservoir tank in a weather protected area or plastic sleeve. If used in a direct injection system the pesticide container must be locked. Securely attach the Pyranha Space Spray 1-10 HP Concentrate label to the pesticide container in a weather protected area or plastic sleeve.

Automatic spray systems must be programmed so as not to activate and/or release when people, pets, and food or feed are present. A rain sensor and a wind sensor should be installed on the system to control drift and runoff. Direct nozzles to spray towards the target area and away from swimming pools, water bodies, or eating and cooking areas. Do not use in an evaporative cooling system. During the day, manually activate and deactivate the automatic spray system 30 minutes to an hour before outdoor activity is planned. Do not manually activate the system when people, pets, or food are in the treatment area.

Installers and service technicians must comply with the license, certification, or registration requirements of the state(s), tribe(s), or local authority(ies) where they are installed.

Directions For Use With Handheld Sprayers:
When used in handheld sprayers, apply the diluted product (1 part concentrate to 21 parts water) at a rate of 6 to 12 fl. oz. per 1000 sq. ft. of area. Use only equipment that produces coarse, non-ULV sprays for residual treatment of vegetation or other surfaces. Not For Wide Area Mosquito Adulticide Use. Do not apply with handheld or truck mounted aerosol ULV sprayers and thermal fogging devices.

Except when using through residential automatic outdoor mosquito misting systems, all outdoor applications must be limited to spot or crack-and-crevice treatments only, except for the following permitted uses:

- (1) Treatment to soil or vegetation around structures;
- (2) Applications to lawns, turf and other vegetation

All Outdoor applications to impervious surfaces such as sidewalks, driveways, patios, porches and structural surfaces (such as windows, doors and eaves) are limited to spot and crack-and-crevice applications only. Do not make applications during rain. Application is prohibited directly into sewers or drains or to any area like a gutter where drainage to sewers, storm drains, water bodies or aquatic habitat can occur. Do not allow product to enter any drain during or after application.