

235 South Kresson Street

Summit Chemical Co.

Baltimore, Maryland 21224

PERMACIDE® PLUS

INSECT SPRAY CONTAINING PROPOXUR

For Commercial, Industrial and Institutional Use

When Used As Directed, This Insecticide Product May be Applied in Food Processing Plants, Restaurants, Warehouses.

KILLS roaches, waterbugs, ants (excluding fire, harvester, carpenter, and pharaoh ants),

brown dog ticks, clover mites, crickets, earwigs, cluster flies, millipedes, silverfish,

sowbugs, spiders (excluding black widow and brown recluse spiders), and saw-toothed grain beetles (exposed stage).

Do not spray this product on indoor residential use sites, schools, day care facilities, motels, hotels, and other indoor locations where children may be present.

ACTIVE INGREDIENT:

Propoxur: o-Isopropoxyphenyl methylcarbamate..... 1%

INERT INGREDIENTS:..... 99%

Contains Petroleum distillates

KEEP OUT OF REACH CHILDREN

CAUTION

First Aid On Inside Plow Fold

EPA Registration No. 6218-24

EPA Establishment No. 6218-MD-2

PERMACIDE® is a registered trademark of Summit Chemical Co., Baltimore, Maryland

 Peel Here

Net Contents: 1 Gallon

Peel Here 

Spray into cracks, crevices, around baseboards, and other places where these insects hide. Apply behind and beneath cabinets, refrigerators, sinks, stoves, and in and around waste containers. For ants, spray trails and places where ants enter premises. Will only kill pests present at the time of application. Pests must be directly contacted to be effective. Contact as many pests as possible. Repeat as needed. Do not spray feedstuffs or indoor plants. Do not allow children to contact treated areas until surfaces are thoroughly dry.

FOOD HANDLING ESTABLISHMENTS: Places other than private residences in which food is held, processed, prepared, or served. **Ants (excluding fire, harvester, carpenter, and pharaoh ants), Cockroaches, Waterbugs, Crickets, Silverfish, Spiders (excluding black widow and brown recluse spiders), and Saw-Toothed Grain Beetles (aids in the control of the exposed stages of the saw-toothed grain beetle which come into contact with treated surfaces).**

Food Areas - Application limited to **CRACK AND CREVICE TREATMENT ONLY**. Includes areas for receiving, storage, packing (canning, bottling, wrapping, boxing), preparing, edible waste storage, and enclosed processing systems (mills, dairies, edible oils, syrups). Serving areas when food is exposed and facility is in operation also would be considered food areas. Apply in small amounts directly into cracks and crevices using equipment capable of delivering a pin stream of insecticide in points between different elements of construction, between equipment and floors, openings leading to voids and hollow spaces in walls, equipment legs and bases, or hollow equipment legs where the above listed insects hide. Will only kill pests present at the time of application. Pests must be directly contacted to be effective. Contact as many pests as possible. Prior to application, de-energize electrical equipment. After application allow time for oil to evaporate before starting motors or placing switches in the "ON" position. Do not apply directly to electrical equipment or electrical boxes. Do not allow product to be deposited onto exposed surfaces or introduced into the air. Do not contaminate food or food processing surfaces. APPLICATIONS OF THIS PRODUCT IN THE FOOD AREAS OF FOOD HANDLING ESTABLISHMENTS OTHER THAN AS A CRACK AND CREVICE TREATMENT ARE NOT PERMITTED.

Non-Food Areas - Includes garbage rooms, lavatories, floor drains (to sewers), entries and vestibules, offices, locker rooms, machine rooms, boiler rooms, garages, mop closets, and storage rooms (after canning or bottling). Apply as a **SPOT TREATMENT** to baseboard areas, around water pipes, surfaces behind and beneath sinks, lockers, tables, pallets, and similar areas where insects hide or through which they may enter.

OUTDOOR USE AROUND COMMERCIAL AND INSTITUTIONAL BUILDINGS AND WAREHOUSES: **Ants (excluding fire, harvester, carpenter, and pharaoh ants), Clover Mites, Crickets, Earwigs, Millipedes, Sowbugs, Spiders (excluding black widow and brown recluse spiders), and Brown Dog Ticks.** Spray infested areas thoroughly including outside surfaces of screens, doors, window frames, foundations, paths, or other places where insects may enter. For ants, spray hills and runways. Repeat as necessary. Do not spray lawns or vegetation.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage and disposal.

STORAGE: Store in a cool, dry place. Do not store near heat or open flame.

PESTICIDE DISPOSAL and CONTAINER DISPOSAL:

If empty: Do not reuse this container. Place in trash or offer for recycling if available.

If partly filled: Call your local solid waste agency or Toll Free Phone 1-800-CLEANUP for disposal instructions. Never place unused product down any indoor or outdoor drain.

PERMACIDE® PLUS

INSECT SPRAY CONTAINING PROPOXUR

For Commercial, Industrial and Institutional Use

When Used As Directed, This Insecticide Product May be Applied in Food Processing Plants, Restaurants, Warehouses.

KILLS roaches, waterbugs, ants (excluding fire, harvester, carpenter, and pharaoh ants),

brown dog ticks, clover mites, crickets, earwigs, cluster flies, millipedes, silverfish,

sowbugs, spiders (excluding black widow and brown recluse spiders), and saw-toothed grain beetles (exposed stage).

Do not spray this product on indoor residential use sites, schools, day care facilities, motels, hotels, and other indoor locations where children may be present.

ACTIVE INGREDIENT:

Propoxur: o-Isopropoxphenyl methylcarbamate..... 1%

INERT INGREDIENTS:..... 99%

Contains Petroleum distillates

KEEP OUT OF REACH CHILDREN
CAUTION

First Aid On Inside Plow Fold

FIRST AID

Note to Physician: Contains N-methyl carbamate that inhibits cholinesterase. Contains Petroleum distillates. Vomiting may cause aspiration pneumonia.

If Inhaled:	<ul style="list-style-type: none">• Move person to fresh air.• If person is not breathing, call 911 or ambulance, then give artificial respiration, preferably mouth-to-mouth, if possible.• Call a poison control center or doctor for further treatment advice.
If on skin: or clothing:	<ul style="list-style-type: none">• Take off contaminated clothing.• Rinse skin immediately with plenty of water for 15-20 minutes.• Call a poison control center or doctor for treatment advice.
If in eyes:	<ul style="list-style-type: none">• Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing.• Call a poison control center or doctor for treatment advice.
If swallowed:	<ul style="list-style-type: none">• Call a poison control center or doctor immediately for treatment advice.• Have person sip a glass of water if able to swallow.• Do not induce vomiting unless told to do so by a poison control center or doctor.• Do not give anything by mouth to an unconscious person.
HOT LINE NUMBER:	Have the product container or label with you when calling a poison control center or doctor, or going for treatment. You may also contact 1-888-740-8712 for emergency medical treatment information.

PERSONAL PROTECTIVE EQUIPMENT (PPE)

Applicators and all handlers must wear:

- Long-sleeved shirt and long pants,
- Socks and shoes, and
- Chemical resistant gloves made of barrier laminate, nitrile rubber, neoprene rubber, or viton. Follow manufacturer's requirements for cleaning/maintaining PPE. If there are no such instructions for washables, use detergent and hot water. Keep and wash PPE separately from other laundry.

USER SAFETY RECOMMENDATIONS

- Users should wash hands before eating, drinking, chewing gum, using tobacco, or using the toilet.
- Users should remove clothing/PPE immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing.
- Users should remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS.

CAUTION

Harmful if swallowed or absorbed through skin. Causes moderate eye irritation. Avoid contact with skin, eyes or clothing.

ENVIRONMENTAL HAZARDS

This product is toxic to wildlife and aquatic invertebrates. Do not apply directly to water. Do not contaminate water when disposing of equipment washwaters or rinsate. Do not apply where runoff is likely to occur.

PHYSICAL OR CHEMICAL HAZARDS

Combustible

Do not use or store near heat or open flame. Do not apply to electrical junction boxes, switch boxes, and conduits due to the possibility of shock hazard.

Insecticides For The Food Industry

SUMMIT PERMACIDE® PLUS

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

RESTRICTIONS: Do not use as a space spray. Do not use in edible products areas of food processing plants or in commercial food preparation areas except for careful crack and crevice treatment. Do not use in the dining/serving areas of restaurants. Do not apply to wallpaper or similar materials that may be stained. Avoid excessive wetting of plastic, rubber, and asphalt surfaces such as tiles and floor coverings. Do not apply this product in any way that will contact any person or pet, either directly or indirectly. Keep people and pets out of the area during application.

Entry Restrictions: Do not allow people or pets to enter the treated area until spray has dried.

HOW TO USE: This insecticide product containing propoxur is ready-to-use undiluted as it comes out of the container, and may be applied with power-operated or hand sprayers.

INDOOR USE: INDUSTRIAL APPLICATIONS OTHER THAN FOOD HANDLING ESTABLISHMENT SPOT TREATMENT: **Ants (excluding fire, harvester, carpenter, and pharaoh ants), Cockroaches, Waterbugs, Crickets, Silverfish, Spiders (excluding black widow and brown recluse spiders), and Saw-Toothed Grain Beetles (aids in the control of the exposed stages of the saw-toothed grain beetle which come into contact with treated surfaces).**