

### NFPA HAZARD RATING

# **U.S. TRANSPORT SUMMARY**

0	Least		
1	Slight	1	Health
2	Moderate	0	Flammability
3	High	0	Reactivity
4	Severe		

Not regulated by the U.S. DOT as a hazardous material. See Section 14 for additional information.

**SECTION 1: IDENTIFICATION** 

**Product Name:** Superb® HC **EPA Registration #:** Exempt

Product ID/Unity #: 10000814, 10012802, 10012850, 10014731, 10016605, 10051976, 10118128, 10122194

**Common Name:** High Surfactant Oil Concentrate

**Chemical Description:** Phytobland paraffinic oil, high fructose corn syrup, polyoxyethylene sorbitan fatty esters

**Recommended Uses:** Adjuvant – See product label for full directions for use. Restrictions for Use: See product label for any potential use restrictions.

Manufactured For: WINFIELD SOLUTIONS, LLC MEDICAL EMERGENCY TELEPHONE NUMBER: 1-877-424-7452 (24hrs)

P. O. Box 64589

Non-Emergency Business Inquiries: 1-855-494-6343 St. Paul, MN 55164-0589 Mon - Fri 8am - 5pm (Central Standard Time)

FOR EMERGENCY, SPILL, LEAK, FIRE, EXPOSURE, OR ACCIDENT, CALL:

**CHEMTREC 1-800-424-9300 (24 hours)** 

# **SECTION 2: HAZARDS IDENTIFICATION**

EMERGENCY OVERVIEW: Clear amber liquid with mild aromatic odor. Based on currently available data, this product does not meet the regulatory definition of a hazardous chemical. However, good industrial hygiene practices should be used in handling the product.

# **POTENTIAL HEALTH EFFECTS:**

Eves: May cause mild but reversible eye irritation. **Skin:** May cause mild but reversible skin irritation.

Inhalation: May cause minor irritation of the upper respiratory tract.

**Ingestion:** May cause minor irritation of the digestive tract.

**Preexisting Conditions:** Preexisting skin conditions may be aggravated by exposure.

Chronic Health Effects: None known

NTP: Not listed IARC: Not listed OSHA: Not listed Carcinogenicity

OSHA HCS 2012 CLASSIFICATION: This product does not meet the definition of a hazardous chemical under OSHA's Hazard

Communication Standard.

**SIGNAL WORD: CAUTION** 

**HAZARD STATEMENTS:** 

None required.

Percent of product with unknown toxicity: 0%

PRECAUTIONARY STATEMENTS:

Prevention: See Section 8 for personal protective equipment.

Response: See Section 4 for first aid information. Storage: See Section 7 for storage information. Disposal See Section 13 for disposal information.

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS				
Ingredient	% (wt)	CAS Reg. #		
Distillates (Petroleum) Solvent Dewaxed Light Paraffinic	48.0 – 52.0%	64742-56-9		
Propylene glycol	<3.5%	57-55-6		

\*Ingredients not specifically listed are non-hazardous and are considered to be confidential business information under 29 CFR 1910.1200(i).

See Section 8 for exposure limits.

	SECTION 4: FIRST AID MEASURES
Inhalation:	Remove person from contaminated area to fresh air and assist breathin

**Inhalation:** Remove person from contaminated area to fresh air and assist breathing as needed. Seek medical attention

if irritation occurs.

**Ingestion:** Seek medical attention or call a poison control center for treatment advice. Do not induce vomiting unless

instructed to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious

person.

Skin:

**Eyes:** Flush eyes with clean water for at least 15 minutes. Lift eyelids to facilitate irrigation. If present, remove

contact lenses after 5 minutes and continue rinsing. Seek medical attention if eye irritation persists. Remove contaminated clothing and wash before re-using. Flush skin with water and then wash with soap

and water. Seek medical attention if skin irritation persists.

#### **SECTION 5: FIRE FIGHTING MEASURES**

**Suitable Extinguishing Media:** Foam, Dry chemical, Carbon dioxide, Water spray or fog **Unsuitable Extinguishing Media:** Water jet. Use a water jet only to cool heated containers.

**Special Fire Fighting Procedures:** Wear NIOSH/MSHA approved self-contained breathing apparatus and full bunker gear. Dike area to prevent runoff and contamination of water sources. Dispose of fire control water later. Avoid breathing vapors; keep unwind

Hazardous Combustion Products: Asphyxiates such as carbon monoxide may result from combustion.

Unusual Fire and Explosion Hazards: None known

# **SECTION 6: ACCIDENTAL RELEASE MEASURES**

**Personal Precautions:** Refer to Section 8 for personal protective equipment to be worn during containment and clean-up of a spill involving this product.

**Environmental Precautions:** Keep spilled product from entering sewers or waterways.

Methods for Containment: Contain spilled product by diking area with sand or earth.

**Methods for Clean-up:** Cover contained spill with an inert absorbent material such as sand, vermiculite or other appropriate material. Vacuum, scoop, or sweep up material and place in a container for disposal. Do not place spilled material back in original container.

Other Information: None known

#### **SECTION 7: HANDLING AND STORAGE**

**Handling:** Ensure adequate ventilation during handling and use. Immediately clean up spills that occur during handling. Keep containers closed when not in use. Practice good hygiene after using this material, especially before eating, drinking, smoking, using the toilet, or applying cosmetics.

**Storage:** Store in cool, dry areas away from children, food and feed products in an area away from incompatible substances. Protect packaging from physical damage. Protect from exposure to fire.

Minimum Storage Temperature: Not determined

Other Precautions: Consult Federal, state and local laws and regulations pertaining to storage.

>212°F

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION					
Exposure Guidelines Component:	OSHA PEL	ACGIH TLV	NIOSH REL		
Oil mist	5 mg/m3	5 mg/m3			

**Respiratory Protection:** For most conditions, no respiratory protection should be needed. If airborne concentrations exceed exposure limits, use a NIOSH approved air-purifying respirator with cartridges/canisters approved for oil mist.

Engineering Controls: Local Exhaust: Provide general or local exhaust ventilation systems to maintain airborne

concentrations below OSHA PELs or other specified exposure limits. Local exhaust ventilation is

preferred.

**Protective Gloves:** While not expected to cause skin irritation, the use of chemically protective gloves is recommended to prevent against skin contact.

**Eye Protection:** While not expected to cause eye irritation, the use of chemical safety goggles is recommended to prevent against eye contact. Contact lenses are not protective eye devices.

Other Protective Clothing or Equipment: Wear long-sleeve shirt, long pants and shoes plus socks to prevent skin contact. Work/Hygienic Practices: Never eat, drink, nor use tobacco in work areas. Practice good hygiene after using this material, especially before eating, drinking, smoking, using the toilet, or applying cosmetics.

**SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES** Physical State: Specific Gravity (H<sub>2</sub>O=1): Liquid 0.992 (typical) Vapor Pressure (mm Hg): Not determined Density (lbs/gallon): 8.28 lbs/gallon (typical) Vapor Density (Air=1): Not determined **Melting Point/Freezing Point:** Not determined Solubility in Water (wt %): Not determined **Boiling Point/Range:** Not determined Viscosity (centistokes): 5.0 - 7.0Not determined pH:

Flash Point:

aromatic odor

Clear amber liquid with mild

#### **SECTION 10: STABILITY AND REACTIVITY**

Reactivity: None known

Appearance and odor:

Chemical Stability: Product is stable at ambient temperature and pressure, under normal storage and handling conditions.

Possibility of Hazardous Reactions: Will not occur Conditions to Avoid: Extreme temperatures Incompatible Materials: Strong oxidizers

Hazardous Decomposition Products: Asphyxiates such as carbon monoxide may result from combustion.

# **SECTION 11: TOXICOLOGICAL INFORMATION**

**ACUTE TOXICITY** 

**Eye Effects:** May cause mild but temporary eye irritation. Animal tests on the components showed the product

to be a non-irritant.

Skin Effects: May cause mild but temporary skin irritation. Animal tests showed the product to be a non-

irritant. Estimated LD50 >5,050 mg/kg

Acute Inhalation Effects: Estimated LC50 >2.28 mg/L; Based upon component data and lack of mortality and adverse

effects during the study, this product is not expected to be toxic via inhalation.

Acute Oral Effects: Estimated LD50 >5,000 mg/kg

**Specific Target Organ** 

None known

Toxicity:

**CHRONIC TOXICITY** 

Chronic Effects: None known
Carcinogenicity: None known
Mutagenicity: None known
Teratogenicity: None known
Reproductive Toxicity: None known

Continued on next page

POTENTIAL HEALTH EFFECTS:

**Eyes:** May cause mild but reversible eye irritation. **Skin:** May cause mild but reversible skin irritation.

**Inhalation:** May cause minor irritation of the upper respiratory tract.

Ingestion: May cause minor irritation of the digestive tract.

# **SECTION 12: ECOLOGICAL INFORMATION**

**ENVIRONMENTAL SUMMARY:** This product is slightly toxic to aquatic organisms.

**ECOTOXICITY DATA:** 

Fish Acute and Prolonged Toxicity: Rainbow trout 96 hr – LC50 = 45 mg/L; NOEC = 30 mg/L

Bluegill 96 hr - EC50 > 100 mg/L; NOEC = 10 mg/L

Aquatic Invertebrate Acute Toxicity: Daphnia magna 48 hr – EC50 = 22.3 mg/L; NOEC <10 mg/L

Aquatic Plant Toxicity:

Bird Acute and Prolonged Toxicity:

Honeybee Toxicity:

Not determined

Not determined

**ENVIRONMENTAL EFFECTS:** 

Soil Absorption/Mobility: Not determined Persistence and degradability: Not determined Bioaccumulative Potential: Not determined Other adverse effects: Not determined

#### **SECTION 13: DISPOSAL CONSIDERATIONS**

Waste: Dispose of in accordance with applicable Federal, state and local laws and regulations.

**Container:** Triple rinse and recycle the container or dispose of in accordance with Federal, state and local laws and regulations. **RCRA Characteristics:** It is the responsibility of the individual disposing of this product to determine the RCRA classification and hazard status of the waste.

SECTION 14: TRANSPORT INFORMATION		
DOT: (Ground)	This product is not regulated by the U.S. Department of Transportation as a hazardous material for ground shipment.	
IMDG: (Sea)	Not determined	
IATA: (Air)	Not determined	
TDG: (Canada)	Not determined	

# **SECTION 15: REGULATORY INFORMATION**

**TSCA Inventory**: All components are listed on the TSCA inventory or are exempt from listing.

**SARA Title III Information:** 

Section 302 - Extremely hazardous substances: None listed

Section 311/312 - Hazard Categories: None

Section 313 - The following chemicals are subject to the reporting requirements of Section 313 of Title III, Superfund

Amendments and Reauthorization Act of 1986 and 40 CFR 372:

None listed

**CERCLA** - This product contains the following chemicals which have a reportable quantity (RQ) under the Comprehensive Environmental Response, Compensation, and Liability Act (CERCLA):

None listed

**California Proposition 65: WARNING:** This product contains a chemical known to the state of California to cause cancer and/or reproductive harm.

Continued on next page

# Superb<sup>®</sup> HC

U.S. State Worker and Community Right-To-Know (RTK) Information (CT, IL, MA, MN, NH, NJ, PA, RI):

Chemical NameCAS #State(s)Distillates (Petroleum) Solvent Dewaxed Light Paraffinic64742-56-9MAPropylene glycol57-55-6NJ, PA

Canadian Domestic Substances List: All components are listed on the DSL.

WHMIS Classification: This product is not approved for use in Canada. WHMIS classification is not determined.

#### **SECTION 16: OTHER**

**Disclaimer:** The information presented herein is based on available data from reliable sources and is correct to the best of WinField Solutions' knowledge. WinField Solutions, LLC makes no warranty, express nor implied, regarding the accuracy of the data or the results obtained from the use of this product. Nothing herein may be construed as recommending any practice or any product in violation of any law or regulations. The user is solely responsible for determining the suitability of any material or product for a specific purpose and for adopting any appropriate safety precautions. We disclaim all liability for injury or damage stemming from any improper use of the material or product described herein.

**Revision Date:** November 7, 2013 Supersedes document dated: June 14, 2008

Sections Revised: All